

**SPF BESTSELLERS STARTER KIT- avobenzonone, homosalate, octisalate, octocrylene  
System Beauty, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SPF Bestsellers Starter Kit**

**Unseen Sunscreen Active Ingredient**

**Active Ingredients Purpose**

Avobenzonone 3% Sunscreen

Homosalate 8% Sunscreen

Octocrylene 4% Sunscreen

Octisalate 5% Sunscreen

**Glowscreen SPF 40**

**Active Ingredients Purpose**

Avobenzonone 3% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 10% Sunscreen

**Play Everyday Sunscreen SPF 50 with Sunflower Extract Active ingredients**

**Active Ingredients Purpose**

Avobenzonone 3% Sunscreen

Homosalate 10% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 7.5% Sunscreen

Uses

Helps Prevent Sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of Skin cancer and early skin aging caused by the sun

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

**Stop use and ask a doctor** if rash occurs.

**For External use only**

**Do not use** on damaged or broken skin

**When using this product,** Keep out of eyes. Rinse with water to remove

### **Unseen Sunscreen SPF 40 Directions**

#### **Directions**

- apply generously and evenly 15 minutes before sun exposure
- reapply:

after 40 minutes of swimming or sweating

immediately after towel drying

at least every 2 hours

- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months: ask a doctor

### **Glowscreen SPF 40 Directions**

#### Directions

- Apply generously and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours

Use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
Limit time in the sun, especially from 10a.m. – 2p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

### **Play Everyday Sunscreen SPF 50 with Sunflower Extract directions**

#### Directions

- Apply liberally 15 minutes before sun exposure

#### Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear Long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

## **Unseen Sunscreen Inactive Ingredients**

### **Inactive Ingredients**

Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsesquioxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol

## **Glowscreen SPF 40 inactive ingredients**

### **Inactive Ingredients**

Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsesquioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxychloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (sunflower) Seed Oil, Ferulic Acid

## **Play Everyday Lotion SPF 50 with Sunflower extract**

### **Inactive Ingredients**

Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Camprestris/Aleurites Fordi Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Oliviate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Oliviate, Diethylhexyl Syringylidenemalonate, Aniba Rosaedora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Bascilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-hexanediol, Caprylyl Glycol, Xanthan Gum, Helianthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamine Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid

## **SPF Bestsellers Starter Kit**

## SPF BESTSELLERS STARTER KIT

Discover healthier, happier skin with bestselling SPF for face & body.

Unseen Sunscreen SPF 40

0.5 fl. oz. / 15 ml

Glowscreen SPF 40

0.5 fl. oz. / 15 ml

Play Everyday Lotion SPF 50 with Sunflower Extract

1 fl. oz. / 30 ml

Broad Spectrum  
Sunscreen SPF 50 PA++++  
Water & Sweat Resistant (80 minutes)  
1fl. oz. / 30 ml.

Broad Spectrum Sunscreen  
SPF 40 PA++++  
0.5 fl. oz. / 15 ml.

SPF  
40

Supergoop!  
GLOW  
SCREEN

Our OG daily  
SPF body lotion

Illuminating  
primer + SPF





**CLEAN INGREDIENTS • FEEL-GOOD FORMULAS • SUPERPOWERED SPF**

Unseen Sunscreen  
SPF 40  
0.5 fl. oz. / 15 ml

Glowscreen  
SPF 40  
0.5 fl. oz. / 15 ml

PLAY Everyday Lotion  
SPF 50 with Sunflower Extract  
1 fl. oz. / 30 ml

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzene 3%, Homosalate 8%, Octisalate 5%, Octocrylene 4%.....	Sunscreens
<b>Uses</b>	
<ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Apply generously and evenly 15 minutes before sun exposure</li> <li>Reapply:                             <ul style="list-style-type: none"> <li>After 40 minutes of swimming or sweating</li> <li>Immediately after towel drying</li> <li>At least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                             <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats, and sunglasses</li> </ul> </li> <li>Children under 6 months: Ask a doctor</li> </ul>	
<b>Inactive Ingredients</b>	
Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsequioxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Caprylyl Glycol, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol	
<b>Other Information</b>	
Protect the product in this container from excessive heat and direct sun.	
<b>Questions or Comments?</b>	
Contact our Sun Specialists 877-564-7330	

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzene 3%, Octisalate 5%, Octocrylene 10%.....	Sunscreens
<b>Uses</b>	
<ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Apply generously and evenly 15 minutes before sun exposure</li> <li>Reapply at least every 2 hours</li> <li>Use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                             <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats, and sunglasses</li> </ul> </li> <li>Children under 6 months: Ask a doctor</li> </ul>	
<b>Inactive Ingredients</b>	
Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsequioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxichloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Hellanthus Annuus (Sunflower) Seed Oil, Ferulic Acid	
<b>Other Information</b>	
Protect the product in this container from excessive heat and direct sun.	
<b>Questions or Comments?</b>	
Contact our Sun Specialists 877-564-7330	

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzene 3%, Homosalate 10%, Octisalate 5%, Octocrylene 7.5%.....	Sunscreens
<b>Uses</b>	
<ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Apply generously and evenly 15 minutes before sun exposure</li> <li>Reapply:                             <ul style="list-style-type: none"> <li>After 80 minutes of swimming or sweating</li> <li>Immediately after towel drying</li> <li>At least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                             <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats, and sunglasses</li> </ul> </li> <li>Children under 6 months: Ask a doctor</li> </ul>	
<b>Inactive Ingredients</b>	
Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Oliviate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Oliviate, Diethylhexyl Syringylidenemalonate, Aniba Rosaedora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Basilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-Hexanediol, Caprylyl Glycol, Xanthan Gum, Hellanthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamine Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid	
<b>Other Information</b>	
Protect the product in this container from excessive heat and direct sun.	
<b>Questions or Comments?</b>	
Contact our Sun Specialists 877-564-7330	

**FORMULATED WITHOUT PARABENS, SYNTHETIC FRAGRANCE, OXYBENZONE, OR OCTINOXATE.**

Dermatologist-Tested, Reef-Safe, Non-Irritating & Vegan



**SUPERGOOP.COM**  
Distributed by Taylor James, LLC  
San Antonio, TX 78215  
Unseen Sunscreen™ and Glowscreen™ are trademarks of Taylor James, LLC.

**Other Information**  
Protect the product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Contact our Sun Specialists 877-564-7330

# SPF BESTSELLERS STARTER KIT

avobenzone, homosalate, octisalate, octocrylene kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82384-0030
---------------------	----------------	---------------------------	----------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0030-1	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	12/17/2021	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	15 mL
Part 2	1 BOTTLE	15 mL
Part 3	1 BOTTLE	30 mL

## Part 1 of 3

### UNSEEN SUNSCREEN BROAD SPECTRUM SPF 40

avobenzone, homosalate, octocrylene, octisalate cream

## Product Information

<b>Item Code (Source)</b>	NDC:82384-0031
---------------------------	----------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>ZINC SULFATE</b> (UNII: 89DS0H96TB)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PHYMATOLITHON CALCAREUM</b> (UNII: 6J1M3WA0ZK)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)
<b>DIATOMACEOUS EARTH</b> (UNII: 2RF6EJ0M85)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>MANNITOL</b> (UNII: 3OWL53L36A)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: O4I3UFO6ZF)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0031-1	15 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

## Part 2 of 3

### GLOWSCREEN SPF40

avobenzone, octisalate, octocrylene cream

## Product Information

<b>Item Code (Source)</b>	NDC:82384-0032
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	10 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL



## Inactive Ingredients

Ingredient Name	Strength
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>LIMONIUM GERBERI WHOLE</b> (UNII: 2J5K7YCF9F)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>CETYL PHOSPHATE</b> (UNII: VT07D6X67O)	
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>COCOA</b> (UNII: D9108TZ9KG)	
<b>FERULIC ACID</b> (UNII: AVM951ZWST)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0032-1	15 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

## Part 3 of 3

### PLAY EVERYDAY SPF 50 WITH SUNFLOWER EXTRACT

avobenzone, homosalate, octisalate, octocrylene lotion

## Product Information

Item Code (Source)	NDC:82384-0033
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LAURYL LACTATE</b> (UNII: G55U0BFK7O)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0033-1	30 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

**Labeler** - System Beauty, LLC (809198398)

Revised: 12/2021

System Beauty, LLC