

MUCOSA- guaifenesin tablet
TIME CAP LABORATORIES, INC

272R Timely 49483-272 Guaifenesin 400 mg Tablets

Active ingredient (in each immediate-release tablet)

Guaifenesin 400 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageway of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

- **do not exceed recommended dosage**
- do not use for more than 7 days

Stop use and ask a doctor if

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and older: take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- children under 12 years of age: do not use

Other information

- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- keep in a dry place and do not expose to excessive heat

Inactive ingredients colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, sodium starch glycolate, stearic acid

Questions or comments?

Call **1-877-290-4008**

NDC 49483-272-20



Immediate-release

Mucus Relief

Guaifenesin 400mg Expectorant

- Relieves Chest Congestion
- Thins and Loosens Mucus



Actual Size

200 TABLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each immediate-release tablet)

Guaifenesin 400 mg.....Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageway of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

- do not exceed recommended dosage
- do not use for more than 7 days


Stop use and ask a doctor if

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a healthcare professional before use.

Drug Facts (continued under label)

Manufactured by:
Time-Cap Labs, Inc.
7 Michael Avenue Farmingdale,
NY 11735
272R 0923



0 6 2 7 2 2 2 2 3 5 4 9 7 3 8

Lot No:

Exp Date:

Varnish Omit Area



PREPARE HERE

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and older: take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- children under 12 years of age: do not use

Other Information

- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- keep in a dry place and do not expose to excessive heat

Inactive ingredients

colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, polydione, silicon dioxide, sodium starch glycolate, stearic acid

Questions or comments? Call 1-877-290-4008

Adhesive Area

guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49483-272
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor		Imprint Code	TCL272
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49483-272-06	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/16/2012	
2	NDC:49483-272-00	100000 in 1 CARTON; Type 0: Not a Combination Product	04/16/2012	
3	NDC:49483-272-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	09/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/16/2012	

Labeler - TIME CAP LABORATORIES,INC (037052099)

Registrant - TIME CAP LABORATORIES,INC (037052099)**Establishment**

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES,INC		037052099	manufacture(49483-272)

Revised: 11/2023

TIME CAP LABORATORIES,INC