

JUNIOR ACETAMINOPHEN AGES 6-11- acetaminophen tablet, orally disintegrating
Chain Drug Consortium

Premier Value Junior Strength Pain Reliever

Active ingredient (in each tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy Alert: Acetaminophen may cause severe skin reaction. Symptoms may include:

- Skin reddening
- Blister
- Rash If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

Do not exceed recommended dosage (see overdose warning).

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

| Weight (lbs) | Age (yr) | Tablets |
|---------------------|-----------------|----------------|
| under 24 | under 2 years | Ask a doctor |
| 24-35 | 2-3 years | 1 tablets |
| 36-47 | 4-5 years | 1½ tablets |
| 48-59 | 6-8 years | 2 tablets |
| 60-71 | 9-10 years | 2½ tablets |
| 72-95 | 11 years | 3 tablets |

*or as directed by a doctor

Other information

- store at room temperature. Avoid high humidity. Protect from light
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C Red no. 30 lake, dextrose, FD&C Blue no. 1 lake, flavors, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethyl cellulose, starch sucralose

Principal Display Panel

COMPARE TO ACTIVE INGREDIENT IN CHILDREN'S TYLENOL® CHEWABLES*

Premier Value®

Children's Pain Reliever Chewables

ACETAMINOPHEN

Pain Reliever/Fever Reducer

Aspirin-Free

Ibuprofen-Free

Grape Flavor

Naturally and Artificially Flavored

24 CHEWABLES TABLETS - 160 mg each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Distributed by

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue, Wayne, PA

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

Premier Value

Ages 2-11

Children's Pain Reliever Chewables

ACETAMINOPHEN

24 CHEWABLE TABLETS - 160 mg each



COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S TYLENOL® CHEWABLES*

Premier Value

Ages 2-11

Children's Pain Reliever Chewables

ACETAMINOPHEN

Pain Reliever/Fever Reducer
Aspirin Free • Ibuprofen Free



Actual Size


Grape Flavor

Naturally and Artificially Flavored



24 CHEWABLE TABLETS - 160 mg each

160GR24PVFC



8 40986 01908 1

Lot :

Exp :

Drug Facts (continued)

Inactive ingredients: citric acid, croscopolone, D&C Red No. 30 Lake, dextrose, FD&C Blue No. 1 Lake, flavor, hydroxypropylcellulose, magnesium stearate, methocel K100, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

IMPORTANT: Keep this carton for future reference on full labeling.

Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087

Drug Facts TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

| Active ingredient (in each chewable tablet) | Purpose |
|---------------------------------------------|-----------------------------|
| Acetaminophen 160 mg | Pain reliever/fever reducer |

Uses ■ temporarily relieves minor aches and pains due to:
■ the common cold ■ flu ■ headache ■ sore throat ■ toothache ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount
■ with other drugs containing acetaminophen

Allergy Alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

Drug Facts (continued)

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present
These could be signs of a serious condition.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions ■ this product does not contain directions or complete warnings for adult use.

■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew completely do not swallow whole ■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

| Weight (lbs) | under 24 | 24-35 | 36-47 | 48-59 | 60-71 | 72-95 |
|-----------------|---------------|-----------|------------|-----------|------------|-----------|
| Age (yrs) | under 2 years | 2-3 years | 4-5 years | 6-8 years | 9-10 years | 11 years |
| Dose (tablets)* | ask a doctor | 1 tablet | 1½ tablets | 2 tablets | 2½ tablets | 3 tablets |

* or as directed by a doctor

Other information ■ store at room temperature. Avoid high humidity. Protect from light

■ see end flap for expiration date and lot number

JUNIOR ACETAMINOPHEN AGES 6-11

acetaminophen tablet, orally disintegrating

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68016-198 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--------------------------------------------------------------------|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 160 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------------------------------------|----------|
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK) | |
| D&C RED NO. 30 (UNII: 2S42T2808B) | |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH) | |
| MAGNESIUM STEARATE (UNII: 70097M6130) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311) | |
| STARCH, CORN (UNII: O8232NY35J) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | PURPLE | Score | 2 pieces |
| Shape | ROUND | Size | 16mm |
| Flavor | GRAPE | Imprint Code | RP160 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:68016-198-00 | 4 in 1 CARTON | 08/07/2015 | |
| 1 | | 6 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| OTC Monograph Drug | M013 | 08/07/2015 | |

Labeler - Chain Drug Consortium (101668460)

Revised: 11/2023

Chain Drug Consortium