HELIUM OXYGEN MIXTURE- helium oxygen mixture gas Praxair Distribution Southeast LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Helium Oxygen Mixture

UN1956

COMPRESSED GASES, N.O.S.

(HELIUM, OXYGEN)

Components:

% HELIUM USP CAS: 7740-59-7

% OXYGEN USP CAS: 7782-44-7

LOT NUMBER

NET CONTENTS

CAUTION! HIGH-PRESSURE GAS. MAY ACCELERTE COMBUSTION CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE SUFFOCATION. MAY CAUSE DIZZINESS AND DROWSINESS.

Keep oil, grease and combustibles away. Keep away from heat, sparks, and flame. Open valve slowly. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Close valve when not in use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per MSDS provided and Praxair safety practices booklets P-3499 and P-14-153; obtain from your local supplier.

RX ONLY

WARNING! Administration this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and


frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

Copyright 1997-1998, 2003, 2007 Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



UN3156

COMPRESSED GAS,

OXIDIZING, N.O.S.

(OXYGEN, HELIUM)

% HELIUM USP CAS: 7440-59-7

% OXYGEN USP CAS: 7782-44-7

NET CONTENTS

LOT NUMBER

WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per MSDS provided and Praxair safety booklets P-3499 and P-14-153. Obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and

frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

Copyright 1997-1998, 2003, 2005 Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-3-0 (10/05)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



HELIUM OXYGEN MIXTURE

helium oxygen mixture gas

MADE IN USA

Product Information Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:49972-009 Route of Administration RESPIRATORY (INHALATION)

Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc. DANBURY, CT 06810-5113

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	800 mL in 1 L			
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	200 mL in 1 L			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49972-009-01	7900 L in 1 CYLINDER				
2	NDC:49972-009-02	5975 L in 1 CYLINDER				
3	NDC:49972-009-03	2010 L in 1 CYLINDER				
4	NDC:49972-009-04	963 L in 1 CYLINDER				
5	NDC:49972-009-05	595 L in 1 CYLINDER				

6 NDC:49972-009-06	368 L in 1 CYLINDER						
Maybeting Information							
Marketing Information							
Marketing Category	Application Number or Monograph Citation	on Marketing Start Date	Marketing End Date				
unapproved medical gas		08/01/2007					

Labeler - Praxair Distribution Southeast LLC (008455552)

Establishment							
Name	Address	ID/FEI	Business Operations				
Praxair Distribution Southeast LLC		006734263	manufacture(49972-009)				

Revised: 7/2013 Praxair Distribution Southeast LLC