SODIUM SULFACETAMIDE AND SULFUR- sulfacetamide sodium, sulfur liquid Method Pharmaceuticals, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sodium Sulfacetamide 10% - Sulfur 5% Cleanser Rx Only

DESCRIPTION

Each gram of sodium sulfacetamide 10% and sulfur 5% cleanser contains 100 mg of sodium sulfacetamide and 50 mg of sulfur in a cleanser containing Aloe Vera leaf Extract, Butylated Hydroxytoluene, Cetyl Alcohol, Citric Acid, Cocamidopropyl Betaine, Disodium EDTA, Glycerin, Glyceryl Stearate SE, PEG-100 Stearate, Phenoxyethanol, Purified Water, Sodium laureth sulfate, Sodium Thiosulfate, Stearyl alcohol, Triacetin, Xanthan Gum.

Sodium sulfacetamide is a sulfonamide with antibacterial activity while sulfur acts as a keratolytic agent. Sodium sulfacetamide is C $_8$ H $_9$ N $_2$ NaO 3S·H2O with molecular weight of 254.24. Chemically, it is N-[(4-aminophenyl)sulfonyl]-acetamide, monosodium salt, monohydrate.

The structural formula is:

CLINICAL PHARMACOLOGY

The most widely accepted mechanism of action of sulfonamides is the Woods-Fildes theory, which is based on the fact that sulfonamides act as competitive antagonists to para-aminobenzoic acid (PABA), an essential component for bacterial growth. While absorption through intact skin has not been determined, sodium sulfacetamide is readily absorbed from the gastrointestinal tract when taken orally and excreted in the urine, largely unchanged. The biological half-life has variously been reported as 7 to 12.8 hours.

The exact mode of action of sulfur in the treatment of acne is unknown, but it has been reported that it inhibits the growth of Propionibacterium acnes and the formation of free fatty acids.

INDICATIONS

SODIUM SULFACETAMIDE 10% - SULFUR 5% CLEANSER is indicated for use in the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

CONTRAINDICATIONS:

Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is not to be used by patients with kidney disease.

WARNINGS

Although rare, sensitivity to sodium sulfacetamide may occur. Therefore, caution and careful supervision should be observed when prescribing this drug for patients who may be prone to hypersensitivity to topical sulfonamides. Systemic toxic reactions such as agranulocytosis, acute hemolytic anemia, purpura hemorrhagica, drug fever, jaundice and contact dermatitis indicate hypersensitivity to sulfonamides. Particular caution should be employed if areas of denuded or abraded skin are involved. Sulfonamides are known to cause Stevens-Johnson syndrome in hypersensitive individuals. Stevens-Johnson syndrome also has been reported following the use of sodium sulfacetamide topically. Cases of drug induced systemic lupus erythematosus from topical sulfacetamide also have been reported. In one of these cases, there was a fatal outcome. KEEP OUT OF REACH OF CHILDREN.


NOTICE: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

Occasionally, a slight discoloration of fabric may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

DOSAGE AND ADMINISTRATION

USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using less often. See label booklet for Full Prescribing Information. FOR EXTERNAL USE ONLY. NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES). KEEP OUT OF REACH OF CHILDREN.

Package Label





Sodium Sulfacetamide & Sulfur

(Sodium Sulfacetamide 10% & Sulfur 5%)

10% / 5% Cleanser

For External Use Only

Rx Only Net Wt. 6 oz (170.3 g) INDICATIONS: Sodium Sulfacetamide 10% and Sulfur 5% Cleanser is indicated for the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

DIRECTIONS FOR USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using less often. See label booklet for Full Prescribing Information. FOR EXTERNAL USE ONLY. NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES).

KEEP OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS: Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is not to be used by patients with kidney disease.

CAUTION: If redness or irritation occurs, discontinue use.

Each gram of sodium sulfacetamide 10% and sulfur 5% cleanser contains 100 mg of sodium sulfacetamide and 50 mg of sulfur in a cleanser containing Aloe Vera leaf Extract, Butylated Hydroxytoluene, Cetyl Alcohol, Citric Acid. Cocamidopropyl Betaine, Disodium EDTA, Glycerin, Glyceryl Stearate SE, PEG-100 Stearate, Phenoxyethanol, Purified Water, Sodium laureth sulfate, Sodium Thiosulfate, Stearyl alcohol, Triacetin, Xanthan Gum. STORAGE: Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (between 59°F and 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

Occasionally, a slight discoloration of fabric may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

This bottle is not filled to the top but does contain 6 fl oz of product as identified on the front panel of the bottle.

Manufactured in the U.S.A. for Method Pharmaceuticals, LLC Southlake, Texas 76092

Sodium Sulfacetamide 10% & Sulfur 5% Cleanser

Rx Only





Sodium Sulfacetamide & Sulfur

(Sodium Sulfacetamide 10% & Sulfur 5%)

10% / 5% Cleanser

For External Use Only

Rx Only Net Wt. 8 oz (227 g) INDICATIONS: Sodium Sulfacetamide 10% and Sulfur 5% Cleanser is indicated for the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

DIRECTIONS FOR USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using less often. See label booklet for Full Prescribing Information.

FOR EXTERNAL USE ONLY, NOT FOR INTRAVAGINAL OR OPHTHALMIC USE, (KEEP AWAY FROM EYES).

KEEP OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS: Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is not to be used by patients with kidney disease

CAUTION: If redness or irritation occurs, discontinue use.

Each gram of sodium sulfacetamide 10% and sulfur 5% cleanser contains 100 mg of sodium sulfacetamide and 50 mg of sulfur in a cleanser containing Aloe Vera leaf Extract, Butylated Hydroxytoluene, Cetyl Alcohol, Citric Acid, Cocamidopropyl Betaine, Disodium EDTA, Glycerin, Glyceryl Stearate SE, PEG-100 Stearate, Phenoxyethanol, Purified Water, Sodium laureth sulfate, Sodium Thiosulfate, Stearyl alcohol, Triacetin, Xanthan Gum. STORAGE: Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (between 59°F and 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

Occasionally, a slight discoloration of fabric may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

This bottle is not filled to the top but does contain 8 fl oz of product as identified on the front panel of the bottle.

Manufactured in the U.S.A. for Method Pharmaceuticals, LLC Southlake, Texas 76092

Sodium Sulfacetamide 10% & Sulfur 5% Cleanser

Rx Only

58657 47208



Sodium Sulfacetamide & Sulfur

(Sodium Sulfacetamide 10% & Sulfur 5%)

10% / 5% Cleanser

For External Use Only

Rx Only Net Wt. 12 oz (340 g) INDICATIONS: Sodium Sulfacetamide 10% and Sulfur 5% Cleanser is indicated for the topical control of acne vulgaris, acne response and seborrheic dermatitis.

DIRECTIONS FOR USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinse into gleanser off sooner or using less often. See label booklet for Full Prescribing Information.

FOR EXTERNAL USE ONLY, NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES).

KEEP OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS: Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is not to be used by patients with kidney disease.

CAUTION: If redness or irritation occurs, discontinue use.

Each gram of sodium suffacetamide 10% and sulfur 5% cleanser contains 100 mg of sodium suffacetamide and 50 mg of sulfur in a cleanser containing Aloe Vera leaf Extract, Butylated Hydroxytoluene, Cetyl Alcohol, Citric Acid, Cocamidopropyl Betaine, Disodium EDTA, Glycerin, Glyceryl Stearate SE, PEG-100 Stearate, Phenoxyethanol, Purified Water, Sodium laureth sulfate, Sodium Thiosulfate, Stearyl alcohol, Triscettin, Xanthan Gum.

STORAGE

Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (between 59°F and 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

Occasionally, a slight discoloration of fabric may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

This bottle is not filled to the top but does contain 12 fl oz of product as identified on the front panel of the bottle.

Manufactured in the U.S.A. for Method Pharmaceuticals, LLC Southlake, Texas 76092

Sodium Sulfacetamide 10% & Sulfur 5% Cleanser

Rx Only



1 2500"



Sodium Sulfacetamide & Sulfur

(Sodium Sulfacetamide 10% & Sulfur 5%)

10% / 5% Cleanser

For External Use Only

Rx Only Net Wt. 12 oz (340.2 g) INDICATIONS: Sodium Sulfacetamide 10% and Sulfur 5% Cleanser is indicated for the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

DIRECTIONS FOR USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using less often. See label booklet for Full Prescribing Information.

FOR EXTERNAL USE ONLY. NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES).

KEEP OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS: Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% & Sulfur 5% Cleanser is not to be used by patients with kidney disease.

CAUTION: If redness or irritation occurs, discontinue use.

Each gram of sodium sulfacetamide 10% and sulfur 5% cleanser contains 100 mg of sodium sulfacetamide and 50 mg of sulfur in a cleanser containing Aloe Vera leaf Extract, Butylated Hydroxytoluene, Cetyl Alcohol, Citric Acid, Cocamidopropyl Betaine, Disodium EDTA, Glycerin, Glyceryl Stearate SE, PEG-100 Stearate, Phenoxyethanol, Purified Water, Sodium laureth sulfate, Sodium Thiosulfate, Stearyl alcohol, Triacetin, Xanthan Gum.

STORAGE:

Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (between 59°F and 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

Occasionally, a slight discoloration of fabric may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

This bottle is not filled to the top but does contain 12 fl oz of product as identified on the front panel of the bottle.

Manufactured in the U.S.A. for Method Pharmaceuticals, LLC Southlake, Texas 76092

Sodium Sulfacetamide 10% & Sulfur 5% Cleanser

Rx Only



SODIUM SULFACETAMIDE AND SULFUR

sulfacetamide sodium, sulfur liquid

Product Information					
Pro	oduct Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58657-472	
Rou	ute of Administration	TOPICAL			

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
SULFACETAMIDE SODIUM (UNII: 4NRT660KJQ) (SULFACETAMIDE - UNII:4965G3J0F5)	SULFACETAMIDE SODIUM	100 mg in 1 g				
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	50 mg in 1 g				

Inactive Ingredients			
Ingredient Name	Strength		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
1-ETHYL CITRATE (UNII: Y7R23627P5)			
CETYL ALCOHOL (UNII: 936JST6JCN)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)			
PEG-100 STEARATE (UNII: YD01N1999R)			
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)			
TRIACETIN (UNII: XHX3C3X673)			
WATER (UNII: 059QF0KO0R)			
SODIUM THIOSULFATE (UNII: HX1032V43M)			
SODIUM LAURYL SULFATE (UNII: 368GB5141J)			
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)			
XANTHAN GUM (UNII: TTV12P4NEE)			
GLYCERIN (UNII: PDC6A3C0OX)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:58657- 472-06	170 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2021					
2	NDC:58657- 472-07	170.3 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2021					
3	NDC:58657- 472-12	340 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2021					
4	NDC:58657- 472-13	340.2 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2021					
5	NDC:58657- 472-08	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2021					

Marketing Information						
Marketing End Date						

Labeler - Method Pharmaceuticals, LLC (060216698)