

**COPPERTONE PROTECT AND TAN SPF 30- avobenzone 3%, homosalate 14%, octisalate 4.5%, octocrylene 9% lotion**  
**Beiersdorf Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Coppertone Protect & Tan Gradual Tanner SPF 30**

***Drug Facts***

***Active ingredients***

Avobenzone 3%, Homosalate 14%, Octisalate 4.5%, Octocrylene 9%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, butyloctyl salicylate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, arachidyl alcohol, behenyl alcohol, dihydroxyacetone, acrylates/C12-22 alkyl methacrylate copolymer, 1,2-hexanediol, sodium stearyl glutamate, arachidyl glucoside, erythulose, hydroxyacetophenone, pentylene glycol, tocopherol, fragrance, caramel

### ***Questions?***

1-866-288-3330

Coppertone® Sunscreen + Self Tanner

Glow

Protect & Tan 30

UVA/UVB Protection + Gradual Tanner

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 30

5 FL OZ (148 mL).



PROTECT  
& TAN

30

UVA/UVB PROTECTION  
+  
GRADUAL TANNER

Free of Oxybenzone,  
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)  
Broad Spectrum SPF 30

5 FL OZ (148 mL)



**How to Build a Sunkissed Glow:** For best results, apply at least twice within 12 hours. Gradual color will start to appear within 12-24 hours after the first two applications. Wash your hands after application. Once your desired color is achieved, switch to a regular Coppertone sunscreen for continued sun protection.  
**For Sunscreen Use:** Follow the directions below.

**Drug Facts**

**Active ingredients** Avobenzone 3%, Homosalate 14%, Octisalate 4.5%, Octocrylene 9%.....Sunscreen **Purpose**

**Use** ■ helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ shake well before use ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information**

■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

**Inactive ingredients**

water, butyloctyl salicylate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, arachidyl alcohol, behenyl alcohol, dihydroxyacetone, acrylates/C12-22 alkyl methacrylate copolymer, 1,2-hexanediol, sodium stearyl glutamate, arachidyl glucoside, erythritol, hydroxyacetophenone, pentylene glycol, tocopherol, fragrance, caramel

**Questions?** 1-866-288-3330

www.coppertone.com

**Beiersdorf**

Beiersdorf Inc. Stamford, CT 06901  
®=reg. TM. of Beiersdorf AG, Germany



**COPPERTONE PROTECT AND TAN SPF 30**

avobenzone 3%, homosalate 14%, octisalate 4.5%, octocrylene 9% lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-0082
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	14 g in 100 g
---	------------	---------------

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>FRAGRANCE FRESH CITRUS FLORAL ORC1501495</b> (UNII: OU4GI2R2WB)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	
<b>L-ERYTHRULOSE</b> (UNII: WKK1W5B83O)	
<b>ALLYL METHACRYLATE</b> (UNII: G2IG50653Z)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>DIHYDROXYACETONE</b> (UNII: O10DDW6JOO)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVW35JOOJ)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	

## Product Characteristics

<b>Color</b>	white (White to Off-White)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-0082-1	148 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/02/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2021	

**Labeler** - Beiersdorf Inc (001177906)

