

**SLEEP-AID, LIL DRUG STORE- diphenhydramine hcl caplet, 25mg tablet, film coated**

**SLEEP-AID, CIRCLE K- diphenhydramine hcl caplet, 25mg tablet, film coated**  
**Lil' Drug Store Products, Inc.**

-----  
**Sleep-Aid**

### ***Drug Facts***

#### ***Active ingredient***

#### ***Active ingredient (in each caplet)***

Diphenhydramine HCl 25 mg

#### ***Purpose***

#### ***Purpose***

Nighttime sleep-aid

#### ***Uses***

#### ***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

#### ***Warnings***

#### ***Warnings***

#### **Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

#### **Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product** avoid alcoholic beverages.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks.

Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

#### ***Directions***

- do not take more than directed
- adults and children 12 years and over: take 2 caplets (50 mg) at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

### ***Other information***

#### ***Other information***

- each caplet contains: calcium 65 mg
- avoid excessive heat (greater than 100°F) or humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

#### ***Inactive ingredients***

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

### ***Questions?***

***Questions?*** Call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

### **PDP [Lil' Drug Store Nighttime Sleep-Aid, 24ct]**

[caduceus]

**\*Compare to the Active Ingredient in  
VICKS® ZzzQuil®**

#### **Nighttime**

#### **Sleep-Aid**

Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

[caplet image]

ACTUAL SIZE

- **Non-Habit Forming**

Not for treating Pain, Cold or Flu

24

Caplets [Lil' Drug Store logo]

**QUALITY GUARANTEED**

\*Compare to the Active Ingredient in VICKS® ZzzQuil®

# Nighttime Sleep-Aid

Diphenhydramine HCl 25 mg  
Nighttime Sleep-Aid

**• Non-Habit Forming**

ACTUAL SIZE

Not for treating Pain, Cold or Flu

**24**  
Caplets

**Lil' DrugStore**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**  
**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

Active ingredient (in each caplet)	Purpose
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product** avoid alcoholic beverages.

**Stop use and ask a doctor** if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- adults and children 12 years and over: take 2 caplets (50 mg) at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

**Other information**

- each caplet contains: calcium 65 mg
- avoid excessive heat (greater than 100°F) or humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions?** Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

PDP [Circle K Nighttime Sleep-Aid, 24ct]

**NON-HABIT FORMING**

**NOT FOR TREATING PAIN, COLD OR FLU**

Compare to the active ingredient in

**Vicks® ZzzQuil®\***

**CIRCLE K™**

**nighttime**

**sleep-aid**

**Diphenhydramine HCl, 25 mg**


**Nighttime Sleep-Aid**

[caplet image]

actual size

**24 caplets**

**NON-HABIT FORMING**  
**NOT FOR TREATING PAIN, COLD OR FLU**  
 Compare to the active ingredient in  
**Vicks® ZzzQuil®\***



**CIRCLE K™**  
**nighttime sleep-aid**  
 Diphenhydramine HCl, 25 mg  
 Nighttime Sleep-Aid

actual size

**24 caplets**

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Drug Facts**

Active ingredient (in each caplet)	Purpose
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product avoid alcoholic beverages.**

**Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks.** Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- adults and children 12 years and over: take 2 caplets (50 mg) at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

**Other information**

- each caplet contains: calcium 65 mg
- avoid excessive heat (greater than 100°F) or humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions?** Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

## SLEEP-AID, LIL DRUG STORE

diphenhydramine hcl caplet, 25mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-6643
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C BLUE NO. 2--ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	

<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	no score
<b>Shape</b>	OVAL (Biconvex capsule-shaped)	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	44;672
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6643-8	2 in 1 CARTON	12/20/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	12/20/2021	

## SLEEP-AID, CIRCLE K

diphenhydramine hcl caplet, 25mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5503
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDWL1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 2--ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	no score
<b>Shape</b>	OVAL (Biconvex capsule-shaped)	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	44;672
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5503-8	2 in 1 CARTON	12/20/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	12/20/2021	

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2023

Lil' Drug Store Products, Inc.