

**LEGEND CONCENTRATE- iodine solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Danger | Peligro**

**KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE**

**NOT FOR HUMAN USE | NO ES PARA USO HUMANO**

**Read other label for directions for use, first aid and precautionary statements**

**Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas**

**Iodine Teat Dip Concentrate**

**FOR INDUSTRIAL USE ONLY**

**DIRECTIONS:**

**LEGEND CONCENTRATE MUST BE DILUTED BEFORE USE**

**DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER**

**FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB**

**Dilution Parameter:** A dilute solution of a 1% iodine teat dip will consist of 3 parts potable water and 1 part Legend Concentrate by volume.

**IMPORTANT:** Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

**Udder Prep:** When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

**Application of Diluted Legend Concentrate**

**Directions for Teat Dipping**

**Pre-Milk Dipping:** Before each cow is milked, and using fresh Legend Concentrate, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Legend Concentrate, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, and using fresh Legend Concentrate, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Legend Concentrate, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Legend Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**NOTE:** Use blended Legend Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing

equipment.

**KEEP OUT OF REACH OF CHILDREN**

**Danger**

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

**PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL**

**ECOLAB®**

**LEGEND™ CONCENTRATE**

**Iodine Teat Dip Concentrate**

**Concentrado para el tratamiento de pezones con Iodo**

- **An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis**
- **Contains an emollient system (glycerin and propylene glycol) 35% | Contiene un sistema emoliente (glicerina y glicol propileno) 35%**

**ACTIVE INGREDIENT:**

Titratable Iodine..... 3.6%

**INERT INGREDIENTS:**..... 96.4%

**TOTAL:**..... 100.0%

**Danger | Peligro**

**KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE**

**NOT FOR HUMAN USE | NO ES PARA USO HUMANO**


**Read other label for directions for use, first aid and precautionary statements**

**Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas**

**57 L (15 US GAL)**

**6301181**

759227/5300/0614



## Legend™ Concentrate

### Iodine Teat Dip Concentrate Concentrado para el tratamiento de pezones con Iodo

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contains an emollient system (glycerin and propylene glycol) 35% | Contiene un sistema emoliente (glicerina y glicol propileno) 35%

**ACTIVE INGREDIENT:**

Titrateable Iodine ..... 3.6%  
**INERT INGREDIENTS:** ..... 96.4%  
**TOTAL:** ..... 100.0%

**Danger | Peligro**

**KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**  
**FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE**  
**NOT FOR HUMAN USE | NO ES PARA USO HUMANO**

Read other label for directions for use, first aid and precautionary statements

Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas



Teat Dip  
Baño de tetina



Teat Spray  
Roceador de tetina

57 L (15 US GAL)  
**6301181**



# Legend™ Concentrate

## Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

**DIRECCIONES:**

LEGEND CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

**Dilution Parameter:** A dilute solution of a 1% iodine teat dip will consist of 3 parts potable water and 1 part Legend Concentrate by volume.

**IMPORTANT:** Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

**Udder Prep:** When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

**Application of Diluted Legend Concentrate**

**Directions for Teat Dipping**

**Pre-Milk Dipping:** Before each cow is milked, and using fresh Legend Concentrate, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Legend Concentrate, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, and using fresh Legend Concentrate, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Legend Concentrate, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Legend Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**NOTE:** Use blended Legend Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**KEEP OUT OF REACH OF CHILDREN**

## Danger

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Remove/ take off immediately all contaminated clothing. Rinse skin with water/shower. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ecolab - 370 Wabasha Street N - St Paul MN 55102-0390 USA - tel: 800 392 3392  
 © 2014 Ecolab USA - All rights reserved | Todos los derechos reservados  
 Made in United States | Hecho en Estados Unidos  
 www.ecolab.com - 759229/5300/0614

## Concentrado para el tratamiento de pezones con Iodo

PARA USO INDUSTRIAL SOLAMENTE

**INSTRUCCIONES:**

LEGEND CONCENTRATE DEBE DILUIRSE ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

**Parámetro de dilución:** Una solución diluida de baño antiséptico para pezones con Iodo al 1% contendrá 3 partes de agua potable y 1 parte de Legend Concentrate por volumen.

**IMPORTANTE:** Nunca utilice el producto concentrado sobre los pezones. Una vez que el producto para baño de pezones concentrado se haya diluido, no lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

**Preparado para uñes:** Si se realiza un paso de limpieza de ubras antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubras adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

**Aplicación de Legend Concentrate diluido**

**Instrucciones para el sellado de pezones**

**Sellado del pezón previo al ordeño:** Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga Legend Concentrate fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

**Sellado del pezón posterior al ordeño:** Bañe toda la superficie de cada pezón en un recipiente que contenga Legend Concentrate fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

**Instrucciones para el rociado de pezones**

**Rociado previo al ordeño:** Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Legend Concentrate fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

**Rociado de pezones posterior al ordeño:** Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con Legend Concentrate fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

**Uso ampliado:** Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

**PRECAUCIÓN:** Legend Concentrate no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, consulte a un veterinario que examine la condición y la trate si es necesario.

**AVISO:** Utilice Legend Concentrate mezclado dentro de los seis (6) meses a partir de la fecha de mezclado.

Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

## Peligro

Provoca graves quemaduras en la piel y lesiones oculares.

Lave la piel minuciosamente después del manejo. Usar guantes/ropa de protección/equipo de protección para los ojos/la cara.

**EN CASO DE INGESTIÓN:** Enjuagar la boca. NO provocar el vómito. **EN CASO DE CONTACTO CON LA PIEL (o el pelo):** Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua y ducharse. **EN CASO DE INHALACIÓN:** Transportar la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. **EN CASO DE CONTACTO CON LOS OJOS:** Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico. Lavar la ropa

**LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO**

**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

# LEGEND CONCENTRATE

iodine solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-134
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	36 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K0OR)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-134-17	57000 mL in 1 DRUM		
2	NDC:47593-134-21	208000 mL in 1 DRUM		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/25/1993	

**Labeler** - Ecolab Inc. (006154611)

Revised: 3/2016

Ecolab Inc.