

MAGNESIUM OXIDE- magnesium oxide tablet
Endo USA

Magnesium Oxide Tablets

ACTIVE INGREDIENT (In each tablet)

Magnesium Oxide 400mg (240mg Elemental Magnesium)

Purpose

Antacid

USES

Relieves: ■ acid indigestion ■ upset stomach

WARNINGS

Ask a doctor if you have:

kidney disease

Ask a doctor or pharmacist before use if you are:

taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take

more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advise and supervision of a physician. May have a laxative effect.

If pregnant or breast-feeding,

ask a health professional before use.

Keep Out of Reach of Children.

DIRECTIONS

Antacid Directions: ■ take 1 tablet twice a day or as directed by a physician

Magnesium Supplement Directions: ■ take 1 to 2 tablets daily or as directed by a physician

OTHER INFORMATION

■ Magnesium content per tablet: 240 mg ■ store at controlled room temperature 59°-

86° F (15°-30°C) ■ do not use if imprinted safety seal under cap is broken or missing

INACTIVE INGREDIENTS

colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid


PRINCIPAL DISPLAY PANEL

NDC 0603-0209-22


MAGNESIUM OXIDE TABLETS 400 mg

240 mg Elemental Magnesium Per Tablet
Magnesium Dietary Supplement and Antacid

Sugar Free
120 Tablets



Supplement Facts	
Serving Size	1 tablet
Servings / Container	120
Amount per Serving	Magnesium 240 mg
% Daily Value	60%
Drug Facts	
Active ingredient (in each tablet) Purpose Magnesium Oxide 400mg (241.3mg elemental magnesium).....Antacid	
Use relieves ■ acid indigestion ■ upset stomach	
Warnings Ask a doctor before use if you have kidney disease	
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	
Do not take more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advice and supervision of a physician. May have a laxative effect.	
If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children.	
Directions Antacid Directions: ■ take 1 tablet twice a day or as directed by a physician	
Magnesium Supplement Directions: ■ take 1 to 2 tablets daily or as directed by a physician	
Other information ■ Magnesium content per tablet: 240 mg ■ store at controlled room temperature 59°-86° F (15°-30° C) ■ do not use if imprinted safety seal under cap is broken or missing	
Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid	
Manufactured for: Endo USA Malvern, PA 19355	
R09/2024 R02 LB0185 RT024	



N 3 0603-0209-22 3

Lot: UNWARNISHED AREA
Exp:

Magnesium Oxide 400mg

MAGNESIUM OXIDE

magnesium oxide tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0603-0209
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM OXIDE (UNII: 3A3U0G171G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM OXIDE	400 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	174
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0603-0209-22	120 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	07/01/2014	

Labeler - Endo USA (119185057)

Revised: 6/2020

Endo USA