

**MENSTRUAL PAIN RELIEF MAXIMUM STRENGTH / MULTI SYMPTOM-  
acetaminophen, pamabrom, pyrilamine maleate tablet, film coated  
DOLGENCORP, LLC**

-----  
**Dollar General 44-679**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Pamabrom 25 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- headache
- bloating
- cramps
- backache
- muscular aches
- irritability
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water every 6 hours as needed
  - do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-888-309-9030**

### **Principal Display Panel**

**DG® | health**

**Compare to active ingredients  
of Maximum Strength  
Pamprin® Multi-Symptom\***

**Maximum Strength • Multi-Symptom  
Menstrual Pain Relief**

**Acetaminophen** • Pain Reliever  
Pamabrom • Diuretic  
Pyrilamine Maleate • Antihistamine

Aspirin / Caffeine Free

**32 Caplets**

Actual Caplet Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Focus Consumer Healthcare, LLC, owner of the registered trademark Maximum Strength Pamprin® Multi-Symptom. 50844 REV0718C67927

DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100%  
Satisfaction  
Guaranteed!**  
(888) 309-9030

No Print/Varnish Area  
Lot no. & Exp. date



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



**Maximum Strength • Multi-Symptom**  
**Menstrual Pain Relief**  
Acetaminophen • Pain Reliever  
Pamabrom • Diuretic  
Pyrilamine Maleate • Antihistamine

Compare to active ingredients of Maximum Strength Pamprin® Multi-Symptom\*



**32 Caplets**  
Actual Caplet Size

Aspirin / Caffeine Free

\*This product is not manufactured or distributed by Focus Consumer Healthcare, LLC, owner of the registered trademark Maximum Strength Pamprin® Multi-Symptom. 50844 REV0718C67927  
DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100%**  
**Satisfaction**  
**Guaranteed!**  
(888) 309-9030

B-0315-679-27  
REV0718C67927

**Drug Facts (continued)**

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed
- adults and children 12 years and over:
  - take 2 caplets with water every 6 hours as needed
- do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**

1-888-309-9030

**Drug Facts (continued)**

whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

**If pregnant or breast-feeding, ask a health professional before use.**

Dollar General 44-679

<b>MENSTRUAL PAIN RELIEF MAXIMUM STRENGTH / MULTI SYMPTOM</b>			
acetaminophen, pamabrom, pyrilamine maleate tablet, film coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-967
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>PAMABROM</b> (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZ G87K1MQ6)	PAMABROM	25 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C BLUE NO. 2 ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	44;679
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-967-27	1 in 1 CARTON	01/13/2015	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/13/2015	

**Labeler** - DOLGENCORP, LLC (068331990)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-967)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(55910-967)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-967)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(55910-967)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-967)

Revised: 4/2024

DOLGENCORP, LLC