WELL AT WALGREENS SPOT ACNE TREATMENT- salicylic acid gel WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Well at Walgreens Spot Acne Treatment

Active ingredient

Salicylic acid 2.0%

Purpose

Acne Medication

Uses

For the treatment of acne

Warnings

For external use only

When using this product

• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. Avoid contact with eyes. If contact occurs, flush thoroughly with water.

Directions

- Cleanse skin thoroughly before applying product.
- Cover the entire afffected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

Inactive ingredients

alcohol denat., ammonium hydroxide, benzalkonium chloride, butylene glycol, C12-15 alkyl lactate, C13-14 isoparaffin, capryloyl glycine, cedrus atlantica bark extract, cetyl lactate, cinnamomum zeylanicum bark extract, cocamidopropyl PG-dimonium chloride phosphate, cyclopentasiloxane, dehydroxanthan gum, ethylparaben, fragrance, glycerin, hamamelis virginiana (witch hazel) extract, hexylene glycol, laureth-7, methylparaben, phenethyl dimethicone, phenoxyethanol, polyacrylamide, polysorbate 20, portulaca oleracea extract, PPG-2 isocetheth-20 acetate, propylparaben, sarcosine, tetrasodium EDTA, water





WELL AT WALGREENS SPOT ACNE TREATMENT

salicylic acid gel

D		f
Proc	IIICT I	Information
FIUU	IUCL	iiii Oi iiia LiVii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0977

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414P74LP7) (SALICYLIC ACID - UNII:0414P74LP7)	SALICYLIC ACID	20 mg in 1 ml

Inactive Ingredients	
Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
CEDRUS ATLANTICA BARK (UNII: ITP1Q41UPF)	
COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
DEHYDROXANTHAN GUM (UNII: 63ZP7I1BQO)	
ETHYLPARABEN (UNII: 14255EXE39)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
AMMONIA (UNII: 5138Q19F1X)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
GLYCERIN (UNII: PDC6A3C0OX)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
SARCOSINE (UNII: Z711V88R5F)	
EDETATE SODIUM (UNII: MP1J8420LU)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
HAMAMELIS VIRGINIANA LEAF (UNII: T07U1161SV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYACRYLAMIDE (1500 MW) (UNII: 5D6TC4BRWW)	
LAURETH-7 (UNII: Z95S6G8201)	
ALCOHOL (UNII: 3K9958V90M)	
CINNAMON BARK OIL (UNII: XE54U569EC)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PURSLANE (UNII: M6S840WXG5)	
PPG-2 ISOCETETH-20 ACETATE (UNII: BI6C7YO419)	
WATER (UNII: 059QF0KO0R)	

	Packaging					
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
:	NDC:0363-0977- 52	1 in 1 CARTON	09/23/2013			
:	NDC:0363-0977- 51	22.1 mL in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333D	09/23/2013			

Labeler - WALGREEN COMPANY (008965063)

Revised: 1/2022 WALGREEN COMPANY