

**CAREONE MILK OF MAGNESIA- magnesium hydroxide suspension**  
**American Sales Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**American Sales Company Milk of Magnesia Drug Facts**

**Active ingredient (in each 15 mL)**

Magnesium hydroxide 1200 mg

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not exceed the maximum recommended daily dose in a 24 hour period

- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

**Other information**

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, potassium 2 mg and sodium 3 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- close cap tightly after use
- avoid freezing

**Inactive ingredients**

anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol solution, sucrose, xanthan gum

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Compare to the active ingredient in Phillips'® Milk of Magnesia

MILK OF MAGNESIA

Magnesium Hydroxide 1200 mg per 15 mL Saline Laxative

Wild Cherry Flavor

Comfortable, Cramp Free Relief

Stimulant Free

Low Sodium

Gluten Free

ALCOHOL 0.4%

12 FL OZ (355mL)

NDC 41520-949-40



*Compare to the active ingredient  
in Phillips'® Milk of Magnesia®*

# MILK OF MAGNESIA

## Magnesium Hydroxide 1200 mg per 15 mL Saline Laxative

### Wild Cherry Flavor

Comfortable, Cramp  
Free Relief  
Stimulant Free  
Low Sodium



Gluten Free

ALCOHOL 0.4%

**12 FL OZ (355mL)**

: 94940 D4 F5



### Drug Facts

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.**

#### Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg.....Saline laxative

#### Purpose

**Uses** ■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in ½ to 6 hours

#### Warnings

**Ask a doctor before use if you have**

■ kidney disease ■ a magnesium-restricted diet ■ stomach pain, nausea, or vomiting  
■ a sudden change in bowel habits that lasts more than 2 weeks

**Ask a doctor or pharmacist before use if you are taking any other drug.**

Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if** ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

■ you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

■ do not exceed the maximum recommended daily dose in a 24 hour period  
■ shake well before use  
■ dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor  
■ drink a full glass (8 oz) of liquid with each dose  
■ for accurate dosing, use dose cup provided ■ mL = milliliter

adults and children 12 years and older 30 mL to 60 mL

children 6 to 11 years 15 mL to 30 mL

children under 6 years ask a doctor

#### Other information

■ each 15 mL contains: calcium 20 mg, magnesium 595 mg, potassium 2 mg and sodium 3 mg  
■ does not meet USP requirements for preservative effectiveness  
■ store at 20-25°C (68-77°F) ■ close cap tightly after use ■ avoid freezing

**Inactive ingredients** anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol solution, sucrose, xanthan gum

**Questions or comments? 1-800-719-9260**

58 40 04646

\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips'® Milk of Magnesia.

DISTRIBUTED BY  
FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785  
1-877-846-9949  
©2016 S&S Brands, LLC



## CAREONE MILK OF MAGNESIA

magnesium hydroxide suspension

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-949
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

**Inactive Ingredients**

Ingredient Name	Strength
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	

**Product Characteristics**

Color	PINK (Opaque Light pink)	Score	
Shape		Size	
Flavor	CHERRY (wild cherry)	Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-949-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/26/2012	

**Labeler** - American Sales Company (809183973)