

**JOURNEE FIRM RICHE BROAD SPECTRUM SUNSCREEN SPF 30- titanium dioxide and zinc oxide cream**  
**Merz North America, Inc.**

-----  
**Journée Firm Riche Broad Spectrum Sunscreen SPF 30**

***Drug Facts:***

**Active Ingredients**

Titanium Dioxide 12.25%  
Zinc Oxide 10.2%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn and premature skin aging.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.
- Higher SPF gives more sunburn protection.

**Warnings**

**For external use only.**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

- if rash occurs.

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply generously 15 minutes before sun exposure. For children under 6 months of age, ask a doctor.

**Sun-Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease the risk, regularly use a sunscreen with Broad-Spectrum SPF value of 15 or higher and other sun-protection measures including:

- Limit time in the sun, especially from 10am-2pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

### **Inactive Ingredients**

Water, Dimethicone, Coconut Alkanes, C12-15 Alkyl Benzoate, Isohexadecane, Ethyl Trisiloxane, Polyhydroxystearic Acid, PEG-10 Dimethicone, Isododecane, Glycerin, Butyloctyl Salicylate, Propanediol, Squalane, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PEG-9 Polydimethylsiloxyethyl Dimethicone, Zinc Sulfate, Caprylic/Capric Triglyceride, Cutaneous Lysate, Tetrapeptide-21, Capryloyl Carnosine, Caesalpinia Spinosa Fruit Pod Extract, Palmitoyl Tripeptide-1 Acetate, Sodium Hyaluronate, Argania Spinosa Kernel Oil, Passiflora Edulis Seed Oil, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Leaf Extract, Helianthus Annuus (Sunflower) Sprout Extract, Alumina, Caprylyl Methicone, Coco-Caprylate/Caprinate, Stearic Acid, Polyglyceryl-3 Oleate, Stearalkonium Hectorite, C13-15 Alkane, Caprylyl Glycol, Diisostearyl Polyglyceryl-3 Dimer Dilinoleate, Polysilicone-11, Propylene Carbonate, Xanthan Gum, Sodium Ascorbyl Phosphate, Tocopheryl Acetate, Maltodextrin, Ethylhexylglycerin, Triethoxycaprylylsilane, PEG/PPG-18/18 Dimethicone, Melanin, Pentylene Glycol, Tocopherol, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499), Phenoxyethanol, Citric Acid

### **Other Information**

- Protect this product from excessive heat and direct sun.

Distributed in the USA  
by Merz North America, Inc.  
Raleigh, NC 27615

### **PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton**

journée

FIRM RICHE

EXTRA MOISTURIZING

REVITALIZING &

REFINING DAY CREAM

BROAD SPECTRUM SPF 30

NEOCUTIS®

Caution: For external use only. Keep out of eyes. If contact with eyes occurs, rinse eyes thoroughly with water. Discontinue use if signs of irritation or rash appear. Keep out of reach of children.

Paraben free, non-comedogenic, dermatologist-tested, free of fragrance, not tested on animals

Distributed in the USA by Merz North America, Inc. Raleigh, NC 27615 | Made in USA Patents: [www.merzusa.com/patents/](http://www.merzusa.com/patents/)

NEOCUTIS.com  
USA: 866.636.2884

1.69 FL. OZ. (50 mL) | AW0112-01

An extra moisturizing synergistic formulation to hydrate, tighten and address visible signs of aging, provide anti-oxidant care, and defend with broad spectrum UVA/UVB protection.

POWERED BY GROWTH FACTORS AND PROPRIETARY PEPTIDES



Apply to the face, neck and décolleté, or as directed by your skincare professional.

journée  
FIRM RICHE

EXTRA MOISTURIZING  
REVITALIZING &  
REFINING DAY CREAM  
BROAD SPECTRUM SPF 30

NEOCUTIS®

#### Drug Facts:

Active Ingredients	Purpose
Titanium Dioxide 12.25%	Sunscreen
Zinc Oxide 10.2%	

#### Uses

- Helps prevent sunburn and premature skin aging.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.
- Higher SPF gives more sunburn protection.

#### Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor • if rash occurs.

Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions:

Apply generously 15 minutes before sun exposure. For children under 6 months of age, ask a doctor.

#### Sun-Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease the risk, regularly use a sunscreen with Broad-Spectrum SPF value of 15 or higher and other sun-protection measures including:

- Limit time in the sun, especially from 10am-2pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

#### Inactive Ingredients:


Water, Dimethicone, Coconut Alkanes, C12-15 Alkyl Benzoate, Isohexadecane, Ethyl Hexanoate, Polyhydroxyglutamic Acid, PEG-40 Dimethicone, Isododecane, Glycerin, Butylcetyl Salicylate, Propanediol, Squalane, Polyglyceryl-4 Diisostearate/Polyhydroxyisostearate/Sebacate, PEG-9 Polydimethylsilyloxyethyl Dimethicone, Zinc Sulfate, Caprylic/Capric Triglyceride, Citrus Aurantium Lycial, Tetrapeptide-21, Capryloyl Carnosine, Caesalpinia Spinosa Fruit Pod Extract, Palmitoyl Tripeptide-1 Acetate, Sodium Hyaluronate, Argania Spinosa Kernel Oil, Passiflora Edulis Seed Oil, Babingtonium Parvifolium (Shes) Butter, Camellia Sinensis Leaf Extract, Helianthus Annuus (Sunflower) Sprout Extract, Alumina, Caprylyl Methicone, Coco-Caprylate/Caprate, Stearic Acid, Polyglyceryl-3 Oleate, Stearalkonium Hectorite, C12-15 Alkanes, Caprylyl Glycol, Diisostearyl Polyglyceryl-3-Dimer Dimethacrylate, Polysiloxane-11, Propylene Carbonate, Xanthan Gum, Sodium Ascorbyl Phosphate, Tocopherol Acetate, Maltodextrin, Ethylhexylglycerin, Tetrahydrocyclopentadiene, PEG/PPG-18/18 Dimethicone, Melanin, Pentylene Glycol, Tocopherol, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499), Phenoxethanol, Citric Acid

#### Other Information

- Protect this product from excessive heat and direct sun.



8 10235 03012 9



## JOURNEE FIRM RICHE BROAD SPECTRUM SUNSCREEN SPF 30

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46783-110
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	12.25 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10.2 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Coconut Alkanes</b> (UNII: 1E5KJY107T)	
<b>Alkyl (C12-15) Benzoate</b> (UNII: A9EJ3J61HQ)	
<b>Isohexadecane</b> (UNII: 918X1OUF1E)	
<b>Ethyl Trisiloxane</b> (UNII: ZH1WJO5481)	
<b>Polyhydroxystearic Acid (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PEG-10 Dimethicone (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>Isododecane</b> (UNII: A8289P68Y2)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)	
<b>Propanediol</b> (UNII: 5965N8W85T)	
<b>Squalane</b> (UNII: GW89575KF9)	
<b>Polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate</b> (UNII: 687U3PEB2Y)	
<b>PEG-9 Polydimethylsiloxylethyl Dimethicone</b> (UNII: TYP81E471F)	
<b>Zinc Sulfate, Unspecified Form</b> (UNII: 89DS0H96TB)	
<b>Medium-Chain Triglycerides</b> (UNII: C9H2L21V7U)	
<b>Human Skin Proteins, Partially Hydrolyzed</b> (UNII: G9813R29TW)	
<b>Tetrapeptide-21</b> (UNII: 179JUC43HU)	
<b>Carnosine</b> (UNII: 8HO6PVN24W)	
<b>Caesalpinia Spinosa Fruit Pod</b> (UNII: EXY4496LWD)	
<b>Palmitoyl Tripeptide-1 Acetate</b> (UNII: 99B84UAK70)	
<b>Hyaluronate Sodium</b> (UNII: YSE9PPT4TH)	
<b>Green Tea Leaf</b> (UNII: W2ZU1RY8B0)	

<b>Helianthus Annuus Sprout</b> (UNII: 4P26HG1S5W)
<b>Aluminum Oxide</b> (UNII: LMI26O6933)
<b>Caprylyl Trisiloxane</b> (UNII: Q95M2P1KJL)
<b>Cocoyl Caprylocaprte</b> (UNII: 8D9H4QU99H)
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)
<b>Polyglyceryl-3 Oleate</b> (UNII: XRQ165498B)
<b>Stearalkonium Hectorite</b> (UNII: OLV698AH5P)
<b>C13-15 Alkane</b> (UNII: 114P5I43UJ)
<b>Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate</b> (UNII: G3232Z5S2O)
<b>Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle)</b> (UNII: 9E4CO0W6C5)
<b>Propylene Carbonate</b> (UNII: 8D08K3S51E)
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)
<b>Sodium Ascorbyl Phosphate</b> (UNII: 836SJG51DR)
<b>.Alpha.-Tocopherol Acetate</b> (UNII: 9E8X80D2L0)
<b>Maltodextrin</b> (UNII: 7CVR7L4A2D)
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>PEG/PPG-18/18 Dimethicone</b> (UNII: 9H0AO7T794)
<b>Melanin Synthetic (Tyrosine, Peroxide)</b> (UNII: OOCV1RMR44)
<b>Pentylene Glycol</b> (UNII: 50C1307PZG)
<b>Tocopherol</b> (UNII: R0ZB2556P8)
<b>Ferric Oxide Red</b> (UNII: 1K09F3G675)
<b>Ferric Oxide Yellow</b> (UNII: EX438O2MRT)
<b>Ferrosoferric Oxide</b> (UNII: XM0M87F357)
<b>Argan Oil</b> (UNII: 4V59G5UW9X)
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)
<b>Passiflora Edulis Seed Oil</b> (UNII: F3VOA31UHQ)
<b>Shea Butter</b> (UNII: K49155VL9Y)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>Citric Acid Monohydrate</b> (UNII: 2968PHW8QP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46783-110-06	6 mL in 1 TUBE; Type 0: Not a Combination Product	03/15/2023	
2	NDC:46783-110-15	1 in 1 CARTON	03/15/2023	
2		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:46783-110-50	1 in 1 CARTON	03/15/2023	
7		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a		

Combination Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	03/15/2023	

**Labeler** - Merz North America, Inc. (028147846)

Revised: 10/2023

Merz North America, Inc.