

COPPERTONE SPORT SUNSCREEN SPF 40- avobenzene 3%, homosalate 15%, octisalate 5%, octocrylene 10% stick
Beiersdorf Inc

Coppertone Sport Stick Sunscreen SPF 40

Drugs Facts

Active ingredients

Avobenzene 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

C13-15 alkane, ozokerite, tapioca starch, stearyl alcohol, cetyl alcohol, caprylic/capric triglyceride, synthetic beeswax, behenyl behenate, styrene/acrylates copolymer, tocopherol, aloe barbadensis leaf extract, sodium ascorbyl phosphate

Questions?

1-866-288-3330

4-IN-1 Performance

Stops up to 98% UV Rays

+ Resists

Sweat + Heat + Water

Coppertone® Sunscreen Stick

Sport

40 Face + Body

Water Resistant (80 Minutes)

Broad Spectrum SPF 40

NET WT 1.5 OZ (42.5 g)

4-IN-1
PERFORMANCE

Stops up to 98% UV Rays

5-4

+RESISTS
Sweat + Heat + Water

LAB-2045



Coppertone[®]
SUNSCREEN STICK



40 FACE + BODY

**Water Resistant (80 Minutes)
Broad Spectrum SPF 40**

NET WT 1.5 OZ (42.5 g)

LAB-2045-4

Drug Facts (cont.)**Inactive ingredients**

C13-15 alkane, ozokerite, tapioca starch, stearyl alcohol, cetyl alcohol, caprylic/capric triglyceride, synthetic beeswax, behenyl behenate, styrene/acrylates copolymer, tocopherol, aloe barbadensis leaf extract, sodium ascorbyl phosphate

Questions?

1-866-288-3330

www.coppertone.com

Peel for Full Labeling ▶

Drug Facts**Active Ingredients**

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10% Sunscreen

Purpose**Beiersdorf**

Beiersdorf Inc.
Shamford, CT 06901
© reg. TM, of Beiersdorf
AG, Germany



LAB-2046-4

Drug Facts (cont.)

with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

**Drug Facts** (cont.)**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings**For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

**Drug Facts** (cont.)**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen

**COPPERTONE SPORT SUNSCREEN SPF 40**

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
STARCH, TAPIOCA (UNII: 24SC3U704I)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
BEHENYL BEHENATE (UNII: K8NU647RJ0)	
TOCOPHEROL (UNII: R0ZB2556P8)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
CERESIN (UNII: Q1LS2UJO3A)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4118-2	42.5 g in 1 CONTAINER; Type 0: Not a Combination Product	11/02/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2021	

