

**EVEN BETTER MAKEUP BROAD SPECTRUM SPF 15- octinoxate, titanium dioxide, and zinc oxide liquid
CLINIQUE LABORATORIES LLC**

EVEN BETTER MAKEUP

BROAD SPECTRUM SPF 15

Drug Facts

Active ingredients

Octinoxate 5.9%
Titanium Dioxide 3.5%
Zinc Oxide 2.8%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau • methyl trimethicone • phenyl trimethicone • dimethicone • triethylhexanoin • butylene glycol • trimethylsiloxysilicate • yeast extract\faex\extrait de levure • peg-10 dimethicone • lauryl peg-9 polydimethylsiloxylethyl dimethicone • alumina • citrus grandis (grapefruit) peel extract • betula alba (birch) bark extract • saccharomyces lysate extract • astrocaryum murumuru seed butter • c12-15 alkyl benzoate • glycerin • sodium myristoyl sarcosinate • acetyl glucosamine • caprylyl methicone • methicone • polyglyceryl-6 polyricinoleate • disteardimonium hectorite • dimethicone crosspolymer-3 • isopropyl titanium triisostearate • lecithin • laureth-7 • tocopheryl acetate • magnesium ascorbyl phosphate • dimethicone/peg-10/15 crosspolymer • dipropylene glycol • sodium chloride • caprylyl glycol • tetrahexyldecyl ascorbate • disodium edta • phenoxyethanol • polyaminopropyl biguanide • [+/- titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492, ci 77499) • mica • bismuth oxychloride (ci 77163)] [iln39834]

Other information


protect the product in this container from excessive heat and direct sun

DIST.

NEW YORK, N.Y. 10022

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton

C
CLINIQUE
even better
 makeup
 broad spectrum



Drug Facts (continued)
Other Information
 protect the product in this container from excessive heat and direct sun
 © CLINIQUE LABS, DIST. NEW YORK, N.Y. 10022
 M.B. LTD. GLEBE 3RD / UK
 N.Y. • LONDON • PARIS • clinique.com 6MNY

Drug Facts (continued)
 polyhydroxy acids • disodium iron • hecarrin • dimethicone
 crosspolymer-3 • isopropyl titanium trifluoroacetate • laurithin-
 laureth-7 • tocopheryl acetate • magnesium ascorbyl phosphate •
 dimethicone/peg-10/15 crosspolymer • dipropylene glycol •
 sodium chloride • caprylyl glycol • tetraacetyloyl ascorbate •
 diisosteryl ether • oleyl-oleoyl-oligammonium biguanide • fr-/
 titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492,
 ci 77499) • mica • uranium dechloride (ci 77163) [ii-39834]

CLINIQUE
even better
 makeup
 broad spectrum
 SPF 15
 evens and corrects

1 FL.OZ.LIQ./30 ml e

FPO
 SHOPABILITY
 LABEL

FPO/UPC/COO

Drug Facts (continued)
Use helps prevent sunburn
Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs

Drug Facts (continued)
Use helps prevent sunburn
Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs

Drug Facts (continued)
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 • children under 6 months of age: ask a doctor
Inactive Ingredients
 water • butane • methyl trimethicone • phenyl trimethicone •
 dimethicone-trimethylsiloxanediol • butylene glycol •
 trimethylsilyloxyethylacetate • yeast extract • hexaerythritol •
 peg-10 dimethicone • lauryl peg-9 polydimethylsilyloxyethyl
 dimethicone-alumina • citrus granules (grapefruit peel extract •
 betula alba (birch) bark extract • saccharomyces lysata extract •
 astrocaryum murumuru seed butter • c12-15 alkyl benzoate •
 phosforic sodium • myristoyl sarcosinate • acetyl glucosamine •
 caprylyl methicone-methicone-polyglyceryl-6

Drug Facts (continued)
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 • children under 6 months of age: ask a doctor
Inactive Ingredients
 water • butane • methyl trimethicone • phenyl trimethicone •
 dimethicone-trimethylsiloxanediol • butylene glycol •
 trimethylsilyloxyethylacetate • yeast extract • hexaerythritol •
 peg-10 dimethicone • lauryl peg-9 polydimethylsilyloxyethyl
 dimethicone-alumina • citrus granules (grapefruit peel extract •
 betula alba (birch) bark extract • saccharomyces lysata extract •
 astrocaryum murumuru seed butter • c12-15 alkyl benzoate •
 phosforic sodium • myristoyl sarcosinate • acetyl glucosamine •
 caprylyl methicone-methicone-polyglyceryl-6



C174890

SPF 15

evens and corrects

1 FL.OZ.LIQ./30 ml e

EVEN BETTER MAKEUP BROAD SPECTRUM SPF 15

octinoxate, titanium dioxide, and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	59 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	35 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	28 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CITRUS MAXIMA FRUIT RIND (UNII: 5NX3G75CA6)	
BETULA PUBESCENS BARK (UNII: 3R504894L9)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM MYRISTOYL SARCOSINATE (UNII: J07237209D)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
LAURETH-7 (UNII: Z95S6G8201)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLIHEXANIDE (UNII: 322U039GMF)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
WATER (UNII: 059QF0KO0R)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-025-01	1 in 1 CARTON	09/01/2012	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49527-025-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	01/04/2022	12/31/2023
3	NDC:49527-025-03	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	01/04/2022	12/31/2023

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2012	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		202952982	manufacture(49527-025)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(49527-025) , label(49527-025) , manufacture(49527-025)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-025) , pack(49527-025) , label(49527-025)