

ICY HOT MEDICATED- menthol patch
ICY HOT MEDICATED, BACK- menthol patch
ICY HOT MEDICATED, XL- menthol patch
ICY HOT MEDICATED, ADVANCED RELIEF- menthol patch
Lead Chemical Co., Ltd.

Icy Hot® Medicated Patch

Active Ingredient

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

Menthol 5%

Icy Hot Advanced Relief Patches

Menthol 7.5%

Purpose

Topical analgesic

Uses

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

temporarily relieves minor pain associated with:

- arthritis
- simple backache
- bursitis
- tendonitis
- muscle strains
- sprains
- bruises
- cramps

Icy Hot Advanced Relief Patches

temporarily relieves minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- sprains
- bruises

Warnings

For external use only

Do not use

Icy Hot Advanced Relief Patches

- on wounds or on irritated or damaged skin
- with a heating pad

When using this product

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

- use only as directed. Read and follow all directions and warnings on this label.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days

Icy Hot Advanced Relief Patches

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

Stop use and ask a doctor if

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Icy Hot Advanced Relief Patches

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

adults and children over 12 years:

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- wear one Icy Hot patch for up to 8 hours
- repeat as necessary, but no more than 3 times daily

children 12 years or younger: ask a doctor

Icy Hot Advanced Relief Patches

adults and children 12 years of age and older:

- clean and dry affected area
- gently fold the patch in half to remove center section of film backing. Apply the exposed adhesive portion to the site of pain.
- remove remaining film backing from both sides and finish applying to skin
- apply to affected area not more than 3 to 4 times daily
- wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

children under 12 years of age: ask a doctor

Inactive ingredients

Icy Hot Arm, Neck and Leg Patches; Icy Hot Back Patches; and Icy Hot XL Patches

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

Icy Hot Advanced Relief Patches

glyceryl hydrogenated rosinat, mineral oil, polyisobutene, styrene/isoprene copolymer

Principal Display Panel - Arm, Neck & Leg Pouch

MENTHOL 5%

**ICY HOT®
ORIGINAL
Pain Relief Patch**

**ARM, NECK & LEG
PATCH**

**FEEL IT
WORKING
INSTANTLY**

- Powerful Targeted Relief
- Icy to Dull, Hot to Relax
- Comfortable Fabric
- Stays in Place

Wear For Up To 8 Hours

Contains 5 Patches in 1 Resealable Pouch
3-1/8" x 4-5/8" (8 cm x 12 cm) each

CHATTEM®
A SANOFI COMPANY
Dist. by Chattem, Inc., a Sanofi Company
P.O. Box 2219
Chattanooga, TN 37409-0219 USA
©2020 www.icyhot.com



Cut Open Pouch and Remove Pad

Reseal Pouch After Opening

MENTHOL 5%

ICYHOT[®]
ORIGINAL
Pain Relief Patch

ARM, NECK & LEG PATCH

**FEEL IT
WORKING
INSTANTLY**

- ▶ Powerful Targeted Relief
- ▶ Icy to Dull, Hot to Relax
- ▶ Comfortable Fabric
- ▶ Stays in Place



Wear For Up To 8 Hours

Contains 5 Patches in 1 Resealable Pouch
3-1/8" x 4-5/8" (8 cm x 12 cm) each

Pouch Label - Arm, Neck, & Leg

Principal Display Panel - Extra Strength Back and Large Areas

ICY HOT[®]

**MEDICATED
PATCH**

Menthol 5%

BONUS

20%

**MORE! one free
patch inside**

TARGETED

NO MESS RELIEF

- **Stops Pain** at
the Source
- Lasts up to **8 Hours**
- Comfortable Fabric
Stays in Place

Pain Relieving Ointment
on a Breathable Adhesive Pad

EXTRA STRENGTH

BACK

and Large Areas

Contains **6** Patches in 1 Resealable Pouch
3-15/16" x 7-13/16" (10 cm x 20 cm) each

CHATTEM®

A SANOFI COMPANY

Distributed by Chattem, Inc., P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2017 www.icyhot.com



Cut Open Pouch and Remove Pad


Reseal Pouch After Opening

ICYHOT®

MEDICATED PATCH

Menthol 5%

BONUS
20%
MORE! one free
patch inside



**TARGETED
NO MESS RELIEF**

- Stops Pain at the Source
- Lasts Up to 8 Hours
- Comfortable Fabric Stays in Place

Pain Relieving Ointment
on a Breathable Adhesive Pad

EXTRA STRENGTH

BACK
and Large Areas

Contains ~~5~~ **6** Patches in 1 Resealable Pouch
3-15/16" x 7-13/16" (10 cm x 20 cm) each

Pouch Label - Back and Large Areas – Bonus

Principal Display Panel - XL Back

MENTHOL 5%

ICY HOT®
ORIGINAL
Pain Relief Patch

XL PATCH

FEEL IT
WORKING
INSTANTLY

- Powerful Targeted Relief

- Icy to Dull, Hot to Relax
- Comfortable Fabric
- Stays in Place

Wear For Up To 8 Hours

Contains 3 Patches in 1 Resealable Pouch
5-1/2" x 9-3/4" (14 cm x 25 cm) each

CHATTEM®

A SANOFI COMPANY

Dist. by Chattem, Inc., a Sanofi Company

P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2020 www.icyhot.com



Cut Open Pouch and Remove Pad

Reseal Pouch After Opening


MENTHOL 5%



XL PATCH

**FEEL IT
WORKING
INSTANTLY**

- ▶ Powerful Targeted Relief
- ▶ Icy to Dull, Hot to Relax
- ▶ Comfortable Fabric
- ▶ Stays in Place



Wear For Up To 8 Hours

Contains 3 Patches in 1 Resealable Pouch
5-1/2" x 9-3/4" (14 cm x 25 cm) each

Pouch Label - XL Back

Principal Display Panel - Extra Strength XL Back and Large Areas

MENTHOL 5%

**ICY HOT®
ORIGINAL
Pain Relief Patch**

XL PATCH

**FEEL IT
WORKING
INSTANTLY**

- Powerful Targeted Relief
- Icy to Dull, Hot to Relax
- Comfortable Fabric
- Stays in Place

Wear For Up To 8 Hours

Contains 4 Patches in 1 Resealable Pouch
5-1/2" x 9-3/4" (14 cm x 25 cm) each

CHATTEM®

A SANOFI COMPANY

Dist. by Chattem, Inc., a Sanofi Company

P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2020 www.icyhot.com

MENTHOL 5%



XL PATCH

**FEEL IT
WORKING
INSTANTLY**

- ▶ Powerful Targeted Relief
- ▶ Icy to Dull, Hot to Relax
- ▶ Comfortable Fabric
- ▶ Stays in Place



Wear For Up To 8 Hours

Contains 4 Patches in 1 Resealable Pouch
5-1/2" x 9-3/4" (14 cm x 25 cm) each

Pouch Label - XL Back - Bonus

Principal Display Panel - Advanced Pain Relief Patch

MENTHOL 7.5%

**ICY HOT®
ADVANCED
Pain Relief Patch**

**LARGE PATCH
MORE PAIN FIGHTING INGREDIENTS***

- Fast Acting Powerful Relief
- Comfortable Fabric
- Stays in Place

Wear For Up To 8 Hours

Contains 5 Patches in 1 Resealable Pouch
3-15/16" x 5-1/2" (10 cm x 14 cm) each

*Per same size patch vs Icy Hot®
original strength patch

Dist. by: Chattem, Inc., a Sanofi Company
P.O. Box 2219
Chattanooga, TN 37409-0219 USA
©2021 www.icyhot.com

MENTHOL 7.5%

ICYHOT®

ADVANCED

Pain Relief Patch



LARGE PATCH

MORE PAIN FIGHTING INGREDIENTS*

- ▶ Fast Acting Powerful Relief
- ▶ Comfortable Fabric
- ▶ Stays in Place

Contains 5 Patches in 1 Resealable Pouch
3-15/16" x 5-1/2" (10 cm x 14 cm) each

*Per same size patch vs Icy Hot®
original strength patch.

Wear For Up To 8 Hours

Pouch Label - Advanced Pain Relief Patch

ICY HOT MEDICATED

menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62168-0084
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	205.5 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
NONOXYNOL-30 (UNII: JJX07DG188)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62168-0084-3	270 in 1 BOX	06/09/2021	06/30/2026
1		5 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:62168-0084-4	160 in 1 CARTON	12/08/2023	
2		5 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/01/2000	

ICY HOT MEDICATED, BACK

menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62168-0843
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	428.5 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
NONOXYNOL-30 (UNII: JJX07DG188)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62168-0843-9	80 in 1 CARTON	10/16/2017	03/31/2024
1		6 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/01/2003	03/31/2024

ICY HOT MEDICATED, XL

menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62168-0847
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	750 mg
---	---------------------------	--------

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
NONOXYNOL-30 (UNII: JJX07DG188)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62168-0847-4	100 in 1 BOX	06/01/2011	03/31/2024
1	NDC:62168-0847-3	4 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:62168-0847-5	120 in 1 CARTON	05/17/2021	07/31/2026
2		3 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:62168-0847-6	100 in 1 BOX	05/12/2021	01/31/2025
3		4 in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:62168-0847-7	100 in 1 CARTON	09/19/2023	
4		3 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2007	

ICY HOT MEDICATED, ADVANCED RELIEF

menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62168-0805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	210 mg

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62168-0805-4	300 in 1 BOX	07/05/2021	03/31/2024
1		5 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2012	03/31/2024

Labeler - Lead Chemical Co., Ltd. (693727091)

Revised: 3/2024

Lead Chemical Co., Ltd.