

ICY HOT LIDOCAINE DRY- lidocaine, menthol spray
Chattem, Inc.

Icy Hot Lidocaine Dry Spray

ICY HOT LIDOCAINE DRY SPRAY

Drug Facts

Active ingredients

Lidocaine 4%

Menthol 1%

Purposes

Topical anesthetic

Topical analgesic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to

area of use

- do not use at the same time as other topical analgesics
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Extremely Flammable

- do not use near heat or flame or while smoking
- avoid long term storage above 104°F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- spray affected not more than 3 to 4 daily
- product will dry quickly on its own, and does not need to be rubbed in

children 12 years or younger: ask a doctor

Inactive ingredients:

alcohol denat. (30%), caprylic/capric triglyceride, isobutane, propylene glycol

PRINCIPAL DISPLAY PANEL

LIDOCAINE 4% + MENTHOL 1%

ICY HOT
 MAX
 LIDOCAINE
 PAIN RELIEF DRY SPRAY
 NET WT 4 OZ (113 g)

LIDOCAINE 4% + MENTHOL 1%

ICYHOT[®]
MAX

LIDOCAINE

PAIN RELIEF DRY SPRAY
MAXIMUM STRENGTH LIDOCAINE WITHOUT A PRESCRIPTION*

- ▶ Penetrates for Fast Targeted Relief
- ▶ Numbs Pain Away
- ▶ Quick-Dry Formula

*Among OTC Topical Analgesics. NET WT 4 OZ (113 g)

Drug Facts

Active ingredients
 Lidocaine 4%
 Menthol 1%

Purposes
 Topical anesthetic
 Topical analgesic

Use temporarily relieves minor pain

Warnings
 For external use only

Do not use ■ on large areas of the body or on cut, irritated or swollen skin
 ■ on puncture wounds ■ for more than one week without consulting a doctor

When using this product
 ■ use only as directed. Read and follow all directions and warnings on this label.
 ■ do not allow contact with the eyes and mucous membranes
 ■ rare cases of serious burns have been reported with products of this type
 ■ do not apply to wounds or damaged, broken or irritated skin
 ■ avoid spraying on face ■ avoid inhalation of spray ■ avoid applying into skin folds
 ■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
 ■ do not use at the same time as other topical analgesics
 ■ a transient burning sensation may occur upon application but generally disappears in several days

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops
 ■ symptoms persist for more than 7 days or clear up and occur again within a few days
 ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Extremely Flammable ■ do not use near heat or flame or while smoking
 ■ avoid long term storage above 104°F (40°C) ■ do not puncture or incinerate. Contents under pressure.
 ■ do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children over 12 years:
 ■ spray affected area not more than 3 to 4 times daily
 ■ product will dry quickly on its own, and does not need to be rubbed in
children 12 years or younger: ask a doctor

Inactive ingredients alcohol denat. (30%), caprylic/capric triglyceride, isobutane, propylene glycol

Child-resistant packaging. Replace cap after each use.

Dist. by Chatten, Inc., a Sanofi Company 335-121
 P.O. Box 2219, Chattanooga, TN 37409-0219 DOT 2Q M5706
 U.S.A. ©2021 www.icyhot.com 0030394-01

0 41167 17402 9

ICY HOT LIDOCAINE DRY

lidocaine, menthol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-1740
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

ISOBUTANE (UNII: BXR49TP611)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1740-2	113 mL in 1 CAN; Type 0: Not a Combination Product	06/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2019	

Labeler - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.