

**CVS HEALTH SPF 50 ZINC FACE SHEER- zinc oxide lotion**  
**CVS PHARMACY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CVS Health SPF 50 Zinc Face Sheer Lotion**

**Active ingredient**

Zinc Oxide 21.6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **Inactive ingredients**

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin

# Live Better. face mineral sunscreen

broad spectrum  
SPF 50 lotion

by  CVS Health.

### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 21.8%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age. Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics

### Inactive ingredients

water, C12-15 alkyl benzoate, capryloyl/capric triglyceride, styrene/acrylates copolymer, octyldecyl octylate crosspolymer, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, dimethicone, phenoxyethanol, hydroxyacetate acid, ethyl methacrylate, cetyl dimethicone, silica, colloidal silicon dioxide, chrysanthemum parthenium (lewisite) flower/essential oil, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-vinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorophenol.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-8HOP CVS 1-13190



#404195



# Live Better.

## face mineral sunscreen

broad spectrum  
SPF 50 lotion

UVA + UVB protection

water resistant  
up to 80 minutes

oil free

by  CVS Health.

contains  
one tube

2.0 FL OZ  
(59 mL)

NO  
oxybenzone,  
octinoxate,  
parabens, or  
phthalates

50

# Live Better.

Live Better™ by CVS Health® brings you trusted and transparent wellness solutions. Filled with purpose and consciously selected, our products help you stay well and simply live better.



Live Better™ Face Mineral Sunscreen is made from natural zinc actives carefully chosen to provide oil-free UVA/UVB protection.

Live Better™

face mineral sunscreen

broad spectrum SPF 50 lotion

UVA + UVB protection

water resistant up to 80 minutes oil free

by CVS Health.

2.0 FL OZ (59 mL)

NO oxybenzone, octinoxate, parabens, or phthalates

50

**Drug Facts**

**Active ingredient**

Zinc Oxide 21.6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics

**Inactive ingredients**

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-vinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-13190



CVS Health™

# 50

## ZINC FACE SHEER LOTION

BROAD SPECTRUM SPF 50 SUNSCREEN

UVA/UVB protection

- Won't irritate eyes
- Oil free & hypoallergenic
- Water resistant (80 minutes)



COMPARE TO NEUTROGENA SHEER ZINC® FACE DRY-TOUCH\*

2.0 FL OZ (59 mL)

### Drug Facts

Active ingredient	Purpose
Zinc Oxide 21.6%	Sunscreen
<b>Uses</b> <ul style="list-style-type: none"><li>• helps prevent sunburn</li><li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li></ul>	
<b>Warnings</b> For external use only	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> keep out of eyes. Rinse with water to remove.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>• apply liberally 15 minutes before sun exposure</li><li>• reapply:<ul style="list-style-type: none"><li>• after 80 minutes of swimming or sweating</li><li>• immediately after towel drying</li><li>• at least every 2 hours</li></ul></li><li>• children under 6 months of age: ask a doctor</li><li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:<ul style="list-style-type: none"><li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li><li>• wear long-sleeve shirts, pants, hats, and sunglasses</li></ul></li></ul>	
<b>Other information</b> <ul style="list-style-type: none"><li>• protect this product from excessive heat and direct sun</li><li>• may stain or damage some fabrics, materials or surfaces</li></ul>	
<b>Inactive ingredients</b> water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, polyhydroxystearic acid, glycerin, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, BIS-divinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenxyethanol, chlorphenesin.	

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neutrogena Sheer Zinc®.

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

© 2018 CVS/pharmacy

CVS.com® 1-800-SHOP CVS  
V-13190





# 50

## ZINC FACE SHEER LOTION

### BROAD SPECTRUM SPF 50 SUNSCREEN

UVA/UVB protection

- Water resistant (80 minutes)
- Won't irritate eyes
- Oil free & hypoallergenic
- Oxybenzone & octinoxate free



RECOMMENDED AS AN EFFECTIVE BROAD SPECTRUM SUNSCREEN



COMPARE TO NEUTROGENA SHEER ZINC® FACE DRY-TOUCH\*

## 2.0 FL OZ (59 mL)

### Drug Facts

Active ingredient	Purpose
Zinc Oxide 21.6%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

**Do not use** • on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin.

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neutrogena Sheer Zinc®.

**Distributed by: CVS Pharmacy, Inc.**

V-13190

One CVS Drive, Woonsocket, RI 02895

© 2019 CVS/pharmacy

CVS.com® 1-800-SHOP CVS



**Drug Facts**

<b>Active ingredient</b> Zinc Oxide 21.6%	<b>Purpose</b> Sunscreen
--	-----------------------------

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**

**Do not use** • on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**


- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, polyhydroxystearic acid, glycerin, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin.

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neutrogena Sheer Zinc®.

**Distributed by:**  
**CVS Pharmacy, Inc.**  
One CVS Drive  
Woonsocket, RI 02895  
© 2018 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS  
V-13190



**CVS Health™ Zinc Face Sheer Sunscreen SPF 50** provides effective broad spectrum UVA/UVB protection in a light, oil-free, non-irritating lotion that absorbs quickly. This hypoallergenic zinc formula is water resistant for up to 80 minutes. Gentle enough for daily use.



# 50

## ZINC FACE SHEER LOTION

### BROAD SPECTRUM SPF 50 SUNSCREEN

UVA/UVB protection

- Won't irritate eyes
- Oil free & hypoallergenic
- Water resistant (80 minutes)



COMPARE TO  
NEUTROGENA SHEER ZINC®  
FACE DRY-TOUCH\*

2.0 FL OZ (59 mL)

## CVS HEALTH SPF 50 ZINC FACE SHEER

zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-469
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>GLYCERYL MONOBEHENATE</b> (UNII: A626UU0W2A)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TANACETUM PARTHENIUM FLOWER</b> (UNII: 7TVV9D7I89)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ETHYL METHICONE (8 MPA.S)</b> (UNII: 3YWG8XYT8H)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-469-61	59 mL in 1 TUBE; Type 0: Not a Combination Product	01/22/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	01/22/2018	

**Labeler** - CVS PHARMACY (062312574)

Revised: 1/2022

CVS PHARMACY