

**CHLORHEXIDINE GLUCONATE- chlorhexidine gluconate solution**  
**Rising Pharma Holdings, Inc.**

-----  
**Drug Facts**

***Active ingredients***

Chlorhexidine gluconate solution, 4%

***Purposes***

Surgical hand scrub

Healthcare personnel handwash

Skin wound and general skin cleanser

***Uses***

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general skin cleanser:** helps reduce bacteria on the skin

***Warnings***

**For external use only**

**Allergy Alert**

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

## **When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated ear drums
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- use with care in premature infants or infants under 2 months of age. These product may cause irritation or chemical burns.
- use full strength
- do not dilute

## **Surgical hand scrub:**

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

## **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

## **Skin wound and general skin cleanser:**

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

## ***Other information***

- store between 20-25 °C (68-77°F)
- avoid excessive heat (above 104°F/40°C)

- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

**Inactive ingredients**

cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, hydroxyethylcellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water \*contains one or more of these ingredients

**Questions or comments?**

Call 1-884-874-7464 Monday through Friday 8:00 AM to 5:00 PM EST

**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**Distributed by:**


Rising Pharma Holdings, Inc.  
East Brunswick, NJ 08816

Keep from freezing.

**Issued:** 07/2023

**Chlorhexidine Gluconate Liquid Solution**

**NDC:16571-111-12; 118 mL in 1 BOTTLE**




<p><b>Drug Facts (continued)</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care</li> <li>healthcare personnel handwash/handrub to help reduce bacteria that potentially can cause disease</li> <li>skin wound and general skin cleanser: helps reduce bacteria on the skin</li> </ul> <p><b>Warnings</b> For external use only</p> <p><b>Allergy alert</b> This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>wheezing/difficulty breathing</li> <li>shock</li> <li>facial swelling</li> <li>hives</li> <li>rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation</li> <li>as a patient preoperative skin preparation (especially on the head or face)</li> <li>in contact with meninges</li> <li>in the genital area</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.</li> <li>if contact occurs, rinse with cold water right away</li> <li>wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</b></p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>use full strength</li> <li>do not dilute</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Surgical hand scrub:</b></p> <ul style="list-style-type: none"> <li>remove jewelry</li> <li>wet hands and forearms with water and apply 5 mL of the product</li> <li>wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces</li> <li>rinse thoroughly with water</li> <li>wash for an additional 3 minutes with 5 mL of the product and rinse under running water</li> <li>dry thoroughly</li> </ul> <p><b>Healthcare personnel handwash:</b></p> <ul style="list-style-type: none"> <li>wet hands with water</li> <li>dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds</li> <li>rinse and dry thoroughly</li> </ul>
--	--	--	---

<p><b>Drug Facts (continued)</b></p> <p><b>Skin wound and general skin cleanser:</b></p> <ul style="list-style-type: none"> <li>thoroughly rinse the area to be cleaned with water</li> <li>apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.</li> <li>rinse again thoroughly</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store between 20-25°C (68-77°F)</li> <li>avoid excessive heat (above 154°F/60°C)</li> <li>for additional information, see Safety Data Sheet (SDS)</li> <li>if swallowed get medical help or contact a Poison Control Center immediately</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients and use only non-chlorine detergents.</p> <p><b>Questions or comments?</b> Call 1-844-874-7464 Monday through Friday 8:00 AM to 5:00 PM EST</p> <p><b>Laundering/Cleaning Instructions:</b> Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.</p> <p><b>WARNING:</b> This product can expose you to chemicals including amides, coco, n,n-bis(hydroxyethyl) and 2,2-iminodibenzal which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.</p> <p>Keep from freezing Issued: 07/2023</p>	<p><b>Rising</b> NDC 16571-111-12</p> <p><b>Chlorhexidine Gluconate Liquid Solution</b></p> <p><b>4%</b></p> <p><b>FOR EXTERNAL USE ONLY</b></p> <p>4 fl oz (118 mL)</p> <p><b>Drug Facts</b> <b>Active ingredient</b> Chlorhexidine gluconate solution, 4%..... <b>Purposes</b> Surgical hand scrub, Healthcare personnel handwash, Skin wound and general skin cleanser</p>  <p>3 16571 11124 1 Lift Here For <b>Drug Facts</b></p> <p>Distributed by: Rising Pharma Holdings, Inc. East Brunswick, NJ 08816</p>
--	--	---

## Chlorhexidine Gluconate Liquid Solution

### NDC:16571-111-24; 236 mL in 1 BOTTLE



**Drug Facts**

**Active ingredient** Chlorhexidine gluconate solution, 4%.....  
**Purposes** Surgical hand scrub, Healthcare personnel handwash, Skin wound and general skin cleanser

3 16571 11124 4  
Lift Here For **Drug Facts**

<p><b>Drug Facts (continued)</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care</li> <li>healthcare personnel handwash/handrub to help reduce bacteria that potentially can cause disease</li> <li>skin wound and general skin cleanser: helps reduce bacteria on the skin</li> </ul> <p><b>Warnings</b> For external use only</p> <p><b>Allergy alert</b> This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>wheezing/difficulty breathing</li> <li>shock</li> <li>facial swelling</li> <li>hives</li> <li>rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation</li> <li>as a patient preoperative skin preparation (especially on the head or face)</li> <li>in contact with meninges</li> <li>in the genital area</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.</li> <li>if contact occurs, rinse with cold water right away</li> <li>wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</b></p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>use full strength</li> <li>do not dilute</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Surgical hand scrub:</b></p> <ul style="list-style-type: none"> <li>remove jewelry</li> <li>wet hands and forearms with water and apply 5 mL of the product</li> <li>wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces</li> <li>rinse thoroughly with water</li> <li>wash for an additional 3 minutes with 5 mL of the product and rinse under running water</li> <li>dry thoroughly</li> </ul> <p><b>Healthcare personnel handwash:</b></p> <ul style="list-style-type: none"> <li>wet hands with water</li> <li>dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds</li> <li>rinse and dry thoroughly</li> </ul>
--	--	--	---

<p><b>Drug Facts (continued)</b></p> <p><b>Skin wound and general skin cleanser:</b></p> <ul style="list-style-type: none"> <li>thoroughly rinse the area to be cleaned with water</li> <li>apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.</li> <li>rinse again thoroughly</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store between 20-25°C (68-77°F)</li> <li>avoid excessive heat (above 154°F/60°C)</li> <li>for additional information, see Safety Data Sheet (SDS)</li> <li>if swallowed get medical help or contact a Poison Control Center immediately</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients and use only non-chlorine detergents.</p> <p><b>Questions or comments?</b> Call 1-844-874-7464 Monday through Friday 8:00 AM to 5:00 PM EST</p> <p><b>Laundering/Cleaning Instructions:</b> Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.</p> <p><b>WARNING:</b> This product can expose you to chemicals including amides, coco, n,n-bis(hydroxyethyl) and 2,2-iminodibenzal which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.</p> <p>Keep from freezing Issued: 07/2023</p>	<p><b>Rising</b> NDC 16571-111-24</p> <p><b>Chlorhexidine Gluconate Liquid Solution</b></p> <p><b>4%</b></p> <p><b>FOR EXTERNAL USE ONLY</b></p> <p>8 fl oz (236 mL)</p> <p><b>Drug Facts</b> <b>Active ingredient</b> Chlorhexidine gluconate solution, 4%..... <b>Purposes</b> Surgical hand scrub, Healthcare personnel handwash, Skin wound and general skin cleanser</p>  <p>3 16571 11124 4 Lift Here For <b>Drug Facts</b></p> <p>Distributed by: Rising Pharma Holdings, Inc. East Brunswick, NJ 08816</p>
--	--	---

## Chlorhexidine Gluconate Liquid Solution

### NDC:16571-111-48; 473 mL in 1 BOTTLE



NDC 16571-111-48

# Chlorhexidine Gluconate Liquid Solution

4%

FOR EXTERNAL USE ONLY

Distributed by:  
Rising Pharma Holdings, Inc.  
East Brunswick, NJ 08816

Keep from freezing.  
Issued: 07/2023

16 fl oz (473 mL)



## Drug Facts

### Active ingredient

Chlorhexidine gluconate solution, 4%

### Purposes

Surgical hand scrub  
Healthcare personnel handwash  
Skin wound and general skin cleanser

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general skin cleanser:** helps reduce bacteria on the skin

### Warnings

#### For external use only

#### Allergy alert

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- shock
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

#### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin.

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Laundry/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

## Drug Facts (continued)

### Directions

■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

- use full strength
- do not dilute

#### Surgical hand scrub:

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

#### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

#### Skin wound and general skin cleanser:

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

#### Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

#### Inactive ingredients

cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water \*contains one or more of these ingredients

#### Questions or comments?

Call 1-844-874-7464 Monday through Friday 8:00 AM to 5:00 PM EST



**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Chlorhexidine Gluconate Liquid Solution

NDC:16571-111-95; 946 mL in 1 BOTTLE



NDC 16571-111-95

# Chlorhexidine Gluconate Liquid Solution

4%

FOR EXTERNAL USE ONLY

**Distributed by:**

Rising Pharma Holdings, Inc.  
East Brunswick, NJ 08816

Keep from freezing.  
Issued: 07/2023

32 fl oz (946 mL)



**Drug Facts**

**Active ingredient**

Chlorhexidine gluconate solution, 4%

**Purposes**

Surgical hand scrub  
Healthcare personnel handwash  
Skin wound and general skin cleanser

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general skin cleanser:** helps reduce bacteria on the skin

**Warnings**

**For external use only**

**Allergy alert**

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- rash
- shock

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin

**Stop use and ask a doctor** if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**Drug Facts (continued)**

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

**Surgical hand scrub:**

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

**Skin wound and general skin cleanser:**

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

**Other information**

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

**Inactive ingredients**

cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water \*contains one or more of these ingredients

**Questions or comments?**

Call 1-844-874-7464 Monday through Friday 8:00 AM to 5:00 PM EST



**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## CHLORHEXIDINE GLUCONATE

chlorhexidine gluconate solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:16571-111
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
COCAMINE OXIDE (UNII: QWA2IZI6FI)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
GLUCONIC ACID (UNII: R4R8J0Q44B)	
HYDROXYETHYL CELLULOSE (3000 CPS AT 1%) (UNII: 7Q6P4JN1QT)	

<b>PEG-150 DISTEARATE</b> (UNII: 6F36Q0I0AC)	
<b>QUATERNIUM-33</b> (UNII: XPS4174QZJ)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16571-111-12	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/26/2023	
2	NDC:16571-111-24	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/26/2023	
3	NDC:16571-111-48	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/26/2023	
4	NDC:16571-111-95	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/26/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019258	07/26/2023	

**Labeler** - Rising Pharma Holdings, Inc. (116880195)

Revised: 8/2023

Rising Pharma Holdings, Inc.