

**7 SELECT SPORT SPF 30- avobenzene, homosalate, octisalate, octocrylene, oxybenzone spray**  
**7-11**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**7-Select Sport Continuous Spray SPF 30**

**Active ingredients**

Avobenzene 3.0%,

Homosalate 10.0%,

Octisalate 5.0%,

Octocrylene 2.0%,

Oxybenzone 4.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120° F.

### **Stop use and ask doctor if**

rash occurs.

### **Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
  
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months: Ask a doctor
  
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Inactive ingredients**

alcohol denat. (76.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride.

### **Other Information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Label**

Compare to  
**Coppertone<sup>®</sup>  
Sport<sup>®</sup> SPF 30  
Sunscreen\***

**7  
SELECT**

**30  
SPF**

**SPORT  
Broad Spectrum  
SPF 30  
Continuous Spray  
Sunscreen**

Water Resistant  
(80 Minutes)  
UVA/UVB Protection  
Even Coverage  
Sprays at Any Angle

NET WT 5.5 OZ (156 g)

7 Select<sup>®</sup> SPORT Broad Spectrum SPF 30 Continuous Spray is specially formulated for your active lifestyle to deliver effective protection from the sun's harmful UVA/UVB rays that sprays on easily and quickly and dries in seconds. This clear sunscreen has staying power when you sweat.

Broad Spectrum SPF 30, Water Resistant (80 minutes).

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 2.0% Oxybenzone 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b>	
• do not use near heat, flame or while smoking	
• avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure	
• Hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray into hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other Information</b>	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b>	
alcohol denat. (16.2% v/v), acrylates/octylacrylamide copolymer, stearyldimethylsiloxane, glycerin, diethylhexyl sebacate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride	
*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coppertone <sup>®</sup> SPORT <sup>®</sup> .	
<b>DISTRIBUTED BY</b> <b>7-ELEVEN, INC.</b> IRVING, TX 75063 <a href="http://WWW.7-ELEVEN.COM">WWW.7-ELEVEN.COM</a>	
Satisfaction Guaranteed 1-800-255-0711	
10/001-30 (8/2013)  001-SP 14706	



## 7 SELECT SPORT SPF 30

avobenzone, homosalate, octisalate, octocrylene, oxybenzone spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10202-951
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	40 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10202-951-37	156 g in 1 CAN; Type 0: Not a Combination Product	12/17/2018	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/17/2018	

**Labeler - 7-11 (007347602)**