DAYTIME COLD AND FLU RELIEF- daytime cold and flu relief capsule, liquid filled

TopCo Associates, LLC

417 - Daytime Cold and Flu Relief

Active ingredient(s)

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCl 5mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Use(s)

- temporarily relieves common cold/flu symptoms:
- • nasal congestion
- • cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions.

Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drugs. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

- liver disease heart disease thyroid disease diabetes high blood pressure
- trouble urinating due to an enlarged prostate gland cough that occurs with too much phlegm (mucus) persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if

taking the blood thinning drug warfarin.

When using this product

do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present •new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

Directions

- Take only as directed
- Do not exceed 4 doses in 24 hours

adults and children 12 years & over: 2 softgels with water every 4 hours

children 4 to under 12 years: ask a doctor

children under 4 years: do not use

Other information

• store at room temperature 20-25 °C (68-77° F)

• do not use if blister unit is torn or open

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution, white edible ink

Questions/Comments

Call 1-888-952-0050 Monday through Friday 9AM - 5PM

Principal Display Panel



DAYTIME COLD AND FLU RELIEF

daytime cold and flu relief capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-065
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
GELATIN (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ 989GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SORBITOL SOLUTION (UNII: 8KW3E207O2)		

Product Characteristics			
Color	orange	Score	no score
Shape	CAPSULE	Size	21mm
Flavor		Imprint Code	PC9
Contains			

ı	Packaging			
4	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162- 065-16	1 in 1 CARTON	11/03/2023	
1		16 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/03/2023	

Labeler - TopCo Associates, LLC (006935977)

Revised: 10/2023 TopCo Associates, LLC