

NITROUS OXIDE - nitrous oxide gas
Inland Welding Supply dba A-L Compressed Gases

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrous Oxide Label

NITROUS OXIDE
USP
UN 1070 RX ONLY

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

NON-FLAMMABLE 2
OXIDIZER 5.1

WARNING: HIGH PRESSURE, OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING (DUE TO OXYGEN DEFICIENCY). CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. MAY

CAUSE NERVOUS SYSTEM INJURY AND EMBRYO FETAL TOXICITY. Avoid breathing gas. Secure cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking in cylinder area. Do not use or store near heat or open flame. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin or clothing. Cylinder temperature should not exceed 125 degrees F (52 degrees C). Open valve slowly. Close valve after each use and when empty. Return with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet. NOTE: Suck-back into cylinder may cause rupture. Always use a back-flow preventive device in the piping.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods and frequency and duration of administration and with the hazards, contraindicated and side effects and the precautions to be taken.

CAUTION: Federal law prohibits dispensing without prescription.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL

A-L COMPRESSED GASES, INC.
4230 E. TRENT AVE.
SPOKANE, WA 99202

AL-M51-2 G05

NITROUS OXIDE

USP

UN 1070 R ONLY

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1996 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.



WARNING: HIGH PRESSURE, OXIDIZING LIQUID AND GAS, VIGOROUSLY ACCELERATES COMBUSTION, CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING (DUE TO OXYGEN DEFICIENCY), CAN CAUSE ANESTHETIC EFFECTS, MAY CAUSE FROSTBITE, MAY CAUSE NERVOUS SYSTEM INJURY AND EMBRYO FETAL TOXICITY. Avoid breathing gas. Secure cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking in cylinder area. Do not use or store near heat or open flame. Use only with equipment cleared for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin or clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Return with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet. **NOTE:** Suck-back into cylinder may cause rupture. Always use a back-flow preventive device in the piping.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. **IN CASE OF FROSTBITE,** obtain medical treatment immediately.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. **CAUTION:** Federal law prohibits dispensing without prescription.

CAUTION: USE NO OIL, ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL.

AL-M51-2



A-L COMPRESSED GASES, INC.
4230 E. TRENT AVE.
SPOKANE, WA 99202

G05

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:18482-128
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	995 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:18482-128-01	467 L in 1 CYLINDER		
2	NDC:18482-128-02	250 L in 1 CYLINDER		
3	NDC:18482-128-03	166 L in 1 CYLINDER		
4	NDC:18482-128-04	54 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved medical gas		07/01/2005	
------------------------	--	------------	--

Labeler - Inland Welding Supply dba A-L Compressed Gases (620529529)

Establishment

Name	Address	ID/FEI	Business Operations
A-L Compressed Gases		620529529	manufacture

Revised: 2/2010

Inland Welding Supply dba A-L Compressed Gases