

IMAGE SKINCARE PREVENTION PLUS DAILY HYDRATING MOISTURIZER- zinc oxide cream

Natural Technology, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Zinc Oxide 17.1%. Purpose: Sunscreen

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.

- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE. ARABIDOPSIS THALIANA EXTRACT. MICROCOCCUS

LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

91g. NDC: 79458-001-01

Purpose: Sunscreen

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or

- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

91 g. NDC: 79458-001-01

Helps prevent sunburn. If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or

Use a water resistant sunscreen if swimming or sweating:

- Immediately after towel drying.
- at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

91g. NDC: 79458-001-01

For external use only

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:

- Immediately after towel drying.
- at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

Do not use on damaged or broken skin.

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

When using this product keep out of eyes. Rinse with water to remove.

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and

early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

Stop use and ask a doctor if rash occurs.

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly

use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

91g. NDC: 79458-001-01

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts

Active Ingredient

Zinc Oxide 17.1%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF

... a sunscreen with a broad spectrum of
value of 15 or higher and other sun protection
measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

91g. NDC:79458-001-01

Apply generously 15 minutes before sun exposure. Children under 6 months of age: ask a doctor. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating: Immediately after towel drying. At least

every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a **Broad Spectrum SPF** value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. to 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

Drug Facts

Active Ingredient

Zinc Oxide 17.1%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

Protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredient

Zinc Oxide 17.1%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and

the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL, PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT, PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE, HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

Aloe Barbadensis Leaf Juice, Cyclopentasiloxane, Dicaprylyl Carbonate, Glycerin, Aqua/Water/Eau, Alcohol Denat. (SD Alcohol 40-B), Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Hydrated Silica, Dimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Isohexadecane, Magnesium Sulfate, Polyhydroxystearic Acid, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Ricinus Communis (Castor) Seed Oil, Limonene, Caprylic Acid, Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Grandis (Grapefruit) Peel Extract, Lecithin, Propanediol, Orbignya Phalerata Seed Powder, Lauric Acid, Calendula Officinalis Flower Extract, Citrus Limon (Lemon) Peel Extract, Citrus Tangerina (Tangerine) Peel Extract, Potassium Sorbate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Camellia Oleifera Leaf Extract, Dimethicone/Vinyl Dimethicone Crosspolymer, Tetrahexyldecyl Ascorbate, Lycium Chinense Fruit Extract, Pyrus Malus (Apple) Fruit Extract, Erythritol, Punica Granatum (Pomegranate) Fruit Extract, Phenoxyethanol, Tocopherol, Citral, Glucose, Hydrolyzed Pea Protein, Sodium Chloride, Plankton Extract, Sodium Benzoate, Homarine HCL, Sodium Succinate, Arabidopsis Thaliana Extract, Micrococcus Lysate, Ergothioneine.

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**

Do not use

- On damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

- If swallowed get medical help or contact a

If swallowed, get medical help or contact a
Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously 15 minutes before sun exposure
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating:
 - Immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun


Inactive ingredients: ALOE BARBADENSIS LEAF JUICE, CYCLOPENTASILOXANE, DICAPRYLYL CARBONATE, GLYCERIN, AQUA/WATER/EAU, ALCOHOL DENAT. (SD ALCOHOL 40-B), LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HYDRATED SILICA, DIMETHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ISOHEXADECANE, MAGNESIUM SULFATE, POLYHYDROXYSTEARIC ACID, TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, RICINUS COMMUNIS (CASTOR) SEED OIL, LIMONENE, CAPRYLIC ACID, CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT, CITRUS GRANDIS (GRAPEFRUIT) PEEL EXTRACT, LECITHIN, PROPANEDIOL, ORBIGNYA PHALERATA SEED POWDER, LAURIC ACID, CALENDULA OFFICINALIS FLOWER EXTRACT, CITRUS LIMON (LEMON) PEEL EXTRACT, CITRUS TANGERINA (TANGERINE) PEEL EXTRACT, POTASSIUM SORBATE, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, CAMELLIA OLEIFERA LEAF EXTRACT,

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER,
 TETRAHEXYLDECYL ASCORBATE, LYCIUM CHINENSE FRUIT
 EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ERYTHRITOL,
 PUNICA GRANATUM (POMEGRANATE) FRUIT EXTRACT,
 PHENOXYETHANOL, TOCOPHEROL, CITRAL, GLUCOSE,
 HYDROLYZED PEA PROTEIN, SODIUM CHLORIDE, PLANKTON
 EXTRACT, SODIUM BENZOATE, HOMARINE HCL, SODIUM
 SUCCINATE, ARABIDOPSIS THALIANA EXTRACT, MICROCOCCUS
 LYSATE, ERGOTHIONEINE.

Questions Call **800-796-7546**

91g. NDC: 79458-001-01

Prevention plus daily hydrating moisturizer 30 SPF/FPS



91g. NDC: 79458-001-01

IMAGE SKINCARE PREVENTION PLUS DAILY HYDRATING MOISTURIZER

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79458-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	171 g in 1000 g

Inactive Ingredients

Ingredient Name	Strength
MICROCOCCUS LUTEUS (UNII: LV6L29Z6AX)	
ANACYSTIS NIDULANS EXTRACT (UNII: UV4FTL6UAW)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CAMELLIA OLEIFERA LEAF (UNII: 5077ELOC60)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
APPLE (UNII: B423VGH5S9)	
ERYTHRITOL (UNII: RA96B954X6)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)	
SODIUM SUCCINATE HEXAHYDRATE (UNII: U16QOD6C4E)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ARABIDOPSIS THALIANA (UNII: AI3L60HQ81)	
CITRUS MAXIMA FRUIT RIND (UNII: 5NX3G75CA6)	
TANGERINE PEEL (UNII: JU3D414057)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PEA PROTEIN (UNII: 7Q50F46595)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ORANGE PEEL (UNII: TI9T76XD44)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BABASSU SEED (UNII: HL2549X1EY)	
LYCIUM CHINENSE FRUIT (UNII: TG711Q7A1Q)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
CITRAL (UNII: T7EU009VPP)
ANHYDROUS DEXTROSE (UNII: 5SL0G7R00K)
ERGOTHIONEINE (UNII: BDZ3DQM98W)
POMEGRANATE (UNII: 56687D1Z4D)
CASTOR OIL (UNII: D5340Y2I9G)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
CAPRYLIC ACID (UNII: OBL58JN025)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
LAURIC ACID (UNII: 1160N9NU9U)
LEMON PEEL (UNII: 72O054U628)
SODIUM CHLORIDE (UNII: 451W47IQ8X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79458-001-02	1 in 1 BOX	03/17/2022	
1	NDC:79458-001-01	91 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/17/2022	

Labeler - Natural Technology, LLC (618561906)

Revised: 3/2022

Natural Technology, LLC