

CAREONE ANTACID REGULAR STRENGTH- aluminum hydroxide, magnesium hydroxide, simethicone suspension

American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

American Sales Company Liquid Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- measure with dosing cup provided
- adults and children 12 years and over: 10 mL – 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor
- mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

REGULAR STRENGTH

LIQUID ANTACID

Aluminum Hydroxide, Magnesium Hydroxide, Simethicone

Antacid/Antigas

Original Mint Flavor

ALCOHOL 0.2%

Soothing Relief of Heartburn, Acid Indigestion, Sour Stomach and Gas

Gluten Free

12 FL OZ (355mL)

OUR PHARMACISTS RECOMMEND

CAREone™

NDC 41520-357-40

REGULAR STRENGTH
**LIQUID
ANTACID**

Aluminum Hydroxide,
Magnesium Hydroxide, Simethicone
Antacid/Antigas

Original Mint Flavor

ALCOHOL 0.2%

Soothing Relief of
Heartburn, Acid Indigestion,
Sour Stomach and Gas

Gluten Free

12 FL OZ
(355mL)



: 35740 OF FL

Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

Purposes

Uses relieves ■ heartburn ■ acid indigestion ■ sour stomach
■ upset stomach due to these symptoms
■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ shake well before use ■ measure with dosing cup provided
■ adults and children 12 years and over: 10 mL – 20 mL between meals, at bedtime or as directed by a doctor
■ do not take more than 120 mL in any 24 hour period
■ do not use the maximum dosage for more than 2 weeks
■ children under 12 years: ask a doctor ■ mL = milliliter

Other information

■ each 10 mL contains: magnesium 175 mg
■ does not meet USP requirements for preservative effectiveness
■ store at 20-25°C (68-77°F), do not freeze

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

DO NOT USE IF
PRINTED NECKBAND
IS BROKEN OR
MISSING



3

Drug Facts
(continued)

**Questions or
comments?**
1-800-719-9260

DISTRIBUTED BY
FOODHOLD U.S.A., LLC
LANDOVER, MD 20785
1-877-846-9949
©2017
Ahold Licensing Sarl
Quality guaranteed or
your money back.

: 35740 OF FL

CAREONE ANTACID REGULAR STRENGTH				
aluminum hydroxide, magnesium hydroxide, simethicone suspension				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-357	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)		ALUMINUM HYDROXIDE	400 mg in 10 mL	
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)		MAGNESIUM HYDROXIDE	400 mg in 10 mL	
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	40 mg in 10 mL	
Inactive Ingredients				
Ingredient Name			Strength	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
BUTYL PARABEN (UNII: 3QPIIU3FV8)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
PROPYL PARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
Product Characteristics				
Color	WHITE (opaque)	Score		
Shape		Size		
Flavor	MINT (lemon, original)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-357-40	1 in 1 CARTON	11/18/2012	
1		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

OTC monograph final	part331	11/18/2012	
---------------------	---------	------------	--

Labeler - American Sales Company (809183973)

Revised: 12/2018

American Sales Company