

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated**  
**Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Rite Aid 44-329**

***Active ingredient (in each tablet)***

Diphenhydramine HCl 25 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- **each tablet contains:** calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- use by expiration date on package

**Inactive ingredients**

corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**RITE**

**AID®**

**PHARMACY**

**\*Compare to the active ingredient in Benadryl® Allergy ULTRATAB® Tablets**

**allergy relief**

diphenhydramine HCl 25 mg

antihistamine

**relief of:**

**sneezing**

**itchy, watery eyes**

**runny nose**

**itchy throat**

**easy to swallow**

ACTUAL SIZE

**365 MINITABS**

25 mg EACH

SMALL TABLET SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®.

50844 REV1016A32951

**DISTRIBUTED BY: RITE AID, 30 HUNTER LANE CAMP HILL, PA 17011**

IF YOU'RE NOT  
SATISFIED, WE'LL  
HAPPILY REFUND  
YOUR MONEY.


**allergy relief**  
 diphenhydramine HCl 25 mg  
 antihistamine  
 relief of:  
 sneezing  
 itchy, watery eyes  
 runny nose  
 itchy throat  
 easy to swallow  
 ACTUAL SIZE  
  
 SMALL TABLET SIZE  
**365**  
**MINITABS**  
 25 mg EACH

\*Compare to the active ingredient in Benadryl® Allergy ULTRATAB® Tablets

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25 mg. . . . .	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

No print area/Lot number & Exp date

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets. 50844 REV1016A32951

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011  
ITEM 0364162

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.



**PEEL HERE FOR MORE DRUG FACTS**

**Drug Facts** (continued)

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

take every 4 to 6 hours, or as directed by a doctor	
do not take more than 6 times in 24 hours	
adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- use by expiration date on package

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments? 1-800-426-9391**

**STOP PEELING**

diphenhydramine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0329
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	44;329
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0329-7	3 in 1 CARTON	03/02/1990	09/09/2017
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0329-8	2 in 1 CARTON	03/02/1990	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0329-4	4 in 1 CARTON	03/02/1990	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:11822-0329-3	1 in 1 PACKAGE	03/02/1990	
4		10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

5	NDC:11822-0329-2	1 in 1 CARTON	03/02/1990	
5		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
6	NDC:11822-0329-6	1 in 1 CARTON	03/02/1990	
6		200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
7	NDC:11822-0329-1	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/02/1990	

**Labeler** - Rite Aid Corporation (014578892)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(11822-0329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(11822-0329)

Revised: 1/2017

Rite Aid Corporation