

KIRKLAND SIGNATURE ACID CONTROLLER- famotidine tablet, film coated
Costco Wholesale Company

Costco Wholesale Corp. Acid Controller Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

KIRKLAND Signature

COMPARE TO MAXIMUM STRENGTH PEPCID® AC active ingredient

ACID CONTROLLER

Famotidine Tablets USP, 20 mg

Acid Reducer

- Maximum Strength

- Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

Actual Size

2 x 125 COUNT BOTTLES TOTAL

250 TABLETS

KIRKLAND
Signature

**COMPARE TO
MAXIMUM STRENGTH
PEPCID® AC**
active ingredient*

NDC 63951-194-85
ITM / ART. 1086592

ACID CONTROLLER

Famotidine Tablets USP, 20 mg

Acid Reducer

Maximum Strength

**Just One Tablet Prevents
& Relieves Heartburn Due
to Acid Indigestion**



Actual Size

**2 x 125 COUNT
BOTTLES TOTAL
250 TABLETS**

Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

For use as
Acid reducer

Use

- Relieves heartburn associated with acid indigestion and sour stomach
- Prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- If you have trouble or pain swallowing food, vomiting with blood, or black stools
- If you may be signs of a serious condition. See your doctor
- With other acid reducers

Ask a doctor before use if you have

- Heartburn over 3 months. This may be a sign of a more serious condition
- Heartburn with lightheadedness, sweating, or dizziness
- Heart pain or chest pain with shortness of breath, sweating, pain spreading to arms, neck or jawline, or lightheadedness
- Frequency of heartburn
- Frequency of heartburn, particularly with sour or unexplained weight loss
- Loss of appetite
- Stomach pain
- Kidney disease

Ask a doctor or pharmacist before use. If you are taking a prescription drug, Acid Reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- Heartburn continues or worsens
- You need to take this product for more than 14 days

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-322-1222)

Directions

- Adults and children 12 years and over:
- Take one or two tablets, swallow 1 tablet with a glass of water. Do not chew.
- Take one or two tablets, swallow 1 tablet with a glass of water at the same time for

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating or drinking certain foods and beverages.

DO NOT USE IF PRINTED FOIL LINER CAP IS BROKEN OR MISSING

Tips For Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid lying in bed
- If overweight, lose weight
- Quit smoking

10 to 15 minutes before eating food or drinking beverages that cause heartburn.
 Take one or two tablets in 24 hours.
 Children under 12 years: ask a doctor.

Other information
 Read the directions on the wrapper before use.
 Store at 20°-25°C (68°-77°F). Protect from moisture.

Inactive ingredients: carnauba wax, croscarmellose sodium, croscarmellose sodium, hydroxypropyl methylcellulose, hydroxypropyl methylcellulose, polyvinyl alcohol, talc, titanium dioxide.

Questions or comments? 1-800-719-8260

GLUTEN FREE
 Package by:
 Parke-Davis, 515 Eastern Ave., Ann Arbor, MI 48106 USA
 1-800-719-8260
 For: Costco Wholesale Corporation
 999 Lakeland Drive, Issaquah, WA 98027 USA
 www.costco.com

This product is manufactured and distributed by
 Johnson & Johnson Consumer Inc., distributor
 of Maxima Strength Products, Inc.

How2Recycle

 COATED PAPER CARD PLASTIC BOTTLE

9661943921 #

 AB727 5NS-4

KIRKLAND SIGNATURE ACID CONTROLLER

famotidine tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63981-194
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-194-96	2 in 1 PACKAGE	05/24/2007	08/01/2018
1		85 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:63981-194-85	2 in 1 CARTON	11/08/2016	
2		125 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:63981-194-01	85 in 1 BOTTLE; Type 0: Not a Combination Product	05/24/2007	08/01/2014
4	NDC:63981-194-05	125 in 1 BOTTLE; Type 0: Not a Combination Product	01/25/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077351	05/24/2007	

Labeler - Costco Wholesale Company (103391843)

Revised: 6/2023

Costco Wholesale Company