

**MUCINEX D- guaifenesin and pseudoephedrine hydrochloride tablet,  
extended release  
RB Health (US) LLC**

-----  
**Mucinex® D**

**Drug Facts**

---

**Active ingredients (in  
each extended-  
release bi-layer  
tablet)**

**Purposes**

Guaifenesin 600 mg	Expectorant
Pseudoephedrine HCl 60 mg	Nasal Decongestant

---

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**

- **do not use more than directed**

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

**Other information**

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store at 20-25°C (68-77°F)

**Inactive ingredients**

carbomer homopolymer type B; FD&C yellow #6 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

**Questions?**

**1-866-MUCINEX (1-866-682-4639)** You may also report side effects to this phone number.

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224  
Made in England

**PRINCIPAL DISPLAY PANEL - 18 Tablet Carton**

NDC 63824-057-18

**Mucinex® D**

**600 mg guaifenesin & 60 mg pseudoephedrine HCl  
extended-release bi-layer tablets**

**EXPECTORANT  
& NASAL DECONGESTANT**

**12  
HOUR**

- ✓ **Clears Nasal/Sinus Congestion**
- ✓ **Thins and Loosens Mucus**
- ✓ **Immediate and Extended Release**

**18  
EXTENDED-RELEASE  
BI-LAYER TABLETS**

Glue Line

NDC 63824-057-18

# Mucinex<sup>®</sup>D

600 mg guaifenesin & 60 mg pseudoephedrine HCl  
extended-release bi-layer tablets

EXPECTORANT  
& NASAL DECONGESTANT



- ✓ Clears Nasal/Sinus Congestion
- ✓ Thins and Loosens Mucus
- ✓ Immediate and Extended Release

**18** EXTENDED-RELEASE  
BI-LAYER TABLETS

Choose from the MUCINEX<sup>®</sup> line of products to treat your symptoms

MUCINEX<sup>®</sup> Relieves Chest Congestion • Thins and Loosens Mucus for 12 hours  
 MUCINEX<sup>®</sup> DM Controls Cough • Thins and Loosens Mucus for 12 hours  
 MUCINEX<sup>®</sup> D Clears Nasal/Sinus Congestion • Thins and Loosens Mucus for 12 hours

Tamper evident: Do not use if carbon is open or if printed seal on blister is broken or missing.

3081992Z



EXPECTORANT  
& NASAL DECONGESTANT



3-63824-05718-7

You may also report side effects to this phone number.  
**Questions?** 1-866-MUCINEX (1-866-682-4639)

**Inactive ingredients**  
carbon tetrachloride, FD&C yellow #6 aluminum lake, hypromellose, USP, magnesium stearate, NF, microcrystalline cellulose, NF, sodium starch glycolate, NF

**Other information**  
store at 20-25°C (68-77°F)

**Directions**  
do not crush, chew, or break tablet  
take with a full glass of water  
this product can be administered without regard for timing of meals  
adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours  
children under 12 years of age: do not use

**Drug Facts (continued)**  
When using this product  
do not use more than directed  
Stop use and ask a doctor if  
you get nervous, dizzy, or sleepless  
symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for Parkinson's disease), or for 2 weeks after stopping depression, psychiatric, or emotional drugs.  
Drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have  
heart disease ■ high blood pressure  
thyroid disease ■ diabetes  
trouble urinating due to an enlarged prostate gland  
persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Uses**  
helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
temporarily relieves nasal congestion due to:  
■ common cold ■ hay fever  
■ temporarily restores free breathing through the nose  
■ promotes nasal and/or sinus drainage  
■ temporarily relieves sinus congestion and pressure

**Active ingredients**  
Guaifenesin 600 mg.....Expectorant  
Pseudoephedrine HCl 60 mg.....Nasal Decongestant

**Purposes**  
(In each extended-release bi-layer tablet)  
Expectorant  
Nasal Decongestant

HEALTH • HYGIENE • HOME  
011619  
3081992Z  
© 2019 RB Health (US)  
Dist. by: RB Health (US)  
Parippany, NJ 07054-0224  
Made in England

Patents: [www.rb.com/patents](http://www.rb.com/patents)  
Please visit our website  
[www.mucinex.com](http://www.mucinex.com)

Contains FD&C Yellow Dye #6  
Tablet shown actual size



EXPECTORANT

**18** EXTENDED-RELEASE BI-LAYER TABLETS

# MUCINEX D

guaifenesin and pseudoephedrine hydrochloride tablet, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63824-057
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Guaifenesin</b> (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg
<b>Pseudoephedrine Hydrochloride</b> (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	60 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>carbomer homopolymer type B (allyl pentaerythritol crosslinked)</b> (UNII: HHT01ZNK31)	
<b>FD&amp;C yellow NO. 6</b> (UNII: H77VEI93A8)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>magnesium stearate</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	ORANGE, WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	Mucinex;600
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-057-18	1 in 1 CARTON	06/26/2012	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63824-057-36	4 in 1 CARTON	06/26/2012	
2		9 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA021585	06/26/2012	

**Labeler** - RB Health (US) LLC (081049410)

Revised: 1/2022

RB Health (US) LLC