

CLENZIDERM THERAPEUTIC MOISTURIZER- glycerin cream

Obagi Cosmeceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OBAGI®

Clenziderm M.D.™

Therapeutic

Moisturizer

DRUG FACTS

Active ingredient

Glycerin 20%

Purpose

Skin protectant

Uses

- Temporarily protects and helps relieve chapped or cracked skin.
- Helps protect from the drying effects of wind and cold weather.

Warnings

For external use only

When using this product

- do not get into eyes.

Stop and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Do not use on

- deep or puncture wounds
- animal bites
- serious burns.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.

- Children under 6 months: ask a doctor.

Other information

- Store away from heat and direct sunlight.
- Store at controlled room temperature: 15°C–25°C (59°F–77°F)

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, allantoin, butylparaben, cetyl dimethicone, corn starch modified, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, ethylparaben, isobutylparaben, lauryl PEG/PPG-18/18 methicone, methylparaben, phenoxyethanol, propylparaben, triethanolamine, water

Questions or comments?

1.800.636.7546. Monday-Friday 9a.m.-4p.m. Pacific Time

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Label

OBAGI®

MEDICAL

CLENZIderm M.D.™

Therapeutic Moisturizer

Glycerin 20%

Skin Protectant

1.7 fl. oz. (50 mL)



CLENZIderm M.D.™

Therapeutic Moisturizer

Glycerin 20%
Skin Protectant

1.7 fl. oz. (50 mL)

Drug Facts

Active ingredient

Glycerin 20% Skin protectant

Purpose

Uses: ■ Temporarily protects and helps relieve chapped or cracked skin. ■ Helps protect from the drying effects of wind and cold weather.

Warnings: For external use only. When using this product ■ do not get into eyes. Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days. Do not use on ■ deep or puncture wounds ■ animal bites ■ serious burns. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply as needed. ■ Children under 6 months: ask a doctor.

Other information: ■ Store away from heat and direct sunlight. ■ Store at controlled room temperature: 15°C–25°C (59°F–77°F).

Inactive ingredients: acrylates/C10-30 alkyl acrylate crosspolymer, allantoin, butylparaben, cetyl dimethicone, corn starch modified, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, ethylparaben, isobutylparaben, lauryl PEG/PPG-18/18 methicone, methylparaben, phenoxethanol, propylparaben, triethanolamine, water (aqua)

Questions or comments? 1.800.636.7546 Monday–Friday 9a.m.–4p.m. Pacific Time



Distributed by Obagi Cosmeceuticals LLC, Long Beach, CA 90806

All products/brand names, whether designated by notice or not (®/TM), are trademarks of Obagi Cosmeceuticals LLC

©2018 Obagi Cosmeceuticals LLC. All rights reserved. www.obagi.com

Made in USA with U.S. and Imported components 9436802

CLENZIDERM THERAPEUTIC MOISTURIZER

glycerin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-614
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0K00R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLPARABEN (UNII: 14255EXE39)	

ISOBUTYLPARABEN (UNII: 0QJ25X58G)					
BUTYLPARABEN (UNII: 3QP1U3FV8)					
PROPYLPARABEN (UNII: Z8IX2SC1OH)					
METHYLPARABEN (UNII: A2I8C7HI9T)					
Product Characteristics					
Color		WHITE	Score		
Shape			Size		
Flavor			Imprint Code		
Contains					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62032-614-01	50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2007		
Marketing Information					
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date	
OTC monograph final	part347		07/01/2007		

Labeler - Obagi Cosmeceuticals LLC (790553353)

Establishment			
Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	MANUFACTURE(62032-614)