

CLINICARE PRO SURFACE SANITIZER- benzalkonium chloride, didecyl dimethyl ammonium chloride liquid
Meroven LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clinicare Pro Surface Sanitizer

Drug Facts

Active ingredient

- Benzalkonium Chloride 0.13%
- Didecyl dimethyl ammonium chloride 0.15%

Purpose

Antiseptic

Uses ▪ surface sanitizer to decrease germs

- recommended for repeated use
- for use when soap and water are not available

Warnings

For surface use only

Do not use ▪ on open skin wounds

When using this product ▪ do not get into eyes. In case of contact, rinse eyes thoroughly with water

Stop use and ask a doctor if ▪ irritation and redness develop ▪ condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ▪ wet surface thoroughly with product and allow to dry without wiping

Other information ▪ store between 15-30°C (59-86°F)

▪ avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients ▪ Propylene glycol (plasticizer) ▪ Laureth-4 (Surfactant) ▪ Water ▪ Glycolic acid ▪ 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride ▪ Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738

You may also report serious side effects to this phone number.

Mon-Fri 9:00 AM - 5:00 PM

EXTEN-DAY

24 HOUR

Up to 24 hours continuous protection

Kills 99.99% of germs*

Bonds to most surfaces

Fast Acting 15 Second Formula

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers

Manufactured for: Meroven LLC - 7901 4th St. N STE 300,St.

Petersburg, FL., 33702

Country of origin: Spain

Packaging

Clinicare™ Pro

**EXTEN-DAY
24 HOUR**

Surface Sanitizer

- Up to 24 hours continuous protection
- Kills 99.99% of germs*
- Bonds to most surfaces
- Fast Acting 15 Second Formula

meroven

KILLS 99.99% OF GERMS*

Drug Facts

Active ingredient	Purpose
• Benzalkonium Chloride.....0.13 %	Antiseptic
• Didecyl dimethyl ammonium chloride... 0.15%	Antiseptic

Uses • surface sanitizer to decrease germs
• recommended for repeated use
• for use when soap and water are not available

Warnings
For surface use only
Do not use • on open skin wounds.
When using this product • do not get into eyes. In case of contact, rinse eyes thoroughly with water
Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wet surface thoroughly with product and allow to dry without wiping

Other information • store between 15-30°C (59-86°F)
• avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients • Propylene glycol (plasticizer)
• Laureth-4 (Surfactant) • Water • Glycolic acid
• 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride • Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738
You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers.

Manufactured for: Meroven LLC - 7901 4th St. N STE 300,St. Petersburg, FL., 33702
Country of origin: Spain

80 ml

Country of origin: Spain

Lot No:

Expiry:

Clinicare™ Pro



Surface Sanitizer

24 Up to 24 hours continuous protection

Kills 99.99% of germs*

Bonds to most surfaces

Fast Acting 15 Second Formula



Drug Facts

Active ingredient	Purpose
• Benzalkonium Chloride.....0.13 %	Antiseptic
• Didecyl dimethyl ammonium chloride... 0.15%	Antiseptic

Uses • surface sanitizer to decrease germs
• recommended for repeated use
• for use when soap and water are not available

Warnings
For surface use only

Do not use • on open skin wounds.

When using this product • do not get into eyes. In case of contact, rinse eyes thoroughly with water

Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wet surface thoroughly with product and allow to dry without wiping

Other information • store between 15-30°C (59-86°F)
• avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients • Propylene glycol (plasticizer)
• Laureth-4 (Surfactant) • Water • Glycolic acid
• 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride • Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738
You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers.

Manufactured for: Meroven LLC - 7901 4th St. N STE 300, St. Petersburg, FL., 33702

Country of origin: Spain

Lot No:

Expiry:

Clinicare™ Pro



Surface Sanitizer

24 Up to 24 hours continuous

Drug Facts

Active ingredient	Purpose
• Benzalkonium Chloride.....0.13 %	Antiseptic
• Didecyl dimethyl ammonium chloride... 0.15%	Antiseptic

Uses • surface sanitizer to decrease germs
• recommended for repeated use
• for use when soap and water are not available

Warnings
For surface use only

Do not use • on open skin wounds.

When using this product • do not get into eyes. In case of contact, rinse eyes thoroughly with water

Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wet surface thoroughly with product and

protection

Kills 99.99% of germs*

Bonds to most surfaces

Fast Acting 15 Second Formula



KILLS 99.99% OF GERMS*

1L

Other information • store between 15-30°C (59-86°F)
 * avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients • Propylene glycol (plasticizer)
 • Laureth-4 (Surfactant) • Water • Glycolic acid
 • 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride • Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738
 You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers.

Manufactured for: Meroven LLC - 7901 4th St. N STE 300, St. Petersburg, FL., 33702
 Country of origin: Spain
 Lot No:
 Expiry:

Clinicare™ Pro

EXTEN-DAY 24 HOUR

Surface Sanitizer

Up to 24 hours continuous protection

Kills 99.99% of germs*

Bonds to most surfaces

Fast Acting 15 Second Formula



KILLS 99.99% OF GERMS*

3 L

Drug Facts

Active ingredient	Purpose
• Benzalkonium Chloride.....0.13 %	Antiseptic
• Didecyl dimethyl ammonium chloride... 0.15%	Antiseptic

Uses • surface sanitizer to decrease germs
 • recommended for repeated use
 • for use when soap and water are not available

Warnings
 For surface use only

Do not use • on open skin wounds.

When using this product • do not get into eyes. In case of contact, rinse eyes thoroughly with water

Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wet surface thoroughly with product and allow to dry without wiping

Other information • store between 15-30°C (59-86°F)
 * avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients • Propylene glycol (plasticizer)
 • Laureth-4 (Surfactant) • Water • Glycolic acid
 • 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride • Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738
 You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers.

Manufactured for: Meroven LLC - 7901 4th St. N STE 300, St. Petersburg, FL., 33702
 Country of origin: Spain
 Lot No:
 Expiry:

Clinicare™ Pro



Surface Sanitizer

24 Up to 24 hours continuous protection

Kills 99.99% of germs*

Bonds to most surfaces

Fast Acting 15 Second Formula



Drug Facts

Active ingredient	Purpose
• Benzalkonium Chloride.....0.13 %	Antiseptic
• Didecyl dimethyl ammonium chloride... 0.15%	Antiseptic

Uses • surface sanitizer to decrease germs
 • recommended for repeated use
 • for use when soap and water are not available

Warnings

For surface use only

Do not use • on open skin wounds.

When using this product • do not get into eyes. In case of contact, rinse eyes thoroughly with water

Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wet surface thoroughly with product and allow to dry without wiping

Other information • store between 15-30°C (59-86°F)
 • avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients • Propylene glycol (plasticizer)
 • Laureth-4 (Surfactant) • Water • Glycolic acid
 • 1-Octadecanaminium NN dimethyl (3-trihydroxysilyl) propyl chloride • Dimethyloctadecyl (3-trimethoxysilyl) Propyl Ammonium Chloride

Questions? +1-312-803-1738

You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM

*Effective at eliminating more than 99.99% of many common harmful germs and bacteria in as little as 15 seconds; it forms a non-toxic barrier with lasting effects for up to 24 hours and does not produce the harmful, dermatological effects associated with traditional, high alcohol based hand sanitizers.

Manufactured for: Meroven LLC - 7901 4th St. N STE 300, St. Petersburg, FL., 33702

Country of origin: Spain

Lot No:

Expiry:

CLINICARE PRO SURFACE SANITIZER

benzalkonium chloride, didecyl dimethyl ammonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74653-104
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL
DIDECYLDIMONIUM CHLORIDE (UNII: JXN40O9Y9B) (DIDECYLDIMONIUM - UNII:Z7F472XQPA)	DIDECYLDIMONIUM CHLORIDE	1.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LAURETH-4 (UNII: 6HQ855798J)	
WATER (UNII: 059QF0K00R)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
OCTADECYLDIMETHYL(3-TRIHYDROXYSILYLPROPYL)AMMONIUM CHLORIDE (UNII: GLJ50K866T)	
DIMETHYLOCTADECYL(3-(TRIMETHOXYMETHYL)PROPYL)AMMONIUM CHLORIDE (UNII: IQ36O85WQ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74653-104-21	80 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/23/2020	
2	NDC:74653-104-22	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/23/2020	
3	NDC:74653-104-23	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/23/2020	
4	NDC:74653-104-24	3000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/23/2020	
5	NDC:74653-104-25	5000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/23/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/23/2020	

Labeler - Meroven LLC (117473235)

Revised: 6/2020

Meroven LLC