

**GOOD NEIGHBOR PHARMACY KIDS SUNSCREEN BROAD SPECTRUM SPF 50-homosalate, octisalate, oxybenzone, octocrylene, avobenzone spray
Amerisource Bergen**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Neighbor Pharmacy Kids Sunscreen Broad Spectrum SPF 50 Continuous Spray

Active Ingredients

Avobenzone 3.0%,

Homosalate 10.0%,

Octisalate 5.0%,

Octocrylene 4.0%,

Oxybenzone 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE

- do not use near heat, flame or while smoking
- avoid long term storage above 104 deg F (40 degC)

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- Do not puncture or incinerate. Contents under pressure.
- Do not store at temperatures above 120 deg F.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- Do not spray into face. Spray into hand and apply to face.
- Use in well ventilated, but not windy areas

- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours

- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 am - 2 pm
 - wear long sleeved shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidene malonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Compare to
Coppertone® KIDS®
active ingredients*



VALUE SIZE

Kids Sunscreen

**Broad Spectrum
SPF 50**

continuous spray

- Sprays at Any Angle
- Hypoallergenic
- Water Resistant (80 Minutes)

With Antioxidants

50

net wt 7.3 oz
(206 g)

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0% Oxybenzone 5.0%	Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE:	
• do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• spray liberally and spread evenly by hand 15 minutes before sun exposure	
• hold can 4-6 inches away from skin to apply	
• do not spray directly into face. Spray into hand and then apply to face.	
• do not apply in windy conditions	
• use in well-ventilated area	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
Other information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive ingredients	
Alcohol Denat. (73.2% V/V), Acrylates/Octylacrylamide Copolymer, Stearoxtrimethylsilane, Glycerin, Diethylhexyl Syringylidenemalonate, Tocopherol (Vitamin E), Fragrance, Retinyl Palmitate (Vitamin A Palmitate), Caprylic/Capric Triglyceride.	



DOT-SP 14736 • M5655
NO ANIMAL TESTING

*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., the owner of the registered trademarks Coppertone® and KIDS®.

Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087
Questions or concerns? www.mygnp.com

GOOD NEIGHBOR PHARMACY KIDS SUNSCREEN BROAD SPECTRUM SPF 50

homosalate, octisalate, oxybenzone, octocrylene, avobenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-945
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	50 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-945-86	206 g in 1 CAN; Type 0: Not a Combination Product	04/26/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/26/2012	

Labeler - Amerisource Bergen (007914906)

Revised: 1/2022

Amerisource Bergen