

**WELL AT WALGREENS KIDS SUNSCREEN BROAD SPECTRUM SPF 50-  
homosalate, octisalate, oxybenzone, octocrylene, avobenzone spray  
WALGREEN COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Well at Walgreens Kids Sunscreen Broad Spectrum SPF 50**

**Active Ingredients**

Avobenzone 3.0%,

Homosalate 10.0%,

Octisalate 5.0%,

Octocrylene 4.0%,

Oxybenzone 5.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**FLAMMABLE**

- do not use near heat, flame or while smoking
- avoid long term storage above 104 deg F (40 degC)

**Do not use**

on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

- Do not puncture or incinerate. Contents under pressure.
- Do not store at temperatures above 120 deg F.

### **Stop use and ask a doctor**

if rash occurs.

### **Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally 15 minutes before sun exposure
- Hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- Do not spray into face. Spray into hand and apply to face.
- Use in well ventilated, but not windy areas
- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 am - 2 pm
  - wear long sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Inactive Ingredients**

Alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidene malonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces



WALGREENS PHARMACIST RECOMMENDED\*

## SUNSCREEN

# Kids

### Broad Spectrum SPF 50

- Water resistant (80 minutes)
- UVA/UVB protection



# 50

6 FL OZ (177 mL)



Copy Limit  
Height: 81.5mm  
Width: 157 mm

Backgrounds Bleeding  
Outside Dimensions

**Easy & Even Coverage for Kids' All-Over Sun Protection!** Walgreens Continuous Spray for Kids Sunscreen provides superior broad spectrum SPF 50 UVA & UVB protection for your kids' skin on-the-go! This easy spray allows for all-over even coverage that goes on quickly, absorbs quickly and doesn't leave skin feeling greasy. Coverage you can count on for kids who don't ever slow down!

#### Drug Facts

##### Active Ingredients

Avobenzone 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%  
Oxybenzone 5.0%

##### Purpose

Sunscreen

##### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

##### Warnings

For external use only

##### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C).

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face
- use in well ventilated, but not windy areas
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months. Ask a doctor

##### Inactive Ingredients

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, isopropyltrimethylsilane, glycerin, diethylhexylsynglycidemalonate, tocopherol (vitamin E), fragrances, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

##### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics/materials or surfaces

##### Questions or comments?

Call toll free 1-800-WALGREENS (1-800-925-4733)

\*Walgreens Pharmacist Survey Study, November 2010.  
DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2012 Walgreen Co. ORG0812-F



ITEM 550413



## WELL AT WALGREENS KIDS SUNSCREEN BROAD SPECTRUM SPF 50

homosalate, octisalate, oxybenzone, octocrylene, avobenzone spray

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-0992 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 100 mg in 1 mL |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 50 mg in 1 mL  |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 40 mg in 1 mL  |
| <b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)   | OXYBENZONE        | 50 mg in 1 mL  |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 30 mg in 1 mL  |

### Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| <b>ALCOHOL</b> (UNII: 3K9958V90M)   |                  |  |                      |                    |
|---|------------------|--|----------------------|--------------------|
| <b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)   |                  |  |                      |                    |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                  |  |                      |                    |
| <b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)  |                  |  |                      |                    |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)  |                  |  |                      |                    |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)   |                  |  |                      |                    |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)  |                  |  |                      |                    |
| <b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b><br>(UNII: JU3XHR8VWK) |                  |  |                      |                    |
|   |                  |  |                      |                    |
| <b>Packaging</b>  |                  |  |                      |                    |
| #   | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
| 1   | NDC:0363-0992-25 | 177 mL in 1 CAN; Type 0: Not a Combination Product | 04/07/2015           |                    |
|   |                  |  |                      |                    |
| <b>Marketing Information</b>  |                  |  |                      |                    |
| Marketing Category  |                  | Application Number or Monograph Citation           | Marketing Start Date | Marketing End Date |
| OTC monograph not final   |                  | part352  | 04/07/2015           |                    |

**Labeler -** WALGREEN COMPANY (008965063)