

**SCOPE STAY STRONG- sodium fluoride rinse**  
**The Procter & Gamble Manufacturing Company**

-----  
**Scope Stay Strong**

***Drug Facts***

**Active ingredient**

Sodium Fluoride 0.02% (0.01% w/v fluoride ion)

**Purpose**

Anticavity

**Use**

Aids in the prevention of dental cavities

**Warning**

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 6 years & older: Use twice a day after brushing your teeth with a toothpaste.
- Vigorously swish the 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out.
- Do not swallow the rinse.
- Do not eat or drink for 30 minutes after rinsing.
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing).
- Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

**Inactive ingredients**

water, glycerin, propylene glycol, polysorbate 80, benzoic acid, flavor, saccharin, sodium benzoate, phosphoric acid, disodium phosphate, yellow 5, blue 1

**Questions?**

**1-800-862-7442**

**DISTR. BY PROCTER & GAMBLE,**

CINCINNATI, OH 45202

**PRINCIPAL DISPLAY PANEL - 1000 mL Bottle Label**

**Strong Mint**

FLEX YOUR

**freshness™**

Scope®

ANTICAVITY FLUORIDE MOUTHWASH

**STAY STRONG™**

plus **enamel protection**

SEE BACK FOR IMPORTANT INGREDIENT INFORMATION

IMPORTANT: Read directions for proper use.

**Kills 99%**

**of bad breath bacteria\***

**FORTIFIES ENAMEL with fluoride**

1L (33.8 FL OZ)



<b>Drug Facts</b>	
<b>Active ingredient</b> Sodium Fluoride 0.02% (0.01% w/v fluoride ion)	<b>Purpose</b> Anticavity
<b>Use</b> Aids in the prevention of dental cavities	
<b>Warning</b> Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Adults and children 6 years & older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: Consult a dentist or doctor.	
<b>Inactive ingredients</b> water, alcohol (15 wt%), propylene glycol, flavor, benzoic acid, poloxamer 407, cetylpyridinium chloride, sucralose, phosphoric acid, disodium phosphate, yellow 5, blue 1	
<b>Questions?</b> US: 1-800-862-7442	

**TO OPEN:** Remove printed band; squeeze tabs and turn.  
**TO CLOSE:** Turn cap until it clicks.  
**CAP SEALED WITH PRINTED BAND.**  
Patents: [www.pg.com/patents](http://www.pg.com/patents)

In some cases, rinses may cause surface staining to teeth. This is not permanent or harmful, and may be prevented by adequate brushing or removed at your next dental visit.  
If you are not satisfied with your results, Crest will refund your purchase. Simply return your receipt and copy of bottle UPC within 60 days of purchase. Call 1-877-769-8794 for more information.

91622277  
**P&G**  
[www.pg.com](http://www.pg.com)

**CONTAINS ALCOHOL  
KEEP OUT OF REACH  
OF CHILDREN.**



DISTR. BY PROCTER & GAMBLE,  
CINCINNATI, OH 45202  
[www.crest.com](http://www.crest.com)  
© 2018 P&G

# SCOPE STAY STRONG

sodium fluoride rinse

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69423-859
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.02 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CETYLPIRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>BASIC BLUE 1</b> (UNII: 92N74OA24D)	
<b>BASIC YELLOW 5</b> (UNII: 07BP340B4T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLOXAMER 407</b> (UNII: TUF21VW3M2)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	green	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-859-33	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/24/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/24/2022	

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

### Establishment

Name	Address	ID/FEI	Business Operations
THE PROCTER & GAMBLE MANUFACTURING COMPANY		005279245	manufacture(69423-859) , pack(69423-859)

### Establishment

Name	Address	ID/FEI	Business Operations
Merck KGaA		342249299	api manufacture(69423-859)

### Establishment

Name	Address	ID/FEI	Business Operations
SUNLIT FLUO & CHEMICAL CO., LTD. CHUNG-LI FACTORY		658870890	api manufacture(69423-859)

Revised: 10/2023

The Procter & Gamble Manufacturing Company