WALGREENS BLACK ELDERBERRY COLD AND FLU RELIEF- bryonia alba, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating Walgreen Co.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

# Walgreens Black Elderberry Cold and Flu Relief

#### **Active Ingredients**

Active ingredients (In each tablet) \*

Bryonia 6X HPUS Gelsemium sempervirens 6X, 12X, 30X HPUS

Sambucus nigra 3X, 6X HPUS Sulphur 12X HPUS Zincum gluconicum 2X, 6X HPUS

\*The letters 'HPUS' indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

# **Purpose**

Bryonia HPUS - Fever, chills, scratchy throat, muscle soreness Gelsemium sempervirens HPUS - Sneezing, non-productive cough, bronchial irritation

Sambucus nigra HPUS - Fever, nasal congestion, coughing Sulphur HPUS - Sinus pressure, sore throat, nasal pressure Zincum gluconicum HPUS - Nausea, tiredness, exhaustion, bronchial constriction

#### Uses\*

According to homeopathic indications, these ingredients provide temporary relief of cold and flu symptoms such as: • Nasal and sinus congestion, runny nose, sor coughing, sneezing, and chills and fever, after serious causes have been ruled out by a physician.

\* These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

# Warnings

# Warnings

# A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

Sore throat warning - Severe or persistent sore throat or sore throat accompanied by

high fever, headache, nausea, and vomiting may be serious. Consult phys Do not use more than 2 days or administer to children under 4 years of age unless directed by a physician. • This product is intended to complement, not replace, medical treatment. • Initial worsening of symptoms may occur.

### Pregnant or breast-feeding

• If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children

• **Keep out of reach of children**. • In case of overdose, get medical help or contact a Poison Control Center right away.

#### Stop use

Stop use and ask a doctor if:

• You experience worsening symptoms. • Any new symptoms appear. • Symptoms last longer than 7 days.

#### **Directions**

#### **Directions**

• Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use. • For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end. • Dissolve entire tablet under tongue OR chew tablet and swallow. • Do not swallow tablet whole. • Take 1 tablet every three hours. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

#### Other information

• **Do not use if blister seal is broken**. • Store at room temperature 150 to 300 C (590 to 860 F). • Active ingredients are micro-diluted in accordance with the Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Retain carton for full drug facts.

# Inactive ingredients

Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.

#### Questions or comments?

**Questions or comments?** 

# **Principal Display Panel**



# WALGREENS BLACK ELDERBERRY COLD AND FLU RELIEF

bryonia alba, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9791
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]	
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X]	
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X]	
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X]	
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X]	

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		
BLACK CARROT ANTHOCYANINS (UNII: 971DA56IOL)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
SUCROSE (UNII: C151H8M554)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
EUROPEAN ELDERBERRY JUICE (UNII: Z4IFJ0AK1E)		
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)		

Product Characteristics			
Color	purple (OFF PURPLE OFF GREY COLOR WITH SPECKS)	Score	score with uneven pieces
Shape	ROUND	Size	10mm
Flavor	BERRY (ELDERBERRY)	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:0363- 9791-14	1 in 1 CARTON	05/13/2022	
1	60 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/13/2022		
1	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

# Labeler - Walgreen Co. (008965063)

Revised: 12/2023 Walgreen Co.