# BROAD SPECTRUM SPF 15 PREFERRED PLUS PHARMACY- avobenzone, homosalate, octisalate, octocrylene lotion Kinray Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

#### **Active ingredients**

<Avobenzone 2%, Homosalate 10%, Octisalate 5%, Octocrylene 5%>

#### Uses

Helps prevent sunburn.

#### **Warnings**

**For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs.

#### **Directions**

Apply liberally 15 minutes before sun exposure. Reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.

**Sun Protection Measures:** spending time in the sun increases your risk of skin cancer and early skin again. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, specially from 10am - 2pm, wear long-sleeve shirts, pants, hats, and sunglasses.

Children under 6 months: ask a doctor.

#### **Inactive ingredients**

Acrylates/C10-30 Alykl Acrylate Crosspolymer, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Bis-Stearyl Ethylenediamine/Neopentyl Glycol/Stearyl Hydrogenated Dimer Dilinoleate Copolymer, Carbomer, Cetyl Phosphate, Chlorphenesin, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Fragrance, Sorbitol, Tocopherol, Triethanolamine, Water.

#### **Purpose**

Sunscreen.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Preferred Plus Pharmacy** 

**Broad Spectrum SPF 15** 

Water Resistant (80 Minutes)



### **Drug Facts**

#### Active ingredients

Purpose

Avobenzone 2.0% unscreen Homosalate 10.0% .Sunscreen Octisalate 5.0%. Sunscreen Octocrylene 5.0%.... .Sunscreen

Uses • helps prevent sunburn

#### Warnings

For external use only

Do not us e on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

# Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating

- immediately after towel drying at least every 2 hours

  Sun Protection Measures, Spending time in the sun increases
  your risk of skin cancer and early skin aging. To decrease this
  risk, regularly use a sunscreen with a broad spectrum SPF of
- 15 or higher and other sun protection measures including:

   limit time in the sun, especially from 10 a.m. 2 p.m.

   wear long-sleeve shirts, pants, hats, and sunglasses

   children under 6 months: Ask a doctor

Inactive ingredients Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Bis-Stearyl Ethylenediamine/Neopentyl Glycol/Stearyl Hydrogenated Dimer Dilinoleate Copolymer, Carbomer, Cetyl Phosphate, Chlorphenesin, Dimethicone, Disodium EDTA, Ethylheoyl Palmitate, Fragrance, Sorbitol, Tocopherol, Triethanolamine, Water.

Other information • protect this product from excessive heat and direct sun . may stain fabrics.

> ALL KINRAY INC. PRODUCTS ARE SATISFACTION GUARANTEED OR YOUR MONEY BACK FROM RETAILER WHERE PURCHASED.

> > Distributed by: KINRAY INC. 152-35 Tenth Avenue Whitestone, NY 11357

© 2011 Kinray Inc., All Rights Reserved, PREFERRED PLUS, PREFERRED PLUS ++++ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinnay Inc. All other marks are property of their respective owners.



#### **BROAD SPECTRUM SPF 15 PREFERRED PLUS PHARMACY**

avobenzone, homosalate, octisalate, octocrylene lotion

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:61715-023

**Route of Administration** TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL		
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 mL		

Inactive Ingredients			
Ingredient Name	Strength		
<b>CARBOMER 1342</b> (UNII: 809 Y72KV36)			
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
CARBOMER 940 (UNII: 4Q93RCW27E)			
CETYL PHO SPHATE (UNII: VT07D6X67O)			
CHLORPHENESIN (UNII: 1670 DAL4SZ)			
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)			
ETHYLHEXYL PALMITATE (UNII: 2865993309)			
SORBITOL (UNII: 506T60A25R)			
TOCOPHEROL (UNII: R0ZB2556P8)			
WATER (UNII: 059QF0KO0R)			

P	Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date			
1	NDC:61715-023-08	237 mL in 1 BOTTLE, PLASTIC					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not final	part352	03/15/2013				

# **Labeler -** Kinray Inc. (012574513)

Revised: 3/2013 Kinray Inc.