NITROGEN- nitrogen gas SOUTHERN GAS AND SUPPLY, INC.

Nitrogen

NITROGEN, COMPRESSED NF UN1066

NON-FLAMMABLE GAS 2

Rx ONLY. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosage, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficulty, give oxygen. Call a physician. CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

3945 EAST LAKE BLVD. BIRMINGHAM, AL 35226

205-841-0713

UN1066

CONTENTS: LTRS. CU.FT.



NITROGEN, REFRIGERATED LIQUID NF UN1977 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION DO NOT CHANGE OR FORCE FIT CONNECTIONS.

RX ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7727-37-9

CONTENTS: LTRS CU FT

DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

3945 EAST LAKE BLVD.

BIRMINGHAM, AL 35226

205-847-0713

		CONTENTS:	FIRST AID:		WARNING:	WARNING:		T ALWAY DO N	REFRIG REFRIG LIQUID NF UN197
GAS 3945 EAS BIRMING 205 -	DO NOT REMOVE THIS PRODUCT LABEL	IN CASE OF FR immediately. CAS: 7727-37-9	IF INHALED, remove to fresh air. If not breathing, gi artificial respiration. If breathing is difficult, give oxygen Call a physician.	Store and use with adequate ventilation. Do not get liquid in eyes, on skinn or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitale hand truck for container movement. Cylinder temperature should not exceed 52°C(125°F). Close valve after each use and when empty. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet Use in accordance with the Material Safety Data Sheet	EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.	Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.	R	ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.	REFRIGERATED LIQUID NF UN1977
GAS AND SUPPLY 3945 EAST LAKE BLVD. BIRMINGHAM, AL 35226 205-847-0713	E THIS PRODU	FROSTBITE, obtain	remove to fresh air. I ration. If breathing is di in.	adequate ventilation or eyes, on skinn or eyes, on skinn or al, wear face shield uitale hand truck for truck for expound not experise and when or experise and when the waterial with the Material with the Material with the Material structure the structure	COLD LIQUID AND GAS RAPID SUFFOCATION. SEVERE FROSTBITE.	of Nitrogen may . For use only by or und tioner who is experie of nitrogen and is famili s, methods, and frequ and with the hazards, and with the hazards, the precautions to be to	RX ONLY	FORCE FIT CC	
		obtain medical treatment	If not breathing, g tifficult, give oxyge	on. clothing. d and gloves. or container move sed 52°C(125°F). empty. empty. the piping. Safety Data Shee	UNDER PRESSU	may be hazardous or y or under the supervision of a experienced in the use and is familiar with the indications, is familiar with the indications d frequency and duration of azards, contraindications and s to be taken.		HT POSITION.	2 NMMABLE
250		iii iii iiii iiii iiiii iiiii iiiii iiii	give en.	ament	RE.	n of a and ations, and of a and ations, and and and attions and attions and and attions and attion of the and attion of the and attict			

NITROGEN REFRIGERATED LIQUID NF UN1977 Contents: Lot Number: NON-FLAMMABLE 2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING RX ONLY

Administration of Nitrogen may be hazardous or contraindicated. for use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency, and duration of administration, and the hazards, contraindications and side effects and the precautions to be taken.

EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Clove valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

IN INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.



NITROGEN nitrogen gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53991-002

Route of Admini	istration	RESPIRATORY (INHALATION)				
Active Ingredi	ent/Active	Moiety				
	Basis of Streng	Strength				
NITROGEN (UNII: N	762921K75) (NI	TROGEN - UNII:N762921K75)		NITROGEN	995 mL in 1 L	
Packaging						
	N			larketing Start	arketing End	
# Item Code	Pa	ckage Description	Date		Date	
1 NDC:53991-002- 01	230 L in 1 DEV Product	/AR; Type 0: Not a Combination	01/01/2020			
Marketing Information						
Marketing Category	Applicat	tion Number or Monograph Citation		Marketing Start Date	М	arketing End Date
NDA	NDA205766		0	1/01/2020		

Labeler - SOUTHERN GAS AND SUPPLY, INC. (078641186)

Establishment							
Name	Address	ID/FEI	Business Operations				
SOUTHERN GAS AND SUPPLY, INC.		078641186	manufacture(53991-002)				

Revised: 10/2023

SOUTHERN GAS AND SUPPLY, INC.