

MAXIMUM STRENGTH ANTACID CHERRY - aluminum hydroxide, magnesium hydroxide, simethicone liquid
Supervalu Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

EQUALINE Maximum strength Antacid Cherry

ACTIVE INGREDIENT (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 800 mg
Magnesium hydroxide 800 mg
Simethicone 80 mg

PURPOSE

Antacid
Antacid
Antigas

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

WARNINGS

Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK A DOCTOR

if symptoms last more than two weeks

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS

- **shake well before use**
- adults and children 12 years and older: take 10 - 20 mL two times a day, or as directed by a doctor
- children under 12 years: consult a doctor
- mL = milliliter

OTHER INFORMATION

- **each 10 mL contains:** magnesium 340 mg, sodium 5 mg
- store at 20°C-25°C (68°F-77°F)
- do not freeze

INACTIVE INGREDIENTS

flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol

PRINCIPAL DISPLAY PANEL

compare to

MAALOX[®] Maximum Strength

active ingredients*

NDC 41163-065-05

EQUALINE[®]

maximum strength

antacid

liquid

aluminum hydroxide

800 mg/10 mL - antacid

Magnesium hydroxide

800 mg/10 mL - antacid

simethicone

80 mg/10 mL - antigas

relief of:

- heartburn
- acid indigestion
- gas

Cherry Flavor

12 FL OZ (355 mL)

compare to
MAALOX® Maximum Strength
active ingredients*
NDC 41163-065-05

EQUALINE®

maximum strength
antacid liquid

aluminum hydroxide
800 mg/10 mL - antacid
magnesium hydroxide
800 mg/10 mL - antacid
simethicone
80 mg/10 mL - antigas

relief of:
• heartburn
• acid indigestion
• gas



cherry flavor

12 FL OZ (355 mL)

Drug Facts **DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING**

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 800mg	Antacid
Magnesium hydroxide 800 mg	Antacid
Simethicone 80 mg	Antigas

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach and gas associated with these symptoms

Warnings
Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.
Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than two weeks
Keep out of reach of children.

Directions ■ shake well before use ■ adults and children 12 years and older: take 10 - 20 mL two times a day, or as directed by a doctor ■ children under 12 years: consult a doctor ■ mL = milliliter

Other information ■ each 10 mL contains: magnesium 340 mg, sodium 5 mg ■ store at 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

*This product is not manufactured or distributed by Novartis Consumer Health Inc., the distributor of MAALOX® Maximum Strength.

DISTRIBUTED BY UNFI, PROVIDENCE, RI 02908 USA

MFR# 53041 REV 0521 **855-423-2630**



0 4 1163 50263 5

MAXIMUM STRENGTH ANTACID CHERRY

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-065
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
aluminum hydroxide (UNII: 5QB0T2IUN0) (aluminum hydroxide - UNII:5QB0T2IUN0)	aluminum hydroxide	800 mg in 10 mL
magnesium hydroxide (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	magnesium hydroxide	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-065-05	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC MONOGRAPH
FINAL

part331

06/10/2022

Labeler - Supervalu Inc. (006961411)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(41163-065)

Revised: 6/2022

Supervalu Inc.