

NEONATAL PLUS VITAMIN- neonatal plus vitamin tablet
NEOMED PHARMACEUTICAL

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

NEONATAL PLUS VITAMIN
prenatal/postnatal multi-vitamin/mineral tablet
Rx

WARNING

Accidental overdose of **iron-containing** products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

Each prenatal tablet contains:

Each Tablet contains:	
Vitamin A (as acetate, beta carotene)	1200 mcg
Vitamin D3 (as cholecalciferol)	10 mcg
Vitamin E (as dl-alpha tocopheryl acetate)	9.2 mg
Vitamin C (Ascorbic acid)	20 mg
Vitamin B1 (as thiamine HCl)	1.84 mg
Vitamin B2 (as riboflavin)	3 mg
Vitamin B3 (as niacinamide)	20 mg
Vitamin B6 (as pyridoxine HCl)	10 mg
Folic acid	1000 mcg
Vitamin B12 (as cyanocobalamin)	12 mcg
Iron (as ferrous fumarate)	27 mg
Citrus bioflavonoids complex 50% bio flavonoids	2 mg
Calcium (as carbonate sulfate)	200 mg
Zinc (as zinc oxide)	25 mg
Copper (as cupric oxide)	2 mg
Boron (as boron citrate)	0.2 mg
Inositol	5 mg

Other Ingredients: , microcrystalline croscarmellose sodium, stearic acid, silicon dioxide, titanium dioxide (as color), polyethylene glycol, sucrose, magnesium stearate, talc, triacetin, HPMC E15, HPMC E5/E6, FD&C RED #40 (LAKES), FD&C YELLOW # 6 (LAKE)

NEONATAL PLUS TABLET Rx is a multi-vitamin/mineral prescription drug indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and nonlactating mothers.

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

PRECAUTIONS

Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

To report a serious adverse event or obtain product information, call 631-524-5758

DOSAGE AND ADMINISTRATION

One tablet daily or as directed by a physician.

HOW SUPPLIED

Bottles of 100 tablets each - NDC 70898-115-01

STORAGE

Store at 20-25°C (68-77°F) [See USP controlled room temperature].

To report a serious adverse event or obtain product information, call 631-524-5758

Distributed by:

Neomed Pharmaceutical ,80 Cain Dr, Brentwood,NY 11717

Phone :631-524-5758

Email: info@neomedpharmaceutical.com



Each prenatal tablet contains the following ingredients for nutritional supplement:

Vitamin A (As Acetate and Beta Carotene)	1200 MCG
Vitamin C (Ascorbic Acid)	120 MG
Vitamin D3 (As Cholecalciferol)	10 MCG
Vitamin E (As Di-Alpha Tocopheryl Acetate)	92 MG
Vitamin B1 (As Thiamine Mononitrate)	1.84 MG
Vitamin B2 (Riboflavin)	3 MG
Vitamin B3 (As Niacinamide)	20 MG
Vitamin B6 (As Pyridoxine Hcl)	10 MG
Folic Acid	1000 MCG
Vitamin B12 (As Cyanocobalamin) On DCP	12 MCG
Calcium (Calcium Carbonate)	200 MG
Iron (As Ferrous Fumarate)	27 MG
Zinc (As Zinc Oxide)	25 MG
Copper (As Cupric Oxide)	2 MG
Inositol	5 MG
Citrus Bioflavonoid Complex 50%	2 MG
Boron (As Boron Citrate)	0.2 MG

OTHER INGREDIENTS
MICROCRYSTALLINE CELLULOSE, STEARIC ACID, MAGNESIUM STEARATE, CROSCARMELOSE SODIUM, SILICON DIOXIDE, HPMC E5, HPMC E5/6, PEG - 8000, TALC, FD&C RED # 40 (LAKES), FD&C BLUE # 2 (LAKES), FD&C YELLOW # 5 (LAKES).

Description: Neonatal PLUS Tablet is an orally administered prenatal/postnatal prescription folic acid-containing dietary supplement and should be administered under the supervision of a licensed medical practitioner.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one tablet daily, with a meal, or as directed by a licensed healthcare practitioner regardless of lactation status. See package insert for full prescribing information.

WARNINGS: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

CAUTIONS: High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage. Store at 15-30°C (59-86°F). [See USP Controlled Room Temperature.] Protect from light and moisture. Dispense in a tight, light-resistant container. Notice: Contact with moisture may produce surface discoloration or erosion. Call your licensed medical practitioner about side effect. You may report side effects by calling 1-866-760-6565.

Manufactured for:
NEOMED Pharmaceutical,
Hauppauge, NY-11788.

Distributed by:
AUM Pharmaceuticals,
320 Oser Ave.
Hauppauge, NY-11788.

REV.: 05/20

NEONATAL PLUS VITAMIN

neonatal plus vitamin tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:70898-115
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	1200 ug
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	20 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	10 ug
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	.ALPHA.-TOCOPHEROL ACETATE	9.2 mg
THIAMINE (UNII: X66NSO3N35) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.84 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	20 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	10 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1000 ug
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	12 ug
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	27 mg
INOSITOL (UNII: 4L6452S749) (INOSITOL - UNII:4L6452S749)	INOSITOL	5 mg
CITRUS BIOFLAVONOIDS (UNII: BD70459I50) (HESPERIDIN - UNII:E750O06Y6O)	CITRUS BIOFLAVONOIDS	2 mg
CALCIUM (UNII: SY7Q814VUP) (CALCIUM - UNII:SY7Q814VUP)	CALCIUM	200 mg
BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	0.2 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	25 mg
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	2 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
TALC (UNII: 7SEV7J4R1U)	
POLYETHYLENE GLYCOL 8000 (UNII: Q662QK8M3B)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TRIACETIN (UNII: XHX3C3X673)	
SUCROSE (UNII: C15IH8M554)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics			
Color	brown (BEIGE/PEACH)	Score	no score
Shape	CAPSULE (Caplet)	Size	5mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:70898-115-01	1 in 1 PACKAGE	07/31/2018	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			07/31/2018	

Labeler - NEOMED PHARMACEUTICAL (048388130)