

ACID REDUCER PLUS ANTACID- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable
CVS Pharmacy

CVS Pharmacy, Inc. Acid Reducer Plus Antacid Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purposes

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, aspartame, dextrans, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients in Pepcid Complete®

Dual-Action Complete

SEE NEW WARNINGS

Acid Reducer Plus Antacid

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

Acid reducer plus antacid

Just One Tablet:

Relieves heartburn due to acid indigestion

Actual Size

25 CHEWABLE TABLETS

Cool Mint Flavor

CVS Health. Compare to the active ingredients in Pepcid Complete** NDC 59779-862-63

Dual-Action Complete **SEE NEW WARNINGS**

Acid Reducer Plus Antacid

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

Acid reducer plus antacid
Just One Tablet:
Relieves heartburn due to acid indigestion

Actual Size
25 CHEWABLE TABLETS Cool Mint Flavor

Drug Facts (continued)

Keep out of reach of children. In case of overdose, call your healthcare provider or a Poison Control Center right away. (1-800-222-1222)

Directions Adults and children 12 years of age and older: Chew 1 tablet before swallowing. Do not use more than 2 chewable tablets in 24 hours.

Other information Each tablet contains: calcium 800 mg, magnesium 80 mg, Famotidine, contains Phenylephrine 2 mg per tablet. Contains dextrose and contains important information. Protect from moisture. 20-25°C (68°-77°F). Protect from moisture.

Warnings Alter or eat: Do not use if you are allergic to famotidine or other acid reducers. Do not use if you have trouble or pain swallowing food, vomiting with blood or bloody or black stools. These may be signs of a serious condition. See your doctor. With other acid reducers. Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition. Heartburn with light-headedness, sweating, dizziness, or fainting. Pain spreading to arms, neck, or shoulders, or tightness. Frequent chest pain. Frequent wheezing, particularly with heartburn. Unexplained weight loss. Nausea or vomiting. Stomach pain. Abdominal cramps. Ask a doctor or pharmacist before use if you are taking a prescription drug, medicine, and acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if your heartburn continues or worsens. Do not use if you are taking a prescription drug or medicine. Do not use if you are taking a prescription drug or medicine.

Directions Adults and children 12 years of age and older: Chew 1 tablet before swallowing. Do not use more than 2 chewable tablets in 24 hours.

Other information Each tablet contains: calcium 800 mg, magnesium 80 mg, Famotidine, contains Phenylephrine 2 mg per tablet. Contains dextrose and contains important information. Protect from moisture. 20-25°C (68°-77°F). Protect from moisture.

CVS Health. Compare to the active ingredients in Pepcid Complete** NDC 59779-862-63

Dual-Action Complete **SEE NEW WARNINGS**

Acid Reducer Plus Antacid

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

Acid reducer plus antacid
Just One Tablet:
Relieves heartburn due to acid indigestion

Actual Size
25 CHEWABLE TABLETS Cool Mint Flavor

Drug Facts (continued)

Keep out of reach of children. In case of overdose, call your healthcare provider or a Poison Control Center right away. (1-800-222-1222)

Directions Adults and children 12 years of age and older: Chew 1 tablet before swallowing. Do not use more than 2 chewable tablets in 24 hours.

Other information Each tablet contains: calcium 800 mg, magnesium 80 mg, Famotidine, contains Phenylephrine 2 mg per tablet. Contains dextrose and contains important information. Protect from moisture. 20-25°C (68°-77°F). Protect from moisture.

ACID REDUCER PLUS ANTACID			
famotidine, calcium carbonate, magnesium hydroxide tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-862
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)		FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D,		CALCIUM	800 mg

CALCIUM CATION - UNII:2M83C4R6ZB)	CARBONATE	000 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
DEXTRATES (UNII: G263MI44RU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	ORANGE (PEACH WTH WHITE SPECKLES)	Score	no score
Shape	ROUND	Size	18mm
Flavor	MINT	Imprint Code	L546
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-862-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2016	
2	NDC:59779-862-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2016	
3	NDC:59779-862-33	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/02/2016	09/05/2017

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	02/11/2016	

Labeler - CVS Pharmacy (062312574)