

## **ANEFRIN NASAL EXTRA MOISTURIZING- oxymetazoline hcl spray**

**Walgreen Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Walgreen Co. Anefrin Nasal Spray Drug Facts**

#### **Active ingredient**

Oxymetazoline HCl 0.05%

#### **Purpose**

Nasal decongestant

#### **Uses**

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- shrinks swollen nasal membranes so you can breathe more freely

#### **Warnings**

##### **Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

##### **When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

##### **Stop use and ask a doctor if**

symptoms persist

##### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

**Other information**

- store at 20°-25°C (68°-77°F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

**Questions?**

1-800-719-9260

**Principal Display Panel**

EXTRA MOISTURIZING

Anefrin Nasal Spray

Oxymetazoline HCl 0.05%

Nasal Decongestant

Clears stuffy noses fast

Soothes as it relieves

12 HOUR

Compare to Afrin® Extra Moisturizing active ingredient

Well at  
*Walgreens*

**EXTRA  
MOISTURIZING**

# Anefrin Nasal Spray

Well at  
*Walgreens*

NDC 0363-0065-10

WALGREENS PHARMACIST RECOMMENDED†

**EXTRA MOISTURIZING**

# Anefrin Nasal Spray

Oxymetazoline HCl 0.05%  
Nasal Decongestant

- Clears stuffy noses fast
- Soothes as it relieves

*Walgreens*  
*Way to Well*  
Commitment®  
Visit [Walgreens.com/waytowell](http://Walgreens.com/waytowell)



12  
HOUR


1 FL OZ (30 mL)

Compare to Afrin® Extra  
Moisturizing active ingredient††


LOT NO.

EXP.

: 06510 94 C5







## Drug Facts

<b>Active ingredient</b>	<b>Purpose</b>
Oxymetazoline HCl 0.05%.....	Nasal decongestant

### Uses

- temporarily relieves nasal congestion due to:
  - common cold    ■ hay fever
  - upper respiratory allergies
- shrinks swollen nasal membranes so you can breathe more freely

### Warnings

**Ask a doctor before use if you have**

- heart disease                    ■ thyroid disease
- high blood pressure        ■ diabetes
- trouble urinating due to an enlarged prostate gland

### When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if symptoms persist**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
  - children under 6 years of age: ask a doctor
- To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

### Other information

- store at 20°-25°C (68°-77°F)
- retain carton for future reference on full labeling

**Inactive ingredients** benzalkonium chloride

## Drug Facts (continued)

**Questions?**  
1-800-719-9260

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.**

Only selected information is listed on the bottle label. Keep this carton for future reference.

\*Walgreens Pharmacist Survey Study, November 2010.

†This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Afrin® Extra Moisturizing.

**DISTRIBUTED BY:**  
**WALGREEN CO.**  
200 WILMOT ROAD  
DEERFIELD, IL 60015


*Walgreens*

**100%**  
**SATISFACTION**  
**GUARANTEED**

walgreens.com  
©2012 Walgreen Co.

ITEM 497038





## ANEFrin NASAL EXTRA MOISTURIZING

oxymetazoline hcl spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0065
<b>Route of Administration</b>	NASAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOLS</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONES</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC</b> (UNII: 3980JIH2SW)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0065-10	1 in 1 CARTON		

1	30 mL in 1 BOTTLE		
---	-------------------	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/01/1994	

**Labeler** - Walgreen Company (008965063)

Revised: 1/2013

Walgreen Company