

DOCUSATE SODIUM- docusate sodium capsule
Good Sense (Geiss, Destin & Dunn, Inc.)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be a signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided dose
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water sorbitan, sorbitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the active ingredient in Dulcolax® Stool Softener

Gentle

Stool Softener

Docusate Sodium

Stool Softener Laxative

For Gentle Softener Relief

Stimulant-free

Softgels

†This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: Perrigo Direct, Inc.

Peachtree City, GA 30269

www.PerrigoDirect.com

Product Label

Lot No.:
Exp. Date:



8 46036 00083 2

PLD-F6718 FC007880

GOODSENSE® NDC 50804-862-25

Gentle Stool Softener

For Gentle, Softening Relief *Docosate Sodium Stool Softener Laxative* **Stimulant-free**

Actual Size 

[†]Compare to active ingredient in Dulcolax® Stool Softener

25 Softgels (100 mg Each)

Gentle Stool Softener

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts (continued)

Other information

- each softgel contains sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Chatham, Inc., distributor of Dulcolax® Stool Softener.

Drug Facts

Active ingredient (in each softgel)
Docosate sodium 100 mg.....Stool softener laxative

Uses

- for relief of occasional constipation and irregularly
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use if you are presently taking mineral oil, unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain ■ nausea ■ vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

GOOD SENSE Stool Softener

DOCUSATE SODIUM

docusate sodium capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-862
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
SORBITAN (UNII: 6O92ICV9RU)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-862-25	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/28/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/28/2021	

Revised: 11/2022

Good Sense (Geiss, Destin & Dunn, Inc.)