

**INDUSTRIOX- berberis vulgaris, taraxacum officinale, ammonium carbonicum, camphora, spinacia, sulphuricum acidum, nux vomica, acetone, benzinum, butyl methacrylate, calcarea carbonica, lachesis mutus, methyl ethyl ketone, naphthalinum, plumbum metallicum, trichloroethylene, formalinum, mtbe (tert-butyl methyl ether), petroleum, carboneum chloratum spray**  
**Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Berberis Vulgaris 3X, Taraxacum Officinale 3X, Ammonium Carbonicum 6X, Camphora 6X, Spinacia 6X, Sulphuricum Acidum 6X, 12X, Nux Vomica 8X, Acetone 12X, Benzinum 12X, Butyl Methacrylate 12X, Calcarea Carbonica 12X, Lachesis Mutus 12X, Methyl Ethyl Ketone 12X, Naphthalinum 12X, Plumbum Metallicum 12X, Trichloroethylene 12X, Formalinum 12X, 30X, MTBE 16X, 20X, 30X, 60X, Petroleum 16X, 20X, 30X, 60X, Carboneum Chloratum 20X.

### **PURPOSE:**

Aids in temporary relief of symptoms associated with exposure to industrial pollutants such as fatigue, rhinitis, hoarseness in the throat, and headaches.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

#### **Professional Use Only**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

#### **KEEP OUT OF REACH OF CHILDREN**

**Do not use if tamper evident seal is broken or missing.**

**Store in a cool place after opening**

#### **KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. For highly sensitive individuals: best tolerated administration is through imbrication (RUBBING IN) on skin at pulse points or abdomen. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

Aids in temporary relief of symptoms associated with exposure to industrial pollutants such as fatigue, rhinitis, hoarseness in the throat, and headaches.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR  
NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURG, PA 15229**

**[www.phpltd.com](http://www.phpltd.com)**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0048-1**

**INDUSTRIOX**

**2 FL. OZ (60 ml)**

Professional Use Only

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

<sup>†</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



NDC 83027-0048-1

# INDUSTRIOX

X11 (reorder code)

**Active Ingredients:** Berberis Vulgaris 3x. Taraxacum Officinale 3x. Ammonium Carbonicum 6x. Camphora 6x. Spinacia 6x. Sulphuricum Acidum 6x, 12x. Nux Vomica 8x. Acetone 12x. Benzinum 12x. Butyl Methacrylate 12x. Calcarea Carbonica 12x. Lachesis Mutus 12x. Methyl Ethyl Ketone 12x. Naphthalinum 12x. Plumbum Metallicum 12x. Trichloroethylene 12x. Formalinum 12x, 30x. MTBE 16x, 20x, 30x, 60x. Petroleum 16x, 20x, 30x, 60x. Carboneum Chloratum 20x.

**Inactive Ingredients:** Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

**Indication:** Aids in temporary relief of symptoms associated with exposure to industrial pollutants such as fatigue, rhinitis, hoarseness in the throat, and headaches.<sup>†</sup>

**Directions For Use:** Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. For highly sensitive individuals: best tolerated administration is through imbrication (RUBBING IN) on skin at pulse points or abdomen. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.



MANUFACTURED EXCLUSIVELY FOR  
NUTRITIONAL SPECIALTIES, INC.  
PO BOX 97227  
PITTSBURGH, PA 15229  
www.phpltd.com rev. 1.1

## INDUSTRIOX

berberis vulgaris, taraxacum officinale, ammonium carbonicum, camphora, spinacia, sulphuricum acidum, nux vomica, acetone, benzinum, butyl methacrylate, calcarea carbonica, lachesis mutus, methyl ethyl ketone, naphthalinum, plumbum metallicum, trichloroethylene, formalinum, mtbe (tert-butyl methyl ether), petroleum, carboneum chloratum spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83027-0048
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	3 [hp_X] in 1 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	3 [hp_X] in 1 mL
<b>AMMONIUM CARBONATE</b> (UNII: NJ5VT0FKLJ) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CARBONATE	6 [hp_X] in 1 mL
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	6 [hp_X] in 1 mL
<b>SPINACIA OLERACEA ROOT</b> (UNII: A19RZC6BEH) (SPINACIA OLERACEA ROOT - UNII:A19RZC6BEH)	SPINACIA OLERACEA ROOT	6 [hp_X] in 1 mL
<b>SULFURIC ACID</b> (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF)	SULFURIC ACID	6 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	8 [hp_X] in 1 mL
<b>ACETONE</b> (UNII: 1364PS73AF) (ACETONE - UNII:1364PS73AF)	ACETONE	12 [hp_X] in 1 mL
<b>BENZENE</b> (UNII: J64922108F) (BENZENE - UNII:J64922108F)	BENZENE	12 [hp_X] in 1 mL
<b>N-BUTYL METHACRYLATE</b> (UNII: R5QX287XXU) (N-BUTYL METHACRYLATE - UNII:R5QX287XXU)	N-BUTYL METHACRYLATE	12 [hp_X] in 1 mL
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL

SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	CARBONATE, CRUDE	in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 1 mL
<b>METHYL ETHYL KETONE</b> (UNII: 6PT9KLV9IO) (METHYL ETHYL KETONE - UNII:6PT9KLV9IO)	METHYL ETHYL KETONE	12 [hp_X] in 1 mL
<b>NAPHTHALENE</b> (UNII: 2166IN72UN) (NAPHTHALENE - UNII:2166IN72UN)	NAPHTHALENE	12 [hp_X] in 1 mL
<b>LEAD</b> (UNII: 2P299V784P) (LEAD - UNII:2P299V784P)	LEAD	12 [hp_X] in 1 mL
<b>TRICHLOROETHYLENE</b> (UNII: 290YE8AR51) (TRICHLOROETHYLENE - UNII:290YE8AR51)	TRICHLOROETHYLENE	12 [hp_X] in 1 mL
<b>FORMALDEHYDE SOLUTION</b> (UNII: T0H3L6C7I5) (FORMALDEHYDE SOLUTION - UNII:T0H3L6C7I5)	FORMALDEHYDE SOLUTION	12 [hp_X] in 1 mL
<b>TERT-BUTYL METHYL ETHER</b> (UNII: 29I4YB3S89) (TERT-BUTYL METHYL ETHER - UNII:29I4YB3S89)	TERT-BUTYL METHYL ETHER	16 [hp_X] in 1 mL
<b>KEROSENE</b> (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E)	KEROSENE	16 [hp_X] in 1 mL
<b>CARBON TETRACHLORIDE</b> (UNII: CL2T97X0V0) (CARBON TETRACHLORIDE - UNII:CL2T97X0V0)	CARBON TETRACHLORIDE	20 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0048-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/25/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/25/2023	

**Labeler** - Nutritional Specialties, Inc. (032744609)

Revised: 9/2023

Nutritional Specialties, Inc.