VISINE RED EYE COMFORT- tetrahydrozoline hydrochloride solution/ drops Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

VISINE ® Red Eye Comfort

Drug Facts

Active ingredient

Tetrahydrozoline HCI 0.05%

Purpose

Redness reliever

Use

• for the relief of redness of the eye due to minor eye irritations

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) up to 4 times a day
- children under 6 years of age: consult a doctor
- children under 2 years of age: do not use

Other information

Store at 20° to 25°C (68° to 77°F)

Inactive ingredients

ascorbic acid, boric acid, dextrose, glycerin, glycine, magnesium chloride, polyquaternium-42, potassium chloride, purified water, sodium borate, sodium citrate, sodium lactate, sodium phosphate dibasic

Questions?

call toll-free **888-734-7648** or **215-273-8755** (collect)

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

VISINE ®
RED EYE
COMFORT
REDNESS RELIEVER EYE DROPS

FAST ACTING

Redness Relief

STERILE 1/2 FL OZ (15mL)





VISINE® RED EYE COMFORT REDNESS RELIEVER EYE DROPS

Drug Facts

Active ingredient Purpose Tetrahydrozoline HCI 0.05%.....Redness reliever

Purpose (contin

Use • for the relief of redness of the eye due to minor eye irritations

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma,

When using this product • pupils may become enlarged temporarily • overuse may cause more eye redness • remove contact lenses before using • do not use if this solution changes color or becomes cloudy • do not touch tip of container to any surface to avoid contamination • replace cap after each use

Stop use and ask a doctor if • you feel eye pain • changes in vision occur • redness or irritation of the eye lasts • condition worsens or lasts more than 72 hours

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts

(continued)

Directions

- adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) up to 4 times a day
- children under 6 years of age: consult a doctor
 children under 2 years of age: do not use

Other information Store at 20° to 25°C

(68° to 77°F)

Inactive ingredients

ascorbic acid, boric acid, dextrose, glycerin, glycine, magnesium chloride, polyquaternium -42, potassium chloride, purified water, sodium borate, sodium citrate, sodium lactate, sodium phosphate dibasic

Questions?

call toll-free 888-734-7648 or 215-273-8755 (collect)

Caution: Do not use if VISINE® imprinted neckband on bottle is broken or missing.



VISINE

RED EYE COMFORT





FAST ACTINGRedness Relief

STERILE 1/2 FL 0Z (15mL)

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 00550 Active made in Finland (© J&JCI 2020, www.visine.com

LOT:

EXP:



USA 690495 955



tetrahydrozoline hydrochloride solution/ drops

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0355

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

TETRAHYDROZOLINE HYDROCHLORIDE (UNII: 0YZT43HS7D)

(TETRAHYDROZOLINE - UNII:S9U025Y077)

TETRAHYDROZOLINE HYDROCHLORIDE 0.5 mg in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
ASCORBIC ACID (UNII: PQ6CK8PD0R)				
BORIC ACID (UNII: R57ZHV85D4)				
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)				
GLYCERIN (UNII: PDC6A3C0OX)				
GLYCINE (UNII: TE7660XO1C)				
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)				
POLIXETONIUM CHLORIDE (UNII: RNW5AM67C0)				
POTASSIUM CHLORIDE (UNII: 660YQ98I10)				
WATER (UNII: 059QF0KO0R)				
SODIUM BORATE (UNII: 91MBZ8H3QO)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
SODIUM LACTATE (UNII: TU7HW0W0QT)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				

F	Packaging						
#	tem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:69968- 0355-1	1 in 1 CARTON	04/27/2020				
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product					

Marketing In	arketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part349	04/27/2020			

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc.