

OXYGEN- oxygen gas
Bill Munn Supply, Inc.

Oxygen

OXYGEN, COMPRESSED USP

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52C (125F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

MUNN SUPPLY 3817 N. 4th ST. ENID, OK 73701 580-234-4120

CONTENTS: LTRS CU. FT.

UN1072

PRODUCED BY AIR LIQUEFACTION

OXYGEN 2

17033 (12/14)

PICTOGRAM GHS04 GAS CYLINDER



OXYGEN REFRIGERATED LIQUID, U.S.P.
UN 1073 (CRYOGENIC LIQUID)

Produced by Air Liquefaction
OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.
VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID
OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For
emergency use only when administered by properly trained personnel for
oxygen deficiency and resuscitation. For all other medical applications
RX only.

WARNING!

Uninterrupted use of high concentrations of oxygen over long duration,
without monitoring its effect on oxygen content of arterial blood, may
be harmful. Use only with pressure reducing equipment and apparatus
designed for oxygen. Do not attempt to use on patients who have stopped
breathing, unless used in conjunction with resuscitative equipment.
Keep oil, grease, and combustibles away. Use only with equipment
cleaned for oxygen service. Store and use with adequate ventilation. Do
not get liquid in eyes, on skin or clothing. For liquid withdrawal,
wear face shield and gloves. Do not drop. Use hand truck for container
movement. Avoid spills. Do not walk on or roll equipment over spills.
Close valve after each use and when empty. Use in accordance with
Material Safety Data Sheet.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT
INFORMATION

Company Name

Lot Number

Contents

Expiration Date

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

REFRIGERATED LIQUID, U.S.P.

UN 1073

(CRYOGENIC LIQUID)

Produced by Air Liquefaction



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING!
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

WARNING!
Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

Company Name:

Lot Number:

Contents:

Expiration Date:



DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY WATERBURY WPI, INC. 508-862-1544

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:52698-001 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 99 L in 100 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:52698-001-06 | 2379 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 2 | NDC:52698- | 170 L in 1 CYLINDER; Type 0: Not a Combination | 01/01/1990 | |

| | | | | |
|----|------------------|---|------------|--|
| 2 | 001-01 | Product | 01/01/1990 | |
| 3 | NDC:52698-001-02 | 198 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 4 | NDC:52698-001-11 | 255 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 5 | NDC:52698-001-12 | 396 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 6 | NDC:52698-001-05 | 623 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 7 | NDC:52698-001-07 | 3540 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 8 | NDC:52698-001-08 | 7108 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 9 | NDC:52698-001-09 | 8695 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1990 | |
| 10 | NDC:52698-001-10 | 110000 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1990 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA205849 | 01/01/1990 | |

Labeler - Bill Munn Supply, Inc. (032934853)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| Bill Munn Supply, Inc. | | 032934853 | manufacture(52698-001) |

Revised: 10/2023

Bill Munn Supply, Inc.