

**DE LA CRUZ GENTIAN VIOLET- gentian violet tincture**  
**DLC Laboratories, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**DE LA CRUZ ® GENTIAN VIOLET 1%**

**Drug Facts**

**Active ingredient**

Gentian violet 1%

**Purpose**

Antiseptic

**Uses**

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns
- insect bites

**Warnings**

**For external use only**

**Consult a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**When using this product**

- do not use in or near the eyes or over large areas of the body
- do not apply to an ulcerative lesion as this may result in tattooing of the skin

**Stop use and consult a doctor if**

- redness, irritation, swelling or pain persists or increases, or if infection or rash occurs
- symptoms persist for more than 7 days, or clear up and occur again within a few days

**KEEP OUT OF THE REACH OF CHILDREN.** If swallowed, get medical help or contact a Poison Control Center immediately.

## Directions

- clean the affected area
- apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily
- do not bandage

## Other information

- medication will stain skin and clothing

## Inactive ingredients

alcohol, purified water

## Questions

1-800-858-3889

Manufactured by

**DE LA CRUZ PRODUCTS**

A DIVISION OF DLC LABORATORIES, INC.  
PARAMOUNT, CA 90723 USA

## PRINCIPAL DISPLAY PANEL

BYX

3 24286 15382 4

Distributed by: De La Cruz Products, A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions: 1-800-858-3889

[dlclabs.com](http://dlclabs.com)

@delacruzproducts  
@DLCLaboratories  
©2023 DLC Laboratories, Inc.

California Consumers: **WARNING:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Gentian violet 1%.....	First aid antiseptic
<b>Uses</b> First aid antiseptic to help prevent infection in minor: ▪ cuts ▪ scrapes ▪ burns	
<b>Warnings For external use only</b>	
<b>Consult a doctor before use if you have</b> ▪ deep or puncture wounds ▪ animal bites ▪ serious burns	
<b>When using this product</b> ▪ do not use in or near the eyes or over large areas of the body. ▪ do not apply to an ulcerative lesion as this may result in tattooing of the skin	
<b>Stop use and consult a doctor if</b> ▪ condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center immediately.	
<b>Directions</b> ▪ clean the affected area ▪ apply a small amount of this product to the area 1 to 3 times daily ▪ do not bandage	
<b>Other information</b> ▪ will stain skin and clothing	
<b>Inactive ingredients</b> alcohol, purified water	



3 24286 15382 4

Distributed by De La Cruz Products, A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions: 1-800-858-3889

[dclabs.com](http://dclabs.com)

@delacruzproducts @DCLaboratories

©2020 DLC Laboratories, Inc

**Drug Facts**

**Active ingredient** Gentian violet 1%.....**Purpose** First aid antiseptic

**Uses** First aid antiseptic to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

**Warnings** For external use only  
 Consult a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ do not use in or near the eyes ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin

**Stop use and consult a doctor if** ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.**

**Directions** ■ clean the affected area ■ apply a small amount of this product to the area 1 to 2 times daily ■ do not bandage

**Other information** ■ will stain skin and clothing

**Inactive ingredients** alcohol, purified water

California Consumers ⚠️ **WARNING: Cancer** - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



3 24286 15361 9

Distributed by / Distribuido por: De La Cruz Products A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions / Preguntas: 1-800-858-3889 [www.dclabs.com](http://www.dclabs.com) © 2019 DLC

P0946-FZR

**WARNING: KEEP OUT OF REACH OF CHILDREN**  
**ADVERTENCIA: MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.**

California Consumers: ⚠️ **WARNING: Cancer** - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
 Residentes De California: ⚠️ **ADVERTENCIA: Cáncer** - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Drug Facts**

**Active ingredient** Gentian violet 1%.....**Purpose** First aid antiseptic

**Uses** First aid antiseptic, to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

**Warnings** For external use only  
 Consult a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ do not use in or near the eyes ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin

**Stop use and consult a doctor if** ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.**

**Directions** ■ clean the affected area ■ apply a small amount of this product to the area 1 to 2 times daily ■ do not bandage

**Other information** ■ will stain skin and clothing

**Inactive ingredients** alcohol, purified water

**Datos Medicinales**

**Ingrediente activo** Antiséptico Gentian violet 1%.....**Propósito** Antiséptico para prevenir infección en heridas menores

**Usos** Antiséptico para prevenir infección en heridas menores: ■ cortes ■ rasguños ■ quemaduras menores

**Advertencias** Para uso externo únicamente  
 Consulte con un médico antes de usar si tiene ■ heridas profundas o punciones ■ mordeduras de animales ■ quemaduras graves

**Cuando use este producto** ■ no use en o cerca de los ojos ■ no use en o cerca de ellos ■ no aplicar a lesiones ulcerosas ni tatuajes en la piel

**Deje de usar y consulte con un médico si** ■ persiste o se incrementa enrojecimiento, irritación, hinchazón o dolor, o si ocurre infección o septicidemia

**Manténgalo fuera del alcance de los niños. Si se ingiere, pida ayuda médica o contacte con un Centro de Control de Envenenamientos inmediatamente.**

**Instrucciones** ■ limpie el área afectada ■ aplique este producto en cantidades pequeñas de 1 a 2 veces al día ■ no vendar

**Otra información** ■ manchará la piel / la ropa

**Ingredientes inactivos** alcohol, agua purificada

**De la Cruz**

**GENTIAN VIOLET**  
 1% Sol. - Alcohol 9%

**TOQUES DE VIOLETA®**

FOR EXTERNAL USE ONLY  
 PARA USO EXTERNO ÚNICAMENTE

**FIRST AID ANTISEPTIC**  
 ANTISÉPTICO - PRIMEROS AUXILIOS

1 FL OZ (30 mL)

Manufactured by / Fabricado por:  
**DE LA CRUZ PRODUCTS**  
 DIVISION OF DLC LABORATORIES, INC.  
 PARAMOUNT, CA 90723 USA  
 Questions-Preguntas: 1-800-858-3889  
[www.dclabs.com](http://www.dclabs.com) © DLC



**ADVERTENCIAS:** No usar si el sello de plástico alrededor de la tapa falta o está roto. Para uso externo únicamente.

**WARNINGS:** Do not use if plastic seal around cap is missing or broken. For external use only.



**Datos Medicinales**

<i>Ingrediente activo</i>	<i>Propósito</i>
Violeta de genciana 1%.....	Antiséptico

**Usos** Primeros auxilios para ayudar a prevenir infecciones en:

- cortaduras menores ■ abrasiones menores
- quemaduras menores ■ picaduras de insectos

**Advertencias** Para uso externo únicamente  
**Consulte con un médico antes de usar si tiene**  
 ■ heridas profundas o punzantes ■ mordeduras de animales ■ quemaduras graves

**Cuando use este producto** ■ no aplicar en los ojos ni cerca de ellos ■ no aplicar en áreas grandes del cuerpo o en grandes cantidades ■ no aplicar en superficies de carne viva o sobre áreas ampolladas ■ no aplicar a lesiones ulcerosas ya que podría tatuar la piel

**Deje de usar y consulte con un médico si**  
 ■ persiste o se incrementa el enrojecimiento, la irritación, la hinchazón o el dolor, o si ocurre infección o salpullido ■ los síntomas persisten por más de 7 días o desaparecen y reaparecen a los pocos días

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.**  
 Si se ingiere accidentalmente, pida ayuda médica o contáctese con un Centro de Control de Envenenamientos inmediatamente.

**Instrucciones** ■ limpie el área afectada ■ aplique este producto en cantidades pequeñas usando el aplicador incluido o un aplicador de algodón de 1 a 2 veces al día ■ no vendar

**Otra información**  
 ■ el medicamento manchará la piel y la ropa

**Ingredientes inactivos** alcohol, agua purificada

**Drug Facts**

<i>Active ingredient</i>	<i>Purpose</i>
Gentian violet 1%.....	Antiseptic

**Uses**  
 First aid to help prevent infection in minor:  
 ■ cuts ■ scrapes ■ burns ■ insect bites

**Warnings** For external use only  
**Consult a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ do not use in or near the eyes ■ do not apply in large quantities or over large areas of the body ■ do not apply over raw surfaces or blistered areas ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin


**Stop use and consult a doctor if** ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs ■ symptoms persist for more than 7 days, or clear up and occur again within a few days

**KEEP OUT OF THE REACH OF CHILDREN.**  
 If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** ■ clean the affected area ■ apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily ■ do not bandage

**Other information**  
 ■ medication will stain skin and clothing

**Inactive ingredients** alcohol, purified water



Distributed by:  
De La Cruz Products  
A Division of DLC Laboratories, Inc.  
Paramount, CA 90723 USA  
www.dlclabs.com © 2016 DLC

P0946AR-CZU



كمول 10% بنفسجية الجنتيان  
مطهر إصابات أولية  
للاستخدام الخارجي فقط

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
تحذير : يُحفظ بعيداً عن متناول الأطفال



**Drug Facts**  
**Active ingredient** Purpose  
Gentian violet 1%.....First aid antiseptic  
**Uses**  
First aid antiseptic to help prevent infection in minor: ■ cuts ■ scrapes ■ burns  
**Warnings**  
**For external use only**  
**Consult a doctor before use if you have:**  
■ deep or puncture wounds ■ animal bites ■ serious burns  
**When using this product**  
■ do not use in or near the eyes  
■ do not apply to an ulcerative lesion as this may result in tattooing of the skin  
**Stop use and consult a doctor if:**  
■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs  
**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center immediately.  
**Directions**  
■ clean the affected area  
■ apply a small amount of this product to the area 1 to 2 times daily  
■ do not bandage  
**Other information**  
■ will stain skin and clothing  
**Inactive ingredients**  
alcohol, purified water

**معلومات عن الدواء**  
المكون الفعال بنفسجية الجنتيان 1%  
الغرض: مطهر إصابات أولية  
الاستخدامات  
مطهر إصابات أولية للمساعدة على الوقاية من العدوى في الحالات البسيطة من: ■ الخراش ■ السحجات ■ الخرج  
تحذيرات  
للاستخدام الخارجي فقط  
استشر طبيًا قبل الاستخدام إذا كنت تعاني من:  
■ جروح عميقة أو وخزات ■ عضه حيوانات ■ حروق خطيرة  
عند استخدام هذا المنتج  
■ لا تستخدمه في أو بالقرب من العينين  
■ لا تضعه على إصابة تقرحية حيث إن هذا قد يتسبب في وشم الجلد  
اوقف الاستخدام واستشر الطبيب إذا:  
■ السحر أو زاد الاحمرار أو التقيح أو التورم أو الألم أو إذا حدث عدوى أو قطع جلدي  
يُحفظ بعيداً عن متناول الأطفال  
إذا تم ابتلاعه، احصل على مساعدة طبية أو اتصل بأحد مراكز مراقبة السُموم فوراً  
التعليمات  
■ تطلب المطقة المصابة ■ ضع كمية صغيرة من هذا المنتج على المنطقة من مرة إلى مرتين يوميًا  
■ لا تضع عليها ضمادة  
معلومات أخرى  
■ سوف يصيب البشرة والملابس  
■ المكونات غير الفعالة  
كمول، ماء مقطر

## DE LA CRUZ GENTIAN VIOLET

gentian violet tincture

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24286-1531
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GENTIAN VIOLET</b> (UNII: J4Z741D6O5) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY)	GENTIAN VIOLET	1 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	10 mL in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	purple	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1531-7	30 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/13/2017	
2	NDC:24286-1531-8	59 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/20/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	11/01/2012	

**Labeler** - DLC Laboratories, Inc. (093351930)

**Registrant** - Pharma Nobis, LLC (118564114)

Revised: 5/2023

DLC Laboratories, Inc.