LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 30 COOLING WATER BROAD SPECTRUM SPF 30 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene and oxybenzone lotion L'Oreal USA Products Inc

Drug Facts

Active ingredients

Avobenzone 2.24%

Homosalate 8%

Octisalate 2.4%

Octocrylene 4.48%

Oxybenzone 2.88%

Purpose

Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, alcohol denat., dimethicone, cyclopentasiloxane, acrylates/dimethicone copolymer, phenoxyethanol, propylene glycol, capryly glycol, sodium polyacrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, tocopherol, methyl lactate, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin

Questions or comments?

1-888-LRP-LAB0 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

ANTHELIOS 30 Cooling Vater-lotion sunscreen with CELL-OX HIELD XL™:	Drug Facts (continued)	FACE & BODY
NNOVATION or the first time La Roche-Posay introduces	Directions For sunscreen use	30
nulti-patented CELL-OX SHIËLD XL™ tering system in a revolutionary texture hat transforms like water on skin. This reightless lotion absorbs quickly, leaving skin seling refreshed and protected.	 apply generously 15 minutes before sun exposure reapply after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun 	SUNSCREEN
operties: Dual breakthrough filtering system: n optimized combination of photostable [AUVB filters chosen for its more synergistic fect to deliver broad-spectrum protection], formula with a reduced number of ingredients a fragrance-free, paraben-free texture suitable r even sensitive skin. Powerful antioxidant protection. Ith Senna Alata, a tropical leaf extract known to Ith Senna Alata, a tropical leaf extract known to	Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m 2 p.m. • wear long-seleved shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor Other information	LA ROCHE-POSAY LABORATOIRE DERMATOLOGIQUE
fend skin cells ² against free radicals caused by the I ntat accelerate skin aging ermatological safety: ANTHELIOS 30 nscreen has been rigorously tested and	 protect the product in this container from excessive heat and direct sun Inactive ingredients water, alcohol denat., dimethicone, 	BROAD SPECTRUM SPF30
mulated for optimal skin tolerance. ATER RESISTANT (80 MINUTES) - DERMATOLOGIST TESTED) FRAGRANCE-FREE - PARABENI-FRE - ALLERCY TESTED VON COMEDOGENIC - SUITABLE FOR ACNE-PRONE SKIN TESTED ON SENSITIVE SKIN	cyclopentasiloxane, acrylates/dimethicone copolymer, phenoxyethanol, propylene glycol, capryly glycol, sodium polyacrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, tocopherol, menthyl lact ate, diethylhexyl syringyl denemalonate, cassia alata leaf extract, maltodextrin	NEW ANITHELLOS 20
Drug Facts		ANTHELIOS 30 Avec de l'eau thermale de La Roche-Posay
Active ingredients Purpose wobenzone 2.24% Sunscreen formosalate 8% Sunscreen	Comments? 1888-LRP-LABO 1888-577-5226 Monday - Friday (9 a.m 5 p.m. EST)	COOLING WATER-LOTION
Ictisalate 2.40% Sunscreen Ictocrylene 4.48% Sunscreen Dwybenzone 2.88% Sunscreen	858244 91 Code F.L.: D163095/1 AMEA	-7/8" NO PANEL Transforms to a water-like lotion Weightless, refreshing
Uses helps prevent sunbum if used as directed with other sun protection measures	Compared to previous synergy of filters. Screened over 250 sunscreened over 250 sun	TH PANEL 5-3/4" CELL-OX SHIELD XL™
(see Directions), decreases the fish of skin cancer and early skin aging caused by the sun	83	Advanced UVA/UVB technology + Antioxidant protection
Warnings For external use only Do not use on damaged or broken skin	Distributed by La Roche-Posay LLC.	WATER
When using this product keep out of eyes. Rinse with vater to remove.	New York NY 10017 www.laroche-posay.com	WATER RESISTANT (80 MINUTES)
itop use and ask a doctor if rash occurs ieep out of reach of children. If swallowed, get medical elporcontact a Poison Control Centerright away.	US Pats. Pending	Fragrance-free, Paraben-free Tested on sensitive skin
P	Made in USA	5.0 FL OZ - J 50 mL

W ANTHELIOS 30 Cooling ater-lotion sunscreen with CELL-OX IIELD XL™:	Drug Facts (continued)	FACE & BODY
	Directions	00
r the first time La Roche Posay introduces	For sunscreen use:	
or the first time La Roche-Posay introduces ulti-patented CELL-OX SHIELD XL™	 apply generously 15 minutes before sun exposure 	
ering system in a revolutionary texture	 reapply: attor 90 minutes of examples or execting 	
at transforms like water on skin. This	 after 80 minutes of swimming or sweating immediately after towel drying 	
eightless lotion absorbs quickly, leaving skin	* at least every 2 hours	
eling refreshed and protected.	+ Sun Protection Measures. Spending time in the sun	SUNSCREEN
operties:	increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	JOINDEREEN
ual breakthrough filtering system: n optimized combination of photostable	ID Decrease this fisk, regularly use a sufficient with a Broad Spectrum SPE value of 15 or big bor and other sup-	
A/ IVB filters chosen for its more synergistic	notection measures including:	LA ROCHE-POSAY
ect to deliver broad-spectrum protection formula with a reduced number of ingredients fragrance-free, paraben-free texture suitable	Imit time in the sun, especially from 10 a.m 2 p.m. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age: Ask a doctor	
formula with a reduced number of ingredients	 wear long-sleeved shirts, pants, hats and sunglasses 	LABORATOIRE DERMATOLOGIQUE
fragrance-free, paraben-free texture suitable	 children under 6 months of age: Ask a doctor 	
even sensitive skin. owerful antioxidant protection.	Other information	
th Senna Alata, a tropical leaf extract known to	protect the product in this container from excessive heat	
end skin cells ² against free radicals caused by the	and direct sun	
that accelerate skin aging.		BROAD SPECTRUM
rmatological safety: ANTHELIOS 30 screen has been rigorously tested and mulated for optimal skin tolerance.	Inactive ingredients	
screen has been rigorously tested and	unctor clockel denot directhicene	SPF30
nulated for optimal skin tolerance.	cyclopentasiloxane, acrylates/dimethicone	
ATER RESISTANT (80 MINUTES) - DERMATOLOGIST TESTED	copulymer, phenoxyethanol, propylene giycol,	in the second
ATER RESISTANT (& MINUTES) - DERMATOLOGIST TESTED) FRAGRANCE-FREE - PARABEN-FREE - ALLERGY TESTED ON COMEDOGENIC - SUITABLE FOR ACINE-PRONE SKIN	acrylates/G10-30 alkyl acrylate crossnolymer	NEW
TESTED ON SENSITIVE SKIN	disodium EDTA, tocopherol, menthyl lactate,	ANTHELIOS 30
	diethylhexyl syringylidenemalonate, cassia alata	
Drug Facts	water, activito denar, uniferincone, cyclopentasiloxane, acrylates/dimethicone copolymer, phenoxyethanol, propylene glycol, capryfyl glycol, sodium polyacrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, tocopherol, menthyl lactate, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin	Avec de l'eau thermale de La Roché-Posay
	Questions or comments?	
Active ingredients Purpose	1-888-LRP-LABO 1-888-577-5226	COOLINIC WATER LOTION
vobenzone 2,24% Sunscreen	Monday - Friday (9 a.m 5 p.m. EST)	COOLING WATER-LOTION
omosalate 8%		SUNSCREEN
ctocrylene 4.48%	858244 91 Code F.I.L.: D163095/1	Transforms to a water-like lotion
wbenzone 2.88% Sunscreen	1 compared to providue experiment filters	Weightless, refreshing
ให้สี่ที่สองสารและเหลือสารและเหลือสารและสารและเหลือสารและสารและสารและสารและสารและสารและสารและสารและสา	1 compared to previous synergy of filters. Screened over 250 sunscreen	JITH PANEL 5-3/4" Cignicess, renearing
ses	combinations.	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
helps prevent sunburn if used as directed with other sun protection measures	² upper layers of skin.	weth CELL-OX SHIELD XL™
if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and	00	
early skin aging caused by the sun	ů me	Advanced UVA/UVB technology
/	<u> </u>	+ Antioxidant protection
Varnings	<u>4</u>	
or external use only	Distributed by	WATER 🔥 FEEL
o not use on damaged or broken skin	La Roche-Posay LLC,	
/hen using this product keep out of eyes. Rinse with	New York, NY 10017 www.laroche-posay.com	
ater to remove.		WATER RESISTANT (80 MINUTES)
top use and as k a doctor if rash occurs	US Patent 5,667,765 US Pats. Pending	Fragrance-free, Paraben-free
eep out of reach of children. If swallowed, get medical		Tested on sensitive skin
el por contact a Poison Control Centerright away. 💦 📘	0000000	
and the second se	Made in USA	5.0 FL OZ - J 50 mL

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 30 COOLING WATER BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene and oxybenzone lotion

Product Information					
Product Type	HUMAN OTC DRUG	ltem Code	(Source)	IDC:49967-392	
Route of Administration	oute of Administration TOPICAL				
Active Ingredient/Active Moiety					
Ingre	Ingredient Name Basis of Strength Strength				
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)			AVOBENZONE	22.4 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)			HOMOSALATE	80 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)			OCTISALATE	24 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)			OCTOCRYLENE	44.8 mg in 1 mL	
OXYBENZONE (UNII: 9500S7VE	Y) (OXYBENZONE - UNII:950	OS7VE0Y)	OXYBENZONE	28.8 mg in 1 mL	

Inactive Ingredients				
	Ingredient Name		Strength	
WATER (UNII: 059QFC)KOOR)			
ALCOHOL (UNII: 3K99	958V90M)			
DIMETHICONE (UNII:	92RU3N3Y1O)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
TOCOPHEROL (UNII: R0ZB2556P8)				
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	

#	ltem Code	Package Description	Date	Date		
1	NDC:49967-392- 01 150 mL in 1 TUBE; Type 0: Not a Combination Product		02/01/2014			
2	NDC:49967-392- 5 mL in 1 TUBE; Type 0: Not a Combination 0: Product 0:		02/01/2014			
Marketing Information						
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End			

02/01/2014

I	category	
	OTC Monograph Drug	M020

Labeler - L'Oreal USA Products Inc (00213679	4)
----------------------------------------------	----

Establishment	
----------------------	--

Name	Address	ID/FEI	Business Operations
L'Oreal USA, INC.		185931458	manufacture(49967-392)

Revised: 12/2023

L'Oreal USA Products Inc