

ITC CC FULL COVERAGE CREAM NEUTRAL MEDIUM- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM NEUTRAL TAN- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM FAIR LIGHT- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM LIGHT- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM MEDIUM- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM MEDIUM TAN- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM TAN- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM RICH HONEY- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM FAIR- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM LIGHT MEDIUM- titanium dioxide, zinc oxide cream

ITC CC FULL COVERAGE CREAM RICH- titanium dioxide, zinc oxide cream
Beauty Manufacturing Solutions Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ITC CC+ Full Coverage Cream

Titanium dioxide 9.0%

Zinc oxide 6.3%%

sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

keep out of eyes. Rinse with water to remove

rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

protect the product in this container from excessive heat and direct sun

Call 800-620-3950

water, snail secretion filtrate, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, cyclopentasiloxane, cyclohexasiloxane, magnesium sulfate, polyglyceryl-4 isostearate, dimethicone/vinyl dimethicone crosspolymer, aluminum hydroxide, hexyl laurate, stearic acid, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethylhexylglycerin, citrus medica limonum (lemon) peel oil, tocopheryl acetate, sorbitan isostearate, phenoxyethanol, citrus aurantium bergamia (bergamot) fruit oil, 1,2-hexanediol, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, vitis vinifera (grape) seed oil, punica gratissima (avocado) oil, niacinamide, citrus grandis (grapefruit) peel oil, chloesterol, anthemis nobilis flower water, lactobacillus/honeysuckle flower/locorice root/morus alba root/pueraria lobata root/schizandra chinensis fruit/scutellaria baicalensis root/sophora japonica flower extract ferment filtrate, perfluorohexane, olea europaea (olive) leaf extract, glycerin, eucalyptus globulus leaf oil, camellia sinensis leaf extract, chrysanthemum indicum flower extract, pueraria lobata root extract, perfluorodecalin, morus alba fruit extract, magnolia kobus bark extract, glycine soja (soybean) sprout extract, diospyros kaki leaf extract, cinnamomum cassia bark extract, artemisia princeps leaf extract, perfluoropropane, curcuma longa (turmeric) root extract, steareth-20, hydrolyzed silk, hydrolyzed hyaluronic acid, colloidal oatmeal, citric acid, sodium benzoate, potassium sorbate, aloe barbadensis leaf extract, n-hydroxysuccinimide, hydrolyzed collagen, caprylhydroxamic acid, tocopherol, thiamine HCL, riboflavin, retinyl palmitate, pantothenic acid, palmitoyl oligopeptide, nicin, folic acid, chrysin, carnitine HCL, biotin, ascorbic acid, palmitoyl tetrapeptide-7, chlorhexidine digluconate; may contain: iron oxides

YOUR SKIN BUT BETTER

CC+

**IT'S
YOUR ONLY
STEP!**

**CLINICALLY
SHOWN RESULTS!**

100%
showed increased
skin hydration*

96%
saw softer,
smoother skin*

85%
saw an improvement
in the appearance
of wrinkles*

77%
said pores appeared
smaller*

*Results based on clinical study.

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Titanium dioxide 9.0% | Sunscreen |
| Zinc oxide 6.3% | Sunscreen |

Uses

- Prevents sunburn.
- Used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

- Do not use on damaged or broken skin.
- When using this product keep out of eyes.
- Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
- If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear protective shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

Inactive Ingredients

Glycerin, water, phenyl trimethicone, dimethicone, butylene glycol, butyloctyl dimethylsilylene dimethylsiloxane, octyldodecyl myristate, butyl acrylate, ethylhexyl methacrylate, PEG-PPG-18/18 dimethicone, cyclopentasiloxane, small squalene, aluminum hydroxide, magnesium sulfate, polydimethylsiloxane, stearic acid, cyclohexyl dimethylmethacrylate, dimethylmethacrylate, hexyl laurate, octyl stearate, hydroxyacetone, caprylyl glycol, ethylhexanoate, ethylhexyl stearate, linoleic acid, lauryl dimethylsilylene dimethylsiloxane, bisphenol-A polycarbonate, phenylmethanol, citrus aurantium bergamias (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium aurum (orange peel) oil, citrus aurantium (bitter) oil, citrus aurantium leaf oil, cocoyl polyglutamate, glycerin, citric acid, niacinamide, hydroxy acid, carbonyl diethyl acrylate, hydrolyzed collagen, stearyl-OC, pentaerythrityl tetra-2,4-diethyl-5-hydroxydicostanoate, camellia sinensis leaf extract, olea europaea (olive) leaf extract, chlorhexidine digluconate, n-hydroxy succinimide, silk extract, hydrolyzed silk, sodium citrate, potassium acetate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-2, citric acid, biotin. May contain titanium dioxide, iron oxides.

V28168412
 IT Cosmetics LLC, New York, NY 10001
 14 Rue Royale 75008 Paris France
 TSA 75003 83984 ST OLEN CEDEX FR
 Imp. 89, IT Cosmetics Canada,
 Montreal, H4T 1K5
 LONDON W6 6JZ
 MADE IN USA of US and for Imported
 Ingredients - 2383075
 itcosmetics.com



**IT COSMETICS
PARTNERS WITH
PLASTIC SURGEONS
AND
DERMATOLOGISTS TO
DEVELOP
SKIN-LOVING
SOLUTIONS AND
CLINICALLY TESTED
FORMULAS**

YOUR SKIN BUT BETTER

CC+

Color Correcting
Full Coverage Cream
+
Anti-Aging*
Hydrating Serum
+
Broad Spectrum
SPF 50+
UVA/UVB
Physical Sunscreen

#1

CC CREAM IN AMERICA

*Source: The NPD Group/ U.S. Prestige Beauty Total Measured Market, Makeup Product Sales, January - December 2020

0.135 US fl. oz / 4ml

*Use with sun protection measures. See directions.

YOUR SKIN BUT BETTER

CC+

IT'S YOUR ONLY STEP!

CLINICALLY SHOWN RESULTS!

100% showed increased skin hydration*

96% saw softer, smoother skin*

85% saw an improvement in the appearance of wrinkles*

77% said pores appeared smaller*

*Results based on clinical study.

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Titanium dioxide 9.0% | Sunscreen |
| Zinc oxide 6.3% | Sunscreen |

Uses
 ■ Helps prevent sunburn.
 ■ Used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes.
 Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
 Keep out of reach of children.
 If swallowed, get medical help or contact Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 ■ Limit time in the sun, especially from 10 a.m. to 4 p.m.
 ■ Wear protective shirts, pants, hats, and sunglasses.
 ■ Children under 6 months of age: Ask a doctor.

Other Information
 ■ Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

Inactive Ingredients
 G205788: water, phenyl trimethicone, dimethicone, butylene glycol, butyloctyl dimethylsilyloxyethylcaprylate, octyloxy decyl stearate, butyl acrylate, butyl methacrylate, octyl PEG-10 dimethylsiloxane, cyclopentasiloxane, small molecule lipids, aluminum hydroxide, magnesium sulfate, polydimethylsiloxane, stearic acid, cyclohexyl dimethylsiloxane, dimethicone vinyl dimethylsiloxane crosspolymer, hexyl laurate, octyl stearate, hydroxyacetone, caprylyl glycol, ethyl hexanoate, ethyl hexyl stearate, limonene, citrus limonol, limonol, pentyl stearate, isopropyl alcohol, phenylethanol, citrus aurantium bergamot (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium aurum (orange peel) oil, citrus aurantium (fruit) oil, citrus aurantium leaf oil, hydroxyethyl acrylate, glycerin, citric acid, niacinamide, hydroxyacetic acid, sodium citrate, potassium acetate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-2, citric acid, biotin. May contain titanium dioxide, iron oxides.

V28168412
 IT Cosmetics LLC, New York, NY 10001
 16 Rue Royale 75008 Paris France
 TSA 75003 83984 ST OLEN CEDEX FR
 Imp. 89, IT Cosmetics Canada,
 Montreal, H4T 1K5
 LONDON W6 8JZ
 MADE IN USA of US and for Imported
 Ingredients - 2383075
 itcosmetics.com



itcosmetics.com



IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS

YOUR SKIN BUT BETTER

CC+

Color Correcting Full Coverage Cream + Anti-Aging* Hydrating Serum + Broad Spectrum SPF 50+ UVA/UVB Physical Sunscreen

#1

CC CREAM IN AMERICA

*Source: The NPD Group/ U.S. Prestige Beauty Total Measured Market, Makeup Product Sales, January - December 2020

0.135 US fl. oz / 4ml

*Use with sun protection measures. See directions.

YOUR SKIN BUT BETTER

CC+

IT'S
YOUR ONLY
STEP!

CLINICALLY
SHOWN RESULTS!

100%
showed increased
skin hydration*

96%
saw softer,
smoother skin*

85%
saw an improvement
in the appearance
of wrinkles*

77%
said pores appeared
smaller*

*Results based on clinical study.

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Titanium dioxide 9.0% | Sunscreen |
| Zinc oxide 6.3% | Sunscreen |

Uses

Helps prevent sunburn.
When used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes.
Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children.
If swallowed, get medical help or contact Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure.
Reapply at least every 2 hours.
Use a water resistant sunscreen if swimming or sweating.
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

Inactive Ingredients

G205788: water, phenyltrimethicone, dimethicone, butylene glycol, butylene glycol diacrylate, dimethylsiloxane, cyclopentasiloxane, ethylhexyl methacrylate, and PEG/PPG-10/1 dimethicone, cyclopentasiloxane, stearic acid, aluminum hydroxide, magnesium silicate, polybutene-1, isodecyl stearate, stearic acid, cyclohexane, dimethicone, dimethicone crosspolymer, hexyl laurate, calcium stearate, PEG/PPG-10/1 dimethicone, caprylyl glycol, ethylhexyl methacrylate, ethylhexyl stearate, limonene, citrus limon (limon) peel oil, sodium lauryl sulfate, isocetyl alcohol, phenoxethanol, citrus aurantium bergamita (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantium (lime) oil, pinus sylvestris leaf oil, linoleic acid, octyldecyl glyceryl ether, citric acid, niacinamide, hydroxyacetic acid, citric acid, ethylhexyl glycerin, stearyl alcohol, perfluoropolyether, butylmethoxydibenzoylmethane, camellia sinensis leaf extract, citrus aurantium (lime) leaf extract, chlorhexidine digluconate, n-hydroxyisostearic acid, alkyl lactate, hydroxyethyl, sodium citrate, potassium sorbate, sodium hyaluronate, chrysin, palmitic acid, sodium chloride, citric acid, boron. May contain titanium dioxide, iron oxides.

V2816842

IT Cosmetics LLC, New York, NY 10001
14 Rue Royale 75008 Paris France
TSA 75000 83584 ST OUEX CEDEX FR
Emp. No. IT Cosmetics Canada,
Montreal, H4T 1K5
LONDON W6 8AZ
MADE IN USA of US and/or Imported
Ingredients - 2583051
itcosmetics.com



#1
CC CREAM
IN AMERICA

*Source: The NPD Group/ U.S. Prestige Beauty Total Measured Market, Makeup Product Sales, January - December 2020

itcosmetics.com



IT COSMETICS
PARTNERS WITH
PLASTIC SURGEONS
AND
DERMATOLOGISTS TO
DEVELOP
SKIN-LOVING
SOLUTIONS AND
CLINICALLY TESTED
FORMULAS

YOUR SKIN BUT BETTER

CC+

Color Correcting
Full Coverage Cream
+
Anti-Aging*
Hydrating Serum
+
Broad Spectrum
SPF 50+
S UVA/UVB
Physical Sunscreen

0.406 US fl. oz. 12 ml
*Use with sun protection measures.
See directions.

YOUR SKIN BUT BETTER

CC+

IT'S YOUR ONLY STEP!

CLINICALLY SHOWN RESULTS!

100%

showed increased skin hydration*

96%

saw softer, smoother skin*

85%

saw an improvement in the appearance of wrinkles*

77%

said pores appeared smaller*

*Results based on a clinical study.

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Titanium dioxide 9.0% | Sunscreen |
| Zinc oxide 6.3% | Sunscreen |

Uses
 ■ Helps prevent sunburn.
 ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes.
 Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children.
 If swallowed, get medical help or contact Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 ■ Limit time in the sun, especially from 10 a.m. - 2 p.m.
 ■ Wear long-sleeve shirts, pants, hats, and sunglasses.
 ■ Children under 6 months of age: Ask a doctor.

Other Information
 ■ Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

Inactive Ingredients
 G205768: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol diacrylate, caprylic triglyceride, menthyl lactate, and PEG/PPG-10/1 dimethicone, cyclopentasiloxane, stannic acid, titanium hydroxide, magnesium silicate, polyacrylate-4, isodecyl stearate, stearic acid, cyclohexane, dimethicone, dimethicone crosspolymer, hexyl laurate, calcium stearate, PEG/PPG-10/1 dimethicone, caprylic triglyceride, ethylhexyl stearate, limonene, citrus limon (limon) peel oil, sodium lauryl sulfate, isocetyl alcohol, phenoxethyl alcohol, citrus aurantium bergamita (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantium (lime) oil, pinus sylvestris leaf oil, linoleic acid, polyisobutene, polybutene-1, glycerin, citric acid, niacinamide, hydroxyacetic acid, ethylhexyl salicylate, hydrolyzed collagen, stearyl-70, perfluoropolyether, polybutene-1, hydrogenated polyisobutene, camellia sinensis leaf extract, citrus aurantium (lime) leaf extract, chlorhexidine digluconate, n-hydroxyisocaproamide, alkyl lactate, hydroxyethyl, sodium chloride, potassium sorbate, sodium hyaluronate, chrysin, palmitic acid, sodium chloride, citric acid, boron. May contain titanium dioxide, iron oxides.

Other Information
 ■ Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

Inactive Ingredients
 G205768: water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol diacrylate, caprylic triglyceride, menthyl lactate, and PEG/PPG-10/1 dimethicone, cyclopentasiloxane, stannic acid, titanium hydroxide, magnesium silicate, polyacrylate-4, isodecyl stearate, stearic acid, cyclohexane, dimethicone, dimethicone crosspolymer, hexyl laurate, calcium stearate, PEG/PPG-10/1 dimethicone, caprylic triglyceride, ethylhexyl stearate, limonene, citrus limon (limon) peel oil, sodium lauryl sulfate, isocetyl alcohol, phenoxethyl alcohol, citrus aurantium bergamita (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantium (lime) oil, pinus sylvestris leaf oil, linoleic acid, polyisobutene, polybutene-1, glycerin, citric acid, niacinamide, hydroxyacetic acid, ethylhexyl salicylate, hydrolyzed collagen, stearyl-70, perfluoropolyether, polybutene-1, hydrogenated polyisobutene, camellia sinensis leaf extract, citrus aurantium (lime) leaf extract, chlorhexidine digluconate, n-hydroxyisocaproamide, alkyl lactate, hydroxyethyl, sodium chloride, potassium sorbate, sodium hyaluronate, chrysin, palmitic acid, sodium chloride, citric acid, boron. May contain titanium dioxide, iron oxides.

IT Cosmetics LLC, New York, NY 10001
 14 Rue Royale 75008 Paris France
 TSA 75000 83584 ST OUEX CEDEX FR
 It Cosmetics Canada, Montreal, H3T 1K5
 LONDON W6 8AZ
 MADE IN USA of US and/or Imported Ingredients - 2583051
 itcosmetics.com



#1 CC CREAM IN AMERICA

itcosmetics.com



IT COSMETICS PARTNERS WITH PLASTIC SURGEONS AND DERMATOLOGISTS TO DEVELOP SKIN-LOVING SOLUTIONS AND CLINICALLY TESTED FORMULAS

YOUR SKIN BUT BETTER


CC+

Color Correcting Full Coverage Cream + Anti-Aging* Hydrating Serum + Broad Spectrum SPF 50+ UVA/UVB Physical Sunscreen

0.406 US fl. oz. 12 ml

*Use with sun protection measures. See directions.

*Source: The NPD Group/ U.S. Prestige Beauty Total Measured Market, Makeup Product Sales, January - December 2020



TO DEVELOP
SKIN-LOVING
SOLUTIONS AND
CLINICALLY TESTED
FORMULAS.

PARABEN FREE

Tip: To use as your
full-coverage
foundation, apply 1-2
pumps to clean skin
using your favorite
Cosmetics brush.

YOUR SKIN BUT BETTER

CC+

Color Correcting
Full Coverage Cream

•
Anti-Aging*
Hydrating Serum

•
Broad Spectrum

SPF 50+

UVA/UVB
Physical Sunscreen

© Cosmetics LLC, New York, NY 10009
11500 Broadway, 10000 York 10009
TALYRIS BRASILEIRO UNICOMERCIAL
S.p.A. - Cosmetics Company
Simplificata S.p.A. - Lascio S.p.A. S.p.A.
10000 York, NY 10009
See www.litcosmetics.com
100009

litcosmetics.com



1.08 US FL. OZ. / 32 ml

*Use with sun protection measures.
See directions.

• **Do not use** if irritated or inflamed.
• **Do not use** if irritated or inflamed.
• **Do not use** if irritated or inflamed.

Warnings

For external use only.

Do not use on damaged or broken skin.
When using this product keep out of eyes.
Rinse with water if necessary.
This use and use is tested in skin testing.
Keep out of reach of children.
If swallowed, get medical help or contact Poison
Control Center right away.

Directions

• **Apply liberally** 15 minutes before sun exposure.
• **Reapply at least every 2 hours.**
• **Use a water resistant sunscreen** if swimming
or sweating.
• **Sun Protection Measures:** Spending time in the
sun increases your risk of skin cancer and early skin
aging. To decrease this risk, regularly use a
broad-spectrum SPF of 15 or higher and other sun protection measures including:
• **Wear a hat** to shade your face, eyes, and neck.
• **Wear sunglasses** that block UVB and UVA rays.
• **Wash your face** after sun exposure.

Other Information

• **Product Recalled** in the container from
external heat and direct sun.

Questions? Call 800.820.3950

Inactive Ingredients

Glycerin, water, phenyl trimethicone,
dimethicone, butylene glycol, butylene
glycol diacetate, butylene glycol diacetate,
cetyl alcohol, caprylic acid, caprylic acid,
PEG-4000, dimethylsiloxane, octyl
PEG-PPG-18/18 dimethicone,
cyclopentasiloxane, sodium acetate, titanium
dioxide, aluminum hydroxide, magnesium sulfate,
polybutyl-4 isobutylate, stearic acid,
cyclohexanone, dimethicone/vinyl
dimethicone crosspolymer, hexyl laurate,
calcium stearate, triethoxycaprylate,
cetyl alcohol, ethyl hexanoate,
ethyl hexanoate, linolenic acid, linolenic
acid, linolenic acid, linolenic acid,
tocopherol acetate, phenylethyl alcohol,
squalene, benzyl alcohol, butyl alcohol,
1,3-hexanediol, xanthan gum, citric
acid, titanium dioxide, orange oil, citrus
aurantio, citrus oil, plus natural leaf
oil, butyl alcohol, glycerin, butyl alcohol,
green tea extract, stearic acid, stearic acid,
ethyl alcohol, ethyl alcohol, hydroxyethyl
cellulose, stearyl-20, polybutyl
tetra-4-hydroxyhydroxymethyl,
candelilla wax leaf extract, candelilla
wax leaf extract, candelilla wax leaf extract,
candelilla wax leaf extract, candelilla
wax leaf extract, candelilla wax leaf extract,
glycerol, n-hydroxyethylacetamide, ethyl
alcohol, hydroxyethyl alcohol, sodium citrate,
potassium acetate, polybutyl tetra-4-hydroxyhydroxymethyl,
drying agent, butyl alcohol, butyl alcohol,
bleach, May Contain: titanium dioxide,
iron oxides

12818842

calcium threonate, tetracycline hydrochloride, tocopherol, ethylhexanediol, styrenesuccinic anhydride, dimethylsiloxane, triethylsiloxane, dimethylsiloxane crosspolymer, sorbitol sebacate, tocopheryl acetate, phenoxyethanol, citrus aurantium bergamia (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantium limbo oil, prunus syriaca leaf oil, linoleic acid, sucroptol, disodium EDTA, glycerin, citric acid, ascorbic acid, hyaluronic acid, collagen, hydroxyethyl acrylate, collagen, stearyl-2S, persea gratissima (coconut) glycerylhydroxystearate, canella sinensis leaf extract, discaria eriposa (olive) leaf extract, chlorhexidine digluconate, n-vetoxylsuccinimide, silk extract, hydrolyzed silk, sodium citrate, potassium sorbate, pentaerythrityl tetra-2-ethylhydroxystearate-7, citric acid, butyl, May contain: Barium chloride, iron oxide

V2870842

IT Cosmetics, LLC, Full Time, 2012
All trademarks are the property of their respective owners.
© 2012 IT Cosmetics, LLC. All rights reserved.
www.itcosmetics.com
1-800-421-4444
11000013000000

19MT00229.04



UPC

2.53 US fl. oz. / 75 ml

*Use with sun protection measures.
See directions.

itcosmetics.com

Drug Facts

Active ingredients: Purpose
Titanium dioxide 0% Sunscreen
Zinc oxide 6.3% Sunscreen
Uses
■ helps prevent sunburn.
■ blocks infrared with advanced protection

**IT COSMETICS
PARTNERS WITH
PLASTIC SURGEONS
AND
DERMATOLOGISTS TO
DEVELOP
SKIN-LOVING**



Directions
Apply evenly to exposed skin before sun exposure. Reapply every 2 hours. Use a water resistant sunscreen for swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Seek shade to avoid sunburn. Avoid tanning beds.
- Wear protective clothing, hats, and sunglasses.
- Observe your skin for changes. See a doctor.

Other information
Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3980

Inactive Ingredients
Glycol, water, dimethylsiloxane, dimethicone, butylene glycol, acrylate copolymer, zinc oxide, titanium dioxide, polybutene-1, cyclopentasiloxane, and squalene. Iron oxide, aluminum hydroxide, magnesium silicate, polybutene-1, potassium trioxosulfate, stannic acid, cyclohexanone, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, bis(4-isopropylphenyl)propane diol, ethyl hexanoate, ethylhexylglycerin, trimethylsiloxysilicate, dimethylsiloxylated polydimethylsiloxyacrylate, sorbitol sesquisebacate, tocopheryl acetate, phenoxyethanol, citrus aurantium bergamia (bergamot) fruit oil, 1,2-hexanediol, adenosine, citrus aurantium dulcis (orange) peel oil, citrus aurantium limbo (lime) oil, pinus sylvestris leaf oil, inulin, succinylglutamine, lactate, citric acid, sodium lactate, hyaluronic acid, caprylyl glycol, hydroxyethyl acrylate, stearyl-25, polyoxyethyl terephthalate, hydroxyhydroquinone, candelia cernua leaf extract, dno curatella (olive) leaf extract, chlorhexidine digluconate, n-hydroxy succinimide, silk extract, hydroxyethyl urea, sodium citrate, potassium sorbate, polyoxyethylacrylate-7, chitin, polyoxyethylacrylate-7, citric acid, butyl, May contain titanium dioxide, iron oxides.

SOLUTIONS AND CLINICALLY TESTED FORMULAS.
PARABEN FREE

TP: To use as your full-coverage foundation, apply 1-2 pumps to clean skin using your favorite IT Cosmetics™ brush.

YOUR SKIN BUT BETTER

CC+

Color Correcting Full Coverage Cream
+
Anti-Aging* Hydrating Serum
+
Broad Spectrum
SPF 50+
UVA/UVB
Physical Sunscreen







V2810042






IT Cosmetics, Inc. New York, NY
© 2015 IT Cosmetics, Inc. All rights reserved.
The image and/or logo of IT Cosmetics, Inc.
may be used in connection with the
promotion of IT Cosmetics, Inc. products.
*Anti-Aging Hydrating Serum
SPF 50+ UVA/UVB Physical Sunscreen
Inactive Ingredients
2000009


19MT0029.04

UPC

2.53 US fl. oz. / 75 ml
*Use with sun protection measures. See directions.







ITC CC FULL COVERAGE CREAM NEUTRAL MEDIUM

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-108 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: WZZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DROK5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| WATER (UNII: 059QF0KO0R) | |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| ORANGE OIL (UNII: AKN3KSD11B) | |

| | |
|--|--|
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-108-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-108-03 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-108-02 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM NEUTRAL TAN

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-110 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

| | |
|--|--|
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: WZZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| WATER (UNII: 059QF0KO0R) | |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| ORANGE OIL (UNII: AKN3KSD11B) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-110-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-110-03 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-110-02 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM FAIR LIGHT

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-104 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |

| |
|---|
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| NIACINAMIDE (UNII: 25X5118RD4) |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) |
| EUCALYPTUS OIL (UNII: 2R04ONI662) |
| CHRYSIN (UNII: 3CN01F5ZJ5) |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) |
| CALCIUM STEARATE (UNII: 776XM7047L) |
| BABASSU OIL (UNII: 8QSB4M5477) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ADENOSINE (UNII: K72T3FS567) |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) |
| LIME OIL (UNII: UZH29XGA8G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| OATMEAL (UNII: 8PI54V663Y) |
| BERGAMOT OIL (UNII: 39W1PKE3JI) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

| Packaging | | | | |
|------------------|------------------|--|-----------------------------|---------------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:11090-104-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-104-03 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 75 mL in 1 TUBE; Type 0: Not a Combination | | |

| | | | |
|---|------------------|--|------------|
| 2 | | Product | |
| 3 | NDC:11090-104-02 | 1 in 1 CARTON | 03/14/2018 |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM LIGHT

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-105 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |

| |
|---|
| CALCIUM STEARATE (UNII: 776XM7047L) |
| BABASSU OIL (UNII: 8QSB4M5477) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ADENOSINE (UNII: K72T3FS567) |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) |
| LIME OIL (UNII: UZH29XGA8G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| OATMEAL (UNII: 8PI54V663Y) |
| BERGAMOT OIL (UNII: 39W1PKE3JI) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-105-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-105-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-105-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-105-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM MEDIUM

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-107 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |

| |
|---|
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) |
| PHENYL TRIMETHICONE (UNII: DROK5NOJ4R) |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) |
| LIME OIL (UNII: UZH29XGA8G) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| OATMEAL (UNII: 8PI54V663Y) |
| BERGAMOT OIL (UNII: 39W1PKE3JI) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-107-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-107-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-107-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-107-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM MEDIUM TAN

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-109 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DROK5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |

| |
|---|
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| OATMEAL (UNII: 8PI54V663Y) |
| BERGAMOT OIL (UNII: 39W1PKE3JI) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-109-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-109-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-109-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-109-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM TAN

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-111 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X5118RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |

| |
|---|
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-111-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-111-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-111-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-111-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM RICH HONEY

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-113 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |
| Inactive Ingredients | | |
| Ingredient Name | Strength | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | |
| LEMON OIL (UNII: I9GRO824LL) | | |
| STEARETH-20 (UNII: L0Q8IK9E08) | | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | |
| NIACINAMIDE (UNII: 25X51I8RD4) | | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | | |
| CALCIUM STEARATE (UNII: 776XM7047L) | | |
| BABASSU OIL (UNII: 8QSB4M5477) | | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | | |
| ADENOSINE (UNII: K72T3FS567) | | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | | |
| PHENYL TRIMETHICONE (UNII: DROK5NOJ4R) | | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | | |
| LIME OIL (UNII: UZH29XGA8G) | | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | | |
| OATMEAL (UNII: 8PI54V663Y) | | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | | |
| WATER (UNII: 059QF0KO0R) | | |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) | | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | | |
| ORANGE OIL (UNII: AKN3KSD11B) | | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | | |

| | |
|--|--|
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-113-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-113-03 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-113-02 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM FAIR

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-103 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |

| | |
|--|--|
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DROK5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| WATER (UNII: 059QF0KO0R) | |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| ORANGE OIL (UNII: AKN3KSD11B) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-103-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-103-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-103-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-103-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM LIGHT MEDIUM

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-106 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |

| | |
|---|--|
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X5118RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| CHRYSIN (UNII: 3CN01F5ZJ5) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| BABASSU OIL (UNII: 8QSB4M5477) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| ADENOSINE (UNII: K72T3FS567) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | |
| WATER (UNII: 059QF0KO0R) | |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| ORANGE OIL (UNII: AKN3KSD11B) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-106-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| | NDC:11090-106 | | | |

| | | | | |
|---|------------------|--|------------|--|
| 2 | NDC:11090-106-03 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 75 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-106-02 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

ITC CC FULL COVERAGE CREAM RICH

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11090-112 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 90 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 63 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BOMBYX MORI FIBER (UNII: 6LK42KUV6W) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| STEARETH-20 (UNII: L0Q8IK9E08) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |

| |
|---|
| CHRYSLIN (UNII: 3CN01F5ZJ5) |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) |
| CALCIUM STEARATE (UNII: 776XM7047L) |
| BABASSU OIL (UNII: 8QSB4M5477) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| ADENOSINE (UNII: K72T3FS567) |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) |
| LIME OIL (UNII: UZH29XGA8G) |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| OATMEAL (UNII: 8PI54V663Y) |
| BERGAMOT OIL (UNII: 39W1PKE3JI) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) |
| WATER (UNII: 059QF0KO0R) |
| GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000) (UNII: 0K9R94573C) |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| ORANGE OIL (UNII: AKN3KSD11B) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) |
| N-HYDROXYSUCCINIMIDE (UNII: MJE3791M4T) |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| HYALURONIC ACID (UNII: S270N0TRQY) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11090-112-01 | 1 in 1 CARTON | 03/14/2018 | |
| 1 | | 4 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:11090-112-02 | 1 in 1 CARTON | 03/14/2018 | |
| 2 | | 12 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:11090-112-03 | 1 in 1 CARTON | 03/14/2018 | |
| 3 | | 32 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:11090-112-04 | 1 in 1 CARTON | 03/14/2018 | |
| 4 | | 75 mL in 1 TUBE; Type 0: Not a Combination | | |

Product

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 03/14/2018 | |

Labeler - Beauty Manufacturing Solutions Corp. (783200723)

Registrant - Beauty Manufacturing Solutions Corp. (783200723)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------------------|---------|-----------|--|
| Beauty Manufacturing Solutions Corp. | | 783200723 | manufacture(11090-103, 11090-104, 11090-105, 11090-106, 11090-107, 11090-108, 11090-109, 11090-110, 11090-111, 11090-112, 11090-113) |

Revised: 2/2022

Beauty Manufacturing Solutions Corp.