

**OXYGEN- oxygen gas**  
**Matheson Tri-Gas, Inc.**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS: CU.FT

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment of cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS: 7782-44-7

DISTRIBUTED BY: Allina Health

HOME OXYGEN & MEDICAL EQUIPMENT

1055 WESTGATE DR.

ST. PAUL, MN 55114

1-800-737-4473



OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS: CU.FT

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAG 7782-44-7

MATHESON ask... The Gas Professional TM

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS: CU.FT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS 7782-44-7

MATHESON ask... The Gas Professional™

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

CONTAINER CONTENTS: LTRS: CU FT:

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction

and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7


DO NOT REMOVE THIS PRODUCT LABEL.

MATHESON ask... The Gas Professional™

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS: CU.FT

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug

manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS 7782-44-7

MATHESON The Gas Professionals

MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

CONTAINER CONTENTS: LTRS: CU FT:

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not

attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL**

MATHESON The Gas Professionals


MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505

**REFRIGERATED LIQUID**

**OXYGEN, REFRIGERATED LIQUID USP UN1073**




LTRS:   
CU FT:

**CONTAINER CONTENTS:** \_\_\_\_\_

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, it only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.  
*Produced by Air Liquetaction.*

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the *Matheson Tri-Gas Safety Data Sheet (SDS)* before use.

**FIRST AID:** IF ON SKIN: These frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.  
CAS: 7782-44-7



DO NOT REMOVE THIS PRODUCT LABEL

**MATHESON**  
The Gas Professionals

**MATHESON TRI-GAS**  
939 LAKE GARCIA PKWY • SUITE 1300  
IRVING, TEXAS 75039 • 1-800-415-2505

TGM: 807 (10/21)

# OXYGEN

oxygen gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55037-113
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 1 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55037-113-21	38 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
2	NDC:55037-113-22	100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
3	NDC:55037-113-23	160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
4	NDC:55037-113-24	210 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
5	NDC:55037-113-25	250 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
6	NDC:55037-113-26	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	



<b>7</b>	NDC:55037-113-27	480 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>8</b>	NDC:55037-113-28	580 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>9</b>	NDC:55037-113-29	630 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>10</b>	NDC:55037-113-30	710 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>11</b>	NDC:55037-113-31	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>12</b>	NDC:55037-113-32	1100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>13</b>	NDC:55037-113-33	1700 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>14</b>	NDC:55037-113-34	2100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>15</b>	NDC:55037-113-35	2500 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>16</b>	NDC:55037-113-36	3400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>17</b>	NDC:55037-113-37	4400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>18</b>	NDC:55037-113-38	7000 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>19</b>	NDC:55037-113-39	6300 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>20</b>	NDC:55037-113-40	9600 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>21</b>	NDC:55037-113-41	7200 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>22</b>	NDC:55037-113-42	7800 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>23</b>	NDC:55037-113-43	530 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>24</b>	NDC:55037-113-44	2900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
<b>25</b>	NDC:55037-113-45	143 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>26</b>	NDC:55037-113-46	159 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>27</b>	NDC:55037-113-47	170 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>28</b>	NDC:55037-113-48	157 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>29</b>	NDC:55037-113-49	201 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>30</b>	NDC:55037-113-50	195 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>31</b>	NDC:55037-113-51	231 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>32</b>	NDC:55037-113-52	346 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>33</b>	NDC:55037-113-53	224 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>34</b>	NDC:55037-113-54	143 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>35</b>	NDC:55037-113-55	153 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
<b>36</b>	NDC:55037-113-56	145 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	

37	NDC:55037-113-57	169 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
38	NDC:55037-113-58	199 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
39	NDC:55037-113-59	17034 L in 1 TANK; Type 0: Not a Combination Product	01/01/1987	
40	NDC:55037-113-60	60 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1987	
41	NDC:55037-113-61	46 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1987	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205889	01/01/1987	

## Labeler - Matheson Tri-Gas, Inc. (179092028)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		004649918	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		005965624	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		007268436	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		008982506	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		018348289	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		020179859	manufacture(55037-113)

### Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		020289471	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		022107254	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		022221475	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		022321814	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		022932466	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		024423217	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		024873548	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		029157048	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		030435676	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		035676147	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		036495856	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		037848405	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Matheson Tri-Gas, Inc.		045200315	manufacture(55037-113)
------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		047409248	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		061809666	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		074768669	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		077991818	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		078482153	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		078644383	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		078644405	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		078811516	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		079170190	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		084126747	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		099963340	manufacture(55037-113)

---

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		103106340	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		103565206	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		104002394	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		107603276	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		109105650	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		111249868	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		116925706	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		117772257	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		118867703	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		130286177	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		138120592	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Matheson Tri-Gas, Inc.		145607698	manufacture(55037-113)
------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		161169040	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		174716725	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		186132189	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		189399392	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		193424439	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		361608540	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		606635738	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		606686202	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		626544241	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		781766225	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		787058739	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		790130322	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		807500459	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		808032275	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		809960370	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		828308739	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		828390737	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		830365537	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		830937327	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		831786145	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		831995829	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		831995936	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Matheson Tri-Gas, Inc.		832779602	manufacture(55037-113)
------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		839433315	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		866995160	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		926334889	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965758985	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965759249	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965759702	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760197	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760387	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760577	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965766798	manufacture(55037-113)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		958666927	manufacture(55037-113)



