

**MEDIQUE MEDI-PHENYL- phenylephrine hydrochloride tablet, film coated**  
**DOVER SUDANYL PE- phenylephrine hydrochloride tablet, film coated**  
**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Medique and Dover Phenylephrine HCl 5mg**

**Drug Facts**

**Active ingredient (in each tablet)**

Phenylephrine HCl 5mg

**Purpose**

Nasal decongestant

**Uses**

Temporarily relieves

■ nasal congestion due to the common cold, hay fever or other upper respiratory allergies

■ sinus congestion and pressure

**Warnings**

**Do not use**

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**When using this product**

■ **do not exceed recommended dosage**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**Stop use and ask a doctor if**

■ you get nervous, dizzy, or sleepless

■ symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a

Poison Control Center right away (1-800-222-1222).

**Directions**

- **do not use more than directed**

**Adults and children: (12 years and older)**

Take 2 tablets every 4-6 hours. Do not take more than 12 tablets in 24 hours.

**Children under 12 years:**

Ask a doctor

**Other information**

- store at room temperature 59°-86° F (15°-30° C).
- tamper evident sealed packets.
- do not use any opened or torn packets

**Inactive ingredients**

croscarmellose sodium, FD&C red #40, FD&C yellow #6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

**Questions or comments?** 1-800-634-7680

**205R Medique Medi-Phenyl Label**

Medique®

Medi-Phenyl

Pseudoephedrine Free

Sin pseudoefedrina

Nasal Decongestant • Phenylephrine HCl 5mg

Decongestivo Nasal • Hidrocloruro de fenilefrina 5 mg

Pull to Open


Tire Para Abrir

500 Tablets

(250 x 2)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias



## Dover Sudanyl Label

Dover Sudanyl PE  
Nasal and Nasal Decongestant  
Non-Drowsy, Sugar Free  
Phenylephrine HCl 5mg  
Dover Pharmaceutical  
*Products of the highest quality and effectiveness*  
Tamper Resistant  
Sealed Packets  
Unit Dose Packs  
500 Tablets  
(250 Packets of 2)

Open in Other End to Dispense

Sudanyl PE

NON DROWSY, SUGAR FREE

Phenylephrine HCl 5 mg

Dover Pharmaceutical  
TAMPER EVIDENT  
Sealed Packets

Open Front Panel to Dispense

21253288  
Rev. 12/21  
Pg. 1

All Dover Pharmaceutical formulas conform to federal regulations

- **Antihistamine Free** No danger from the drowsiness side effects of antihistamines.
- **Salt Free** For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.
- **Danger Free** Contains no succrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.
- **Caffeine Free** Avoids possibility of excess stimulation and hyperactivity.

All Dover Pharmaceutical formulas conform to federal regulations

- **Antihistamine Free** No danger of drowsiness
- **Salt Free** Minimizes high blood pressure
- **Sugar Free** For safer use by diabetics
- **Caffeine Free** Avoids over-stimulation

All Dover Pharmaceutical formulas conform to federal regulations

- **Antihistamine Free** No danger from the drowsiness side effects of antihistamines.
- **Salt Free** For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.
- **Danger Free** Contains no succrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.
- **Caffeine Free** Avoids possibility of excess stimulation and hyperactivity.

| Drug Facts   |         |
|--|---------|
| Active ingredient (in each tablet)   | Purpose |
| Phenylephrine HCl 5 mg   |         |
| <b>Uses</b>  |         |
| <ul style="list-style-type: none"> <li>• temporary relief</li> <li>• nasal congestion due to the common cold, hay fever or other upper respiratory ailments</li> <li>• sinus congestion and pressure</li> </ul>  |         |
| <b>Warnings</b>  |         |
| <ul style="list-style-type: none"> <li>• If you are now taking prescription medications contain alcohol (ABC) contact your doctor for appropriate precautions, or avoid alcohol completely, or if your doctor or pharmacist has advised you to do so.</li> <li>• If you are now taking prescription medications contain alcohol (ABC) contact your doctor for appropriate precautions, or avoid alcohol completely, or if your doctor or pharmacist has advised you to do so.</li> <li>• If you are now taking prescription medications contain alcohol (ABC) contact your doctor for appropriate precautions, or avoid alcohol completely, or if your doctor or pharmacist has advised you to do so.</li> </ul> |         |
| <b>Directions</b>  |         |
| <ul style="list-style-type: none"> <li>• Do not use more than directed</li> <li>• Adults and children (12 years and older) Take 1 tablet every 4-6 hours. Do not take more than 12 tablets in 24 hours.</li> <li>• Children under 12 years Take as directed</li> </ul>   |         |
| <b>Other information</b>   |         |
| <ul style="list-style-type: none"> <li>• Store at room temperature (20°-25° C)</li> <li>• Keep container tightly closed.</li> <li>• Do not use if the seal is broken.</li> </ul>   |         |
| <b>Contains</b>  |         |
| <ul style="list-style-type: none"> <li>• Cellulose</li> <li>• Croscarmellose sodium</li> <li>• FD&amp;C Yellow No. 6</li> <li>• Hypromellose</li> <li>• Lactose</li> <li>• Magnesium stearate</li> <li>• Polyethylene glycol</li> <li>• Propylene glycol</li> <li>• Silicon dioxide</li> <li>• Titanium dioxide</li> </ul>   |         |
| <b>Questions or comments?</b> 1-800-434-7680   |         |

Retain carton for complete product information

Dover

Sudanyl PE

NASAL & SINUS DECONGESTANT  
NON DROWSY, SUGAR FREE

Phenylephrine HCl 5 mg

Dover Pharmaceutical  
Products of the highest quality  
and effectiveness.

TAMPER EVIDENT  
Sealed Packets

UNIT DOSE PACKS  
500 TABLETS  
(250 PACKETS OF 2)

Dover

Sudanyl PE

NASAL & SINUS DECONGESTANT  
NON DROWSY, SUGAR FREE

Phenylephrine HCl 5 mg

Dover Pharmaceutical  
Products of the highest quality  
and effectiveness.

TAMPER EVIDENT  
Sealed Packets

UNIT DOSE PACKS  
500 TABLETS  
(250 PACKETS OF 2)

Reorder No. 2125323  
Manufactured for  
Medique Products  
Fort Myers, FL 33967  
1-800-434-7680  
www.mediqueproducts.com

Dover

Sudanyl PE

NASAL & SINUS DECONGESTANT  
NON DROWSY, SUGAR FREE

Phenylephrine HCl 5 mg

Dover Pharmaceutical  
Products of the highest quality  
and effectiveness.

TAMPER EVIDENT  
Sealed Packets

UNIT DOSE PACKS  
500 TABLETS  
(250 PACKETS OF 2)

Reorder No. 2125323  
Manufactured for  
Medique Products  
Fort Myers, FL 33967  
1-800-434-7680  
www.mediqueproducts.com

## MEDIQUE MEDI-PHENYL

phenylephrine hydrochloride tablet, film coated

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:47682-161 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength           | Strength |
|---|-----------------------------|----------|
| <b>PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)</b> | PHENYLEPHRINE HYDROCHLORIDE | 5 mg     |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)</b>      |          |
| <b>CROSCARMELOSE SODIUM (UNII: M28OL1HH48)</b>             |          |
| <b>FD&amp;C RED NO. 40 (UNII: WZB9127XOA)</b>              |          |
| <b>FD&amp;C YELLOW NO. 6 (UNII: H77VEI93A8)</b>            |          |
| <b>HYPROMELLOSES (UNII: 3NXW29V3WO)</b>                    |          |
| <b>LACTOSE (UNII: J2B2A4N98G)</b>                          |          |
| <b>MAGNESIUM STEARATE (UNII: 70097M6130)</b>               |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)</b> |          |
| <b>SILICON DIOXIDE (UNII: ETJ7Z6XBU4)</b>                  |          |
| <b>TITANIUM DIOXIDE (UNII: 15F1X9V2JP)</b>                 |          |
| <b>PROPYLENE GLYCOL (UNII: 6DC9Q167V3)</b>                 |          |

## Product Characteristics

|                 |               |                     |          |
|-----------------|---------------|---------------------|----------|
| <b>Color</b>    | red (red)     | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND (ROUND) | <b>Size</b>         | 7mm      |
| <b>Flavor</b>   |               | <b>Imprint Code</b> | 271      |
| <b>Contains</b> |               |                     |          |

## Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:47682-161-33 | 100 in 1 BOX                                     | 12/30/2008           |                    |
| 1 |                  | 2 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:47682-161-13 | 500 in 1 BOX                                     | 12/30/2008           |                    |
| 2 | NDC:47682-161-99 | 2 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |
| 3 | NDC:47682-161-99 | 2 in 1 PACKET; Type 0: Not a Combination Product | 12/30/2008           |                    |

## Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part341                                  | 12/30/2008           |                    |

## DOVER SUDANYL PE

phenylephrine hydrochloride tablet, film coated

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:47682-162 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength           | Strength |
|---|-----------------------------|----------|
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg     |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)   |          |
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8) |          |
| <b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)         |          |
| <b>LACTOSE</b> (UNII: J2B2A4N98G)               |          |

|   |  |
|---|--|
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |  |
| <b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)         |  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)             |  |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)            |  |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |  |
| <b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)        |  |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)            |  |

### Product Characteristics

|                 |               |                     |          |
|-----------------|---------------|---------------------|----------|
| <b>Color</b>    | red (red)     | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND (ROUND) | <b>Size</b>         | 7mm      |
| <b>Flavor</b>   |               | <b>Imprint Code</b> | 271      |
| <b>Contains</b> |               |                     |          |

### Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:47682-162-13 | 500 in 1 BOX                                     | 12/30/2008           |                    |
| 1 | NDC:47682-162-99 | 2 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:47682-162-99 | 2 in 1 PACKET; Type 0: Not a Combination Product | 12/30/2008           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part341                                  | 12/30/2008           |                    |

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 3/2022

Unifirst First Aid Corporation