CHEM-STAR SENTINEL PLUS- hydrogen peroxide, lactic acid, dodecyl benzene sulfonic acid solution MEDA Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh Chem-Star Sentinel Plus, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Chem-Star Sentinel Plus, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh Chem-Star Sentinel Plus, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Chem-Star Sentinel Plus, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Chem-Star Sentinel Plus is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

208 L (55 US GAL)

6301947

Sanitizing Teat Dip

CHEM-STAR™

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENTS:

Hydrogen Peroxide......0.5%

Lactic Acid...... 1.7%

Dodecyl Benzene Sulfonic Acid...... 0.5%

INERT INGREDIENTS: 97.3%

(contains sorbitol, glycerin)

TOTAL: 100.0%


MEDA

S12274 Liegel Court Spring Green, Wisconsin 53588

©2016 - All rights reserved

Made in U.S.A. - 766651/5300/1016

MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS ASSOCIATION, INC.



208 L (55 US GAL) 6301947

Sentinel[™] Plus

An aid in reducing the spread of organisms which may cause mastitis

CHEM-STAR

ACTIVE INGREDIENTS:

97.7%
100000000000000000000000000000000000000
100.0%

DIRECTIONS:

NMORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or netwin any unused product to the original container. Udder Pregr When using an udder wash tabe ploform million, make sure to wash teats with appropriate udder wash solution using procer cleaning procedures. Teats should then be dried with single-service towels.

procedures. Texts should then be dried with angle-service uswes. Directions of Text Dipping. Pre-Hill Dipping: Before each cow is milked, and using fresh Chem-Star Sentinel Plus, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towers to avail contamination of milk. Post-Hill Dipping: Using fresh Chem-Star Sentinel Plus, dip each teat full-length into the teat dip cup. Do not turn cows out in freezing weather until the product is completely dry. Binational for the fore-tion.

Directions for Teat Spraying Pre-Milk Spraying: Before each cow is milked, and using fresh Chem-Star Sentinel Plus, spray entire teat. Wipe teats after dipping using single-service

Pre-Milli Spreying: before 48ch cown is milliken, and usang treat userial and ensure that any ensure that any ensure that the second se **KEEP OUT OF REACH OF CHILDREN**

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada. call collect 1 651 222 5352 (number is in the US).



© 2016 · All rights reserved | Todos los derechos reservados

Made in U.S.A. | Hecho en EE.UU. · 766651/5300/1016



Ayuda a evitar la proliferación de organismos que pueden causar mastitis

INSTRUCCIONES:

INPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el

contensedor original. "Preparado para utore: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropsidos. Los pezones deben secarse con toallas de uso único.

adéciada y procedimientos de limpieza apropiados. Los pezones eseben secarse con toanes se uso unixo. **Seliad del pecto previo a lorden**o: Antes de ordenar cada vaca, hale toda la superficie de cada pezón en un recipiente que contenga Chem-Star Sentinel Plus fresco. Limpie los previos cal ordenar cada vaca hale toda la superficie de cada pezón en un recipiente que contenga Chem-Star Sentinel Plus fresco. Limpie los persones con toalisa de uso sinco lue que o labaho para variar la contaminación de la loche. **Seliad de pecto posterior al orden**o: Bale toda la superficie de cada pezón en un recipiente que contenga Chem-Star Sentinel Plus fresca I alim, los dej la sivacas en un cimian haledo hasta que el producto se haya secado por completo. <u>Instrucciones para el roclado de pezones</u> Reciado previo al ordenor. Alites de ordenar ada vaca; nocie toda la superficie de cada pezón con Chem-Star Sentinel Plus fresco. Limpie los pezones con toalias de na titar de cada pezón de habe cana alitica la contaminización de la la chef.

de uso único luego del baño para evitar la contaminación de la lecha. Reclado de pacores posteriora al archeño: Inmediatamente después del ordeño, rocie toda la superficie de cada pezón con Chem-Star Sentinel Plus fresco. No utilice paños. Deje secar al aire: No deje las vazas en un clima helado hasta que el producto se haya secado por completo. Ulto aompliades: Javaca va a paric comineno a realizar al tañho dos veces al dia unos 10 días antes de Japato. PEECALCOM: Chem-Star Sentinel Plus no está penesado para curar ni ayudar a samar los pezones agrietados o initrados. Como cualquier genniciada, el producto puede cuasar initrados o senzar initrados o pezaras initrados. Si los pecones están agrietados o initrados, encargue a un veterinario que examine la condición y la trate si es concaratio

ecesari

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Atención

Provoca irritación ocular.

Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro. EN CASO DE CONTACTO CON LOS QJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).



Baño de tetina

Teat Spray Roceador de tetina

MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS ASSOCIATION, INC.

CHEM-STAR SENTINEL PLUS

hydrogen peroxide, lactic acid, dodecyl benzene sulfonic acid solution

Product Information								
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59511-412					
Route of Administration	TOPICAL							

Active Ingredient/Active Moiety

8		
Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	5 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DO DECYLBENZENES ULFONIC ACID	5 mg in 1 mL
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	17 mg in 1 mL

Inactive Ingredients

Ingredient Name

Strength

w	ATER (UNII: 059QF0KC	JURJ				
G	LYCERIN (UNII: PDC6A	3C0OX)				
S	DRBITOL (UNII: 506T6	0A25R)				
P	ackaging					
#	Item Code	Package Description	Marketin	g Start Date	M	arketing End Date
1	NDC:59511-412-16	18930 mL in 1 PAIL				
2	NDC:59511-412-17	56780 mL in 1 DRUM				
3	NDC:59511-412-21	208200 mL in 1 DRUM				
•	T	· · · · · · · · · · · · · · · · · · ·				
IV	Iarketing Infor	mation				
N	Aarketing Category	Application Number or Monogr	aph Citation	Marketing Start I	Date	Marketing End Date
ur	happroved drug other			11/22/2002		

Labeler - MEDA Inc. (830359597)

Revised: 1/2017

MEDA Inc.