

API SUPER ICK CURE- nitrofurazone powder
MARS FISHCARE NORTH AMERICA, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Label

Active Ingredients: 3.6 mg Malachite Green and 60 mg Nitrofurazone per packet.

Directions for Use:

For best results, remove activated carbon or filter cartridge from filter and continue aeration.

For each 10 gallons (38 L) of water, empty one packet directly into aquarium.

Repeat dose after 48 hours.

Wait another 48 hours then change 25% of the aquarium water and add fresh activated carbon or replace filter cartridge.

Caution: Some scaleless fish are sensitive to this medication; therefore, start at half the normal dose.

Some saltwater invertebrates, such as corals, may be sensitive to this product, so it is not recommended for reef aquariums.

Note: this medication will discolor water and may stain aquarium sealant and ornaments. Use API BIO-CHEM ZORB or activated carbon 48 hours after final treatment to remove color from water.

This package treats up to 100 gallons.

Two doses required for full course of treatment.

Diagnostic Chart

Ich:

The most common symptom is white spots on the body of the fish. Early symptom is white spots on body of the fish. Early Symptoms may include darting in the aquarium and scratching against the gravel and ornaments. Labored breathing and lingering at the water's surface may also be observed. The lifecycle of the Ick parasite speeds up as the water temperature rises. So raising the water temperature to 82 F (28 C) may improve results.

KEEP OUT OF THE REACH OF CHILDREN.

For aquarium use only.

Not for human consumption or for the treatment of fish intended for human consumption.

Avoid contact with skin and eyes.

May cause irritation.

! WARNING:

This product can expose you to chemicals including Nitrofurazone, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

HUMAN WARNING:

Carcinogenesis:

Nitrofurazone, an active ingredient in Super Ick Cure, has been shown to produce mammary tumors on rats and ovarian tumors on mice.

Some people may be hypersensitive to this product.
Either wear gloves when dosing or wash hands afterwards.

Diagnostic Chart

On Back

10

Powder

Packets

Use In Fresh and Saltwater Aquariums

API

SUPER ICK CURE

TREATS ICH (WHITE SPOT) DISEASE

Disrupts the lifecycle of the Ich parasite

Combats secondary bacterial infections

Ich

Ich Parasite

GUIDE

Fish Problem

Solving

Directions for Use: For best results, remove activated carbon or filter cartridge from filter and continue aeration. For each 10 gallons (38 L) of water, empty one packet directly into aquarium. Repeat dose after 48 hours. Wait another 48 hours then change 25% of the aquarium water and add fresh activated carbon or replace filter cartridge. Caution: Some scaleless fish are sensitive to this medication; therefore, treat at half the normal dose. Some saltwater invertebrates, such as corals, may be sensitive to this product, so it is not recommended for reef aquariums.

Note: This medication will discolor water and may stain aquarium sealant and ornaments. Use API® BICO-CHEM ZORB® or activated carbon 48 hours after final treatment to remove color from water.

This package treats up to 100 gallons. Two doses required for full course of treatment.

Diagnostic Chart



Ich Parasite
(Magnified
100X)

Ich: The most common symptom is white spots on the body of the fish. Early symptoms may include darting in the aquarium and scratching against the gravel and ornaments. Labored breathing and lingering at the water's surface may also be observed. The lifecycle of the Ich parasite speeds up as the water temperature rises. So raising the water temperature to 82°F (28°C) may improve results.

Active Ingredients: 3.6 mg Malachite Green and 60 mg Nitrofurazone per packet.

KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human consumption. Avoid contact with skin and eyes. May cause irritation.

WARNING: This product can expose you to chemicals including Nitrofurazone, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

HUMAN WARNING: Carcinogenesis: Nitrofurazone, an active ingredient in Super Ick Cure, has been shown to produce mammary tumors on rats and ovarian tumors on mice. Some people may be hypersensitive to this product. Either wear gloves when dosing or wash hands afterwards.

Product #14P

RM000393-03-0618





API SUPER ICK CURE

nitrofurazone powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17163-512
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROFURAZONE (UNII: X8XI70B5Z6) (NITROFURAZONE - UNII:X8XI70B5Z6)	NITROFURAZONE	60 mg in 2 g
MALACHITE GREEN (UNII: 12058M7ORO) (MALACHITE GREEN CATION - UNII:AWT9R95TV1)	MALACHITE GREEN	3.6 mg in 2 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17163-512-12	20 g in 1 BOX		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2011	

Labeler - MARS FISHCARE NORTH AMERICA, INC. (049630700)

Revised: 12/2021

MARS FISHCARE NORTH AMERICA, INC.